

Product Catalog

For Site Preparation & Surgical Technologies



Table Of Contents

Introduction

Company Overview	i
Implant & Abutment System Connections	ii
Implant Body & Connection Types	iv
Certain Platform Switching Implants	v
Surface Technologies	vi
The T3® Implant Family	vii
The NanoTite® Implant Family	viii
The OSSEOTITE® Implant Family	viii
Top-Down Treatment Planning	viii

Certain Internal Connection Implants

T3 Tapered With DCD® Platform Switched	1
T3 Tapered With DCD Non-Platform Switched	1
T3 Tapered Platform Switched	1
T3 Tapered Non-Platform Switched	1
NanoTite Tapered Certain PREVAIL®	2
NanoTite Tapered Certain	2
Full OSSEOTITE Tapered Certain	3
OSSEOTITE Tapered Certain Prevail	3
T3 Parallel Walled With DCD Platform Switched	4
T3 Parallel Walled With DCD Non-Platform Switched	4
T3 Parallel Walled Platform Switched	4
T3 Parallel Walled Non-Platform Switched	4
OSSEOTITE 2 Parallel Walled Certain	4

External Hex Connection Implants

T3 Tapered With DCD	5
T3 Tapered	5
Full OSSEOTITE Tapered	6
OSSEOTITE Tapered	6
T3 Parallel Walled With DCD	7
T3 Parallel Walled	7
OSSEOTITE 2 Parallel Walled	7
Full OSSEOTITE Parallel Walled	8
OSSEOTITE Parallel Walled	8

Healing Abutments

Certain Internal Connection

BellaTek® Encode® Two-Piece	10
EP® One-Piece	11

External Hex Connection

BellaTek Encode Two-Piece	13
EP One-Piece	14

Site Preparation Technologies

Product Overview	15
Tapered Navigator® System For Guided Surgery	17
Parallel Walled Navigator System For Guided Surgery	21
Tapered Implant Surgical Kits	24
Parallel Walled Surgical Kits	27
W & H Surgical Drilling Unit	31
ACT® Non-Irrigated Reusable Twist Drills	32
Surgical Drills	
Drills, Quad Shaping Drills For Tapered Implants	32
Surgical Components	
Handpiece Bone Profilers	33
Low Profile Abutment Bone Profilers	33
Certain Manual Bone Profilers	33
Bone Profiler Guide Pins	33
Bone Profiler Organizers & Kits	33
Bone Taps, Dense Bone Taps For Tapered Implants	34
Depth/Direction Indicators For Tapered Implants,	
Direction Indicators, Mounts	35
Miscellaneous Instrumentation	36
Site Preparation Components	
Straight And Angled Osteotomes	38
Summer Osteotomes	38
Sinus Elevation	39
Trehpine Burs	39

Regenerative Technologies

Product Overview	40
Allografts	
RegenerOss® Allograft	42
RegenerOss Allograft Putty Plus	43
Xenografts	
Endobon® Xenograft Granules	43
Barrier Membranes	
OsseoGuard® & OsseoGuard Flex® Membranes	43
Autogenous Bone Collector	
Safescraper™ TWIST	43

Additional Information

Index	44
Ordering Information	56
Ordering Form	57

Important Product Information

Biomet 3i Dental Implants

For detailed product information on all Biomet 3i Dental Implants, refer to the Biomet 3i Dental Implant IFU (P-IIS086GI) located at ifu.biomet3i.com.

Biomet 3i Restorative Products

For detailed product information on all Biomet 3i Restorative Products, refer to the Biomet 3i Restorative Products IFU (P-IIS086GR) located at ifu.biomet3i.com.

Introduction

Company Overview

Providing Solutions – One Patient At A Time™

Mission Statement:

BIOMET 3i will be recognized as a global leader in the oral reconstruction marketplace. We will achieve this through superior customer support and continuous product innovation.

Headquartered in Palm Beach Gardens, Florida, with operations throughout the world, BIOMET 3i is one of the leading companies in the oral reconstruction market. Of equal importance, BIOMET 3i brings the same innovation, high standards and comprehensive approach to customer service, dental practice and laboratory support and education.

BIOMET 3i offers one of implant dentistry's most comprehensive lines of implants and abutments, augmented by a growing line of site preparation, digital, restorative and regenerative products.


BIOMET 3i pioneered the development of biologically driven implants, winning worldwide acclaim for the micro-textured OSSEOTITE Surface and then the nano-scaled, Bone Bonding® DCD (Discrete Crystalline Deposition) Surface. The tradition of implant innovation continued with the introduction of the T3 Implant, featuring a contemporary hybrid design for sustainable aesthetics.

This spirit of innovation continues with DIEM®2, a protocol to enable clinicians to pursue immediate provisionalization options for full arch patient cases.



Introduction


Implant & Abutment System Connections




Certain Internal Connection

The internal connection aspect of the implant and abutment are designed for ease of use and simplicity.

- QuickSeat® Connection: It Clicks! The Certain Implant and Abutment Systems feature the QuickSeat Connection. This unique connection produces an audible and tactile “click” that confirms placement of Impression Copings and Abutments.



- Abutment fingers cause the “click” and also provide retention for the prosthetic components in the implant before the screw is placed. A screw is needed to fully seat the components when the restoration is being tried-in or definitively placed.



- The 6/12 hex inside the internal connection incorporates both a 6-point single and a 12-point double hex. The 6-point single hex has two functions: engaging the driver tip for mountless delivery during implant placement and providing anti-rotation for all straight abutments. The 12-point double hex provides 30° rotational positioning for pre-angled abutments.




- Impression Copings: Pick-Up and Twist Lock™ Transfer Copings are available in the Certain Internal Connection design, in three EP (Emergence Profile) diameters and a straight diameter to match the corresponding Healing Abutment. The Impression Copings also “click” when properly seated. These copings have a different finger design that engages 2 mm down into the implant, as compared to the abutment’s design that engages 4 mm deep into the implant. This shorter engagement into the implant is important because it allows off-axis draw for implant impressions that are divergent.



- Color-Coding: Certain Implants and all interfacing components are color-coded by restorative platform diameter for easy identification and selection.

Introduction


Implant & Abutment System Connections (Cont.)



External Hex Connection

The external hex connection implant and abutment designs have been widely used in implant dentistry.


- Gold Standard ZR (Zero Rotation) is a proprietary design incorporating machined microstops within the corners of the hex in the abutment. The design reduces horizontal rotation between the implant and abutment. Gold Standard ZR is available on UCLA and GingiHue® Abutments.



- The 12-point double hex, which is machined into the 15° Pre-Angled GingiHue Abutment, provides rotational positioning in 30° increments on the implant hex.




- Precise Abutment Placement: The ASYST Abutment Placement Tool provides fingertip control for fast and easy abutment delivery. The proprietary packaging design makes abutment placement easier because the abutment is delivered sterile from the package directly to the implant site. The abutment and abutment screw are packaged inside the plastic ASYST seating device. The plastic seating device facilitates precise placement of the abutment on the implant, thus reducing chair time. The ASYST Tool is packaged with Low Profile Abutments.



- Impression Copings: Pick-Up and Twist Lock Transfer Copings are both available in the external connection design in three EP (Emergence Profile) diameters and a straight diameter to match the corresponding healing abutment. The proprietary Twist Lock design provides a more accurate transfer of the implant connection as compared to other transfer (closed tray) techniques. This unique Twist Lock feature provides a series of undercuts to guide the coping into the impression, giving stability to the impression coping/analog prior to pouring the impression. As a result, the copings lock into orientation grooves upon clockwise rotation, thereby allowing for a tactile sensation of resistance that ensures an accurate hex transfer.


Introduction

Implant Body & Connection Types



Certain Internal Connection Tapered Implants & External Hex Connection Tapered Implants

Tapered Implants closely approximate the shape of a natural tooth root with a thread design that produces an anchoring "bite in bone" response. These implants are available in the T3, NanoTite and OSSEOTITE Surface configurations.



Certain Internal Connection & External Hex Connection Parallel Walled Implants

Parallel Walled Implants feature a unique ICE™ Self-Tapping Design. These implants are available in the T3, NanoTite and OSSEOTITE Surface configurations.





Icon Descriptions:

The following icons are used to represent the connection type of the implant system:

Internal External

Introduction

Certain Connection With Integrated Platform Switching



Overview

The Certain connection with integrated platform switching is an implant configuration designed to help clinicians in the pursuit of crestal bone preservation. Platform switching is integrated into the Certain connection by a coronal bevel design that medializes the Implant Abutment Junction (IAJ). This feature is available on T3, OSSEOTITE and NanoTite Implants unless otherwise noted*. The surface extends to the top of the collar where the medialization of the implant platform begins, creating a continuous bone loading surface.

To ensure proper matching of the corresponding BIOMET 3i Abutments, the Certain connection with integrated platform switching is color-coded to correlate with the appropriate prosthetic platform size.

Platform Switched Certain Implants are available in two different macrogeometries:

Tapered Implants

This configuration provides integrated platform switching on a tapered implant design, which approximates the shape of a natural tooth root. The innovative thread angle, depth and pitch produce an anchoring "bite in bone" response for establishing primary stability.


Parallel Walled Implants

This configuration delivers integrated platform switching on a parallel walled implant design for site preparation flexibility.

* On some implant configurations, the platform switching feature is branded as Prevail.

Introduction

Surface Technologies



The T3 Implant Family

The T3 Implant represents the most recent advancement in dental implant surface technology since the introduction of the NanoTite Implant in 2007. This innovative surface technology is designed to deliver aesthetic results through tissue preservation.

A contemporary hybrid surface is provided by complex multi-surface topography. In preclinical studies,* the T3 with DCD Surface demonstrated increased integration strength throughout the healing phase as compared to less complex surface topographies.¹

Osseointegration is achieved with initial bone-to-implant contact, a major contributor to the implant's stability.² The specifications of the T3 Implant and surgical instrumentation are held to rigorous tolerances to provide a closely integrated implant-to-osteotomy fit, creating a dental implant system designed for primary stability.

The seal integrity is provided by a stable, tight implant/abutment interface that can minimize abutment micromotion and reduce the potential for microleakage.³ The seal strength is designed to reduce microleakage through exacting interface tolerances and maximized clamping forces.

The BIOMET 3i Gold-Tite® Screw increases implant/abutment clamping force by 113% as compared to a non-coated screw with the Certain Implant.⁴ The proprietary Gold-Tite Surface lubrication allows the screw to rotate further, increasing clamping force and maximizing abutment stability.⁵

Implants with integrated platform switching medialize the implant/abutment junction (IAJ) inward, creating a biologic width between connective tissue and the IAJ, helping to maintain bone levels.⁶

1. Davies JE[†], Ajami E, Moineddin R, et al. The role of different scale ranges of surface implant topography on the stability of the bone/implant interface. *Biomaterials* 2013;34(14):3535-3546. Epub 2013 Feb 14.
2. Meredith N. Assessment of implant stability as a prognostic determinant. *Int J Prosthodont*. 1998 Sep-Oct; 11(5):491-501.
3. Gubbi P[‡], Suttin Z[‡], Towse R[‡]. Microgap analysis at the implant-abutment interface of various dental implant systems. Poster Presentation (P-98): Academy of Osseointegration 28th Annual Meeting, March 2013, Tampa, Florida, USA.
4. Suttin Z^{††}, Towse R^{††}. Effect of abutment screw design on implant system seal performance. Presented at the European Association for Osseointegration, 20th Annual Scientific Meeting; October 2012; Copenhagen, Denmark. http://biomet3i.com/Pdf/Posters/P-450_Effect_of_Screw_Design_on_Implant_Seal.pdf
5. Byrne D, Jacobs S, O'Connell B, Houston F, Claffey N. Preloads generated with repeated tightening in three types of screws used in dental implant assemblies. *J. Prosthodont*. 2006 May-Jun; 15(3):164-171.
6. Lazzara R[‡], Porter SS. Platform switching: A new concept in implant dentistry for controlling post-restorative crestal bone levels. *Int J Perio Rest Dent*. 2006;26:9-17.


[†] JE Davies and R. Lazzara have financial relationships with BIOMET 3i LLC resulting from speaking engagements, consulting engagements and other retained services.

^{‡‡} Mr. Gubbi, Mr. Suttin and Mr. Towse contributed to the above research while employed by BIOMET 3i.

*Pre-clinical studies are not necessarily indicative of clinical results.

Introduction

Surface Technologies



NanoTite Surface at 20,000x magnification

The NanoTite Implant Family

The NanoTite Implant includes the proprietary OSSEOTITE dual-acid-etched surface, which is then further treated with a deposition of nanometer scale crystals of calcium phosphate. This is known as the Discrete Crystalline Deposition or DCD® Process. The DCD surface treatment is a discrete crystalline deposition onto the OSSEOTITE Surface, not a plasma sprayed coating.


The synergistic effect of these two technologies, the OSSEOTITE Surface and the DCD Process, has demonstrated promising results in animal studies.* Because of this synergistic effect, a more complex micro-surface is created. Preclinical studies* demonstrated that the DCD Surface treatment, when compared to OSSEOTITE Control Implants, significantly improved the rate and extent of bone-to-implant contact, resulting in statistically significant enhanced integration.^{1,2}

For all NanoTite Implant configurations, wherever there is the dual-acid-etched OSSEOTITE Surface, the DCD nano-scale calcium phosphate has been applied.

1. Mendes VC, Davies JE†. Discrete calcium phosphate nanocrystals enhance osteoconduction on titanium-based implant surfaces. *Canadian Biomaterials Society*. 25th Annual Meeting, May 26-28, 2006. Calgary, Alberta, Canada.

2. Mendes VC, Davies JE†. Discrete calcium phosphate nanocrystals render titanium surfaces bone-bonding. *Int J Oral Maxillofac Implant*. 2007;22:484.

*Pre-clinical studies are not necessarily indicative of clinical results.



OSSEOTITE Surface at 20,000x magnification

The OSSEOTITE Implant Family

The OSSEOTITE Implant features the BIOMET 3i proprietary dual-acid-etched surface that is optimal for improving the clot/implant attachment, which may increase platelet activation and red blood cell (rbc) agglomeration.¹

For more than 15 years, with documentation from numerous global multicenter clinical evaluations,²⁻⁹ the OSSEOTITE Surface has proven to be one of the most predictable and well-researched surfaces ever. Clinical studies on the OSSEOTITE Surface document the benefits of increased contact osteogenesis, especially in poor quality bone.¹⁰

1. Park JY, Davies JE†. Red Blood Cell and Platelet Interactions with Titanium Implant Surfaces. *Clinical Oral Implants Research*. 2000;11:530-539.
2. Sullivan DY, Sherwood RL, Porter SS. Long-Term Performance of OSSEOTITE Implants: A 6-Year Clinical Follow-up. *Compendium*. April 2001; Vol. 22, No. 4.
3. Davarpanah M, Martinez H, Etienne D, Zabalegui I, Mattout P, Chiche F†, Michel J. A Prospective Multicenter Evaluation of 1,538 3i Implants: 1 to 5-year Data. *The International Journal of Oral & Maxillofacial Implants*. 2002; Vol. 17, No. 6.
4. Feldman S, Boitel N, Weng D, Kohles SS, Stach RM†. Five-Year Survival Distributions of Short-Length (10 mm or less) Machined-Surfaced and OSSEOTITE Implants. *Clinical Implant Dentistry and Related Research*. 2004; Vol. 6, No. 1.
5. Sullivan D, Vincenzi G, Feldman S. Early Loading of OSSEOTITE Implants 2 Months After Placement in the Maxilla and Mandible: A 5-year Report. *The International Journal of Oral & Maxillofacial Implants*. 2006; Vol. 20, No. 6.
6. Stach RM†, Kohles SS. A Meta-Analysis Examining the Clinical Survivability of Machined-Surfaced and OSSEOTITE Implants in Poor-Quality Bone. *Implant Dentistry*. 2003; Vol. 12, No. 1.
7. Testori T†, Wiseman L, Woolfe S, Porter SS. A Prospective Multicenter Clinical Study of the OSSEOTITE Implant: Four-Year Interim Report. *The International Journal of Oral & Maxillofacial Implants*. 2001;16:193-200.
8. Gaucher H, Bentley K, Roy S, Head T, Blomfield J, Blondeau F, Nicholson L, Chehade A, Tardif N, Emery R†. A Multi-Centre Study of OSSEOTITE Implants Supporting Mandibular Restorations: A 3-Year Report. *Journal of the Canadian Dental Association*. October 2001; Vol. 67, No. 9.
9. Testori T†, Fabbro MD, Feldman S, Vincenzi G, Sullivan D, Rossi R, Anitua E, Bianchi F, Francetti L, Weinstein RL. A Multicenter Prospective Evaluation of 2-months Loaded OSSEOTITE Implants Placed in the Posterior Jaws: 3-year Follow-up Results. *Clinical Oral Implants Research*. 2002;13:154-161.
10. Stach RM†, Kohles SS. A Meta-Analysis Examining the Clinical Survivability of Machined-Surfaced and OSSEOTITE Implants In Poor Quality Bone. *Implant Dent* 2003;12:87-96.

† F Chiche, JE Davies, R Emory and T Testori have financial relationships with BIOMET 3i LLC resulting from speaking engagements, consulting engagements and other retained services.

†† RM Stach contributed to the above research while employed by BIOMET 3i.

Top-Down Treatment Planning

In its simplest form, top-down treatment planning refers to a guideline whereby the desired restorative result is considered first, leading to consideration of the appropriate prosthetic platform and subsequent implant selection based on bony anatomy and the size of the missing tooth.

A top-down treatment planning methodology will provide maximum biomechanical stability and allow for soft-tissue flaring by utilizing an implant with a prosthetic platform slightly smaller in diameter than the emergence diameter of the tooth being replaced. The wide selection of BIOMET 3i Implants allows clinicians to match the size of the prosthetic platform to the restoration it will eventually support, while allowing for different bone volumes and anatomical features at the implant site.

Implant and healing abutment selections are based upon the relationship of several key measurements:

- The emerging dimension of the crown in relation to the diameter of the prosthetic platform of the implant
- The height and diameter of the intended restoration at the tissue exit point
- The bone volume at the implant site in relation to the diameter of the implant body


The Emergence Profile (EP) Healing Abutment System consists of healing abutments of various diameters and heights for shaping the soft tissue to replicate the geometry and gingival contours of natural dentition.

Implant Indications: Include both straight and pre-angled restorative components.

	3.25 mm(D)	3.75 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)	4 mm(D) X 3.4 mm(P)	5 mm(D) X 4.1 mm(P)	6 mm(D) X 5 mm(P)
Anterior	✓	✓	✓	✓	✓	✓	✓	✓
Posterior			✓	✓	✓	✓	✓	✓


NOTE: It is recommended that implants less than 4 mm diameter not be placed in the posterior regions.

Top-Down Treatment Planning




Certain Internal Connection Implants

Tapered



T3 With DCD Platform Switched

Commercially Pure Titanium




1.25 \equiv 3.4 \equiv 4.1 \equiv 2.4

1.25 \equiv 3.4 \equiv 4.1 \equiv 3.2

1.25 \equiv 3.4 \equiv 5 \equiv 3.9

T3 With DCD Non-Platform Switched

Commercially Pure Titanium



1.25 \equiv 3.4 \equiv 4.1 \equiv 1.9

1.25 \equiv 3.4 \equiv 5 \equiv 2.4

1.25 \equiv 3.4 \equiv 5 \equiv 3.2

1.25 \equiv 3.4 \equiv 6 \equiv 3.9

Length	4 mm(D) X 3.4 mm(P)	5 mm(D) X 4 mm(P)	6 mm(D) X 5 mm(P)	3.25 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
8.5 mm	BNPT4385	BNPT5485	BNPT6585	BNST3285	BNST485	BNST585	BNST685
10 mm	BNPT4310	BNPT5410	BNPT6510	BNST3210	BNST410	BNST510	BNST610
11.5 mm	BNPT4311	BNPT5411	BNPT6511	BNST3211	BNST411	BNST511	BNST611
13 mm	BNPT4313	BNPT5413	BNPT6513	BNST3213	BNST413	BNST513	BNST613
15 mm	BNPT4315	BNPT5415	BNPT6515	BNST3215	BNST415	BNST515	BNST615

T3 Platform Switched

Commercially Pure Titanium

8.5 mm	BOPT4385	BOPT5485	BOPT6585	BOST3285	BOST485	BOST585	BOST685
10 mm	BOPT4310	BOPT5410	BOPT6510	BOST3210	BOST410	BOST510	BOST610
11.5 mm	BOPT4311	BOPT5411	BOPT6511	BOST3211	BOST411	BOST511	BOST611
13 mm	BOPT4313	BOPT5413	BOPT6513	BOST3213	BOST413	BOST513	BOST613
15 mm	BOPT4315	BOPT5415	BOPT6515	BOST3215	BOST415	BOST515	BOST615

<i>Cover Screw Flat (included)</i>							
------------------------------------	--	--	--	--	--	--	--

*Non-Flared 4.1 mm(P) Cover Screw ICS400 is also available.

All indicated measurements are in millimeters.

Some products may not be available outside of the United States.
Algunos productos no se comercializan fuera de EE.UU.
Certains produits ne sont pas disponibles en dehors des États-Unis.
Einige Produkte sind außerhalb der USA nicht erhältlich.

Certain Internal Connection Implants

Tapered

NanoTite Tapered Certain PREVAIL
Titanium Alloy

Full NanoTite Surface

Length	4 mm(D) X 3.4 mm(P)	5 mm(D) X 4 mm(P)	6 mm(D) X 5 mm(P)
8.5 mm	NIITP4385	NIITP5485	NIITP6585
10 mm	NIITP4310	NIITP5410	NIITP6510
11.5 mm	NIITP4311	NIITP5411	NIITP6511
13 mm	NIITP4313	NIITP5413	NIITP6513
15 mm	NIITP4315	NIITP5415	NIITP6515

Cover Screw Flat (included)

IMCSF34	ICSF41	ICSF50
---------	--------	--------

*Non-Flared 4.1 mm(P) Cover Screw ICS400 is also available.

NanoTite Tapered Certain
Titanium Alloy

Modified Hybrid NanoTite Surface

Length	3.25 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
8.5 mm	NINT3285	NINT485	NINT585	NINT685
10 mm	NINT3210	NINT410	NINT510	NINT610
11.5 mm	NINT3211	NINT411	NINT511	NINT611
13 mm	NINT3213	NINT413	NINT513	NINT613
15 mm	NINT3215	NINT415	NINT515	NINT615

Cover Screw Flat (included)

IMCSF34	ICSF41	ICSF50	ICSF60
---------	--------	--------	--------

*Non-Flared 4.1 mm(P) Cover Screw ICS400 is also available.

All indicated measurements are in millimeters.

Some products may not be available outside of the United States.


Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.


Einige Produkte sind außerhalb der USA nicht erhältlich.

Certain Internal Connection Implants

Tapered



*Non-Flared 4.1mm(P) Cover Screw ICS400 is also available.



*Non-Flared 4.1 mm(P) Cover Screw ICS400 is also available.

All indicated measurements are in millimeters.

Some products may not be available outside of the United States.


Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.


Certain Internal Connection Implants

Parallel Walled




T3 With DCD Platform Switched

Commercially Pure Titanium



T3 With DCD Non-Platform Switched

Commercially Pure Titanium



Length	4 mm(D) X 3.4 mm(P)	5 mm(D) X 4 mm(P)	6 mm(D) X 5 mm(P)	3.25 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
8.5 mm	BNPS4385	BNPS5485	BNPS6585	BNSS385	BNSS485	BNSS585	BNSS685
10 mm	BNPS4310	BNPS5410	BNPS6510	BNSS310	BNSS410	BNSS510	BNSS610
11.5 mm	BNPS4311	BNPS5411	BNPS6511	BNSS311	BNSS411	BNSS511	BNSS611
13 mm	BNPS4313	BNPS5413	BNPS6513	BNSS313	BNSS413	BNSS513	BNSS613
15 mm	BNPS4315	BNPS5415	BNPS6515	BNSS315	BNSS415	BNSS515	BNSS615
18 mm	—	—	—	BNSS318	BNSS418	—	—

T3 Platform Switched


Commercially Pure Titanium

8.5 mm	BOPS4385	BOPS5485	BOPS6585	BOSS385	BOSS485	BOSS585	BOSS685
10 mm	BOPS4310	BOPS5410	BOPS6510	BOSS310	BOSS410	BOSS510	BOSS610
11.5 mm	BOPS4311	BOPS5411	BOPS6511	BOSS311	BOSS411	BOSS511	BOSS611
13 mm	BOPS4313	BOPS5413	BOPS6513	BOSS313	BOSS413	BOSS513	BOSS613
15 mm	BOPS4315	BOPS5415	BOPS6515	BOSS315	BOSS415	BOSS515	BOSS615
18 mm	—	—	—	BOSS318	BOSS418	—	—
<i>Cover Screw Flat (included)</i>	IMCSF34	ICSF41	ICSF50	IMCSF34	ICSF41	ICSF50	ICSF60



Full OSSEOTITE 2 Parallel Walled Certain

Commercially Pure Titanium



Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	XIFOSM385	XIFOSS485	XIFOSS585	XIFOSS685
10mm	XIFOSM310	XIFOSS410	XIFOSS510	XIFOSS610
11.5mm	XIFOSM311	XIFOSS411	XIFOSS511	XIFOSS611
13mm	XIFOSM313	XIFOSS413	XIFOSS513	XIFOSS613
15mm	XIFOSM315	XIFOSS415	XIFOSS515	XIFOSS615
<i>Cover Screw Flat (included)</i>	IMCSF34	ICSF41	ICSF50	ICSF60

*Non-Flared 4.1mm(P) Cover Screw ICS400 is also available.

All indicated measurements are in millimeters.

Some products may not be available outside of the United States.


Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

External Hex Connection Implants

Tapered



Length	3.25 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
8.5 mm	BNET3285	BNET485	BNET585	BNET685
10 mm	BNET3210	BNET410	BNET510	BNET610
11.5 mm	BNET3211	BNET411	BNET511	BNET611
13 mm	BNET3213	BNET413	BNET513	BNET613
15 mm	BNET3215	BNET415	BNET515	BNET615

T3 Tapered

Commercially Pure Titanium

8.5 mm	BOET3285	BOET485	BOET585	BOET685
10 mm	BOET3210	BOET410	BOET510	BOET610
11.5 mm	BOET3211	BOET411	BOET511	BOET611
13 mm	BOET3213	BOET413	BOET513	BOET613
15 mm	BOET3215	BOET415	BOET515	BOET615

Cover Screw 1 mm(H) (included)				
Cover Screw Headless	CS275	CS275	CS275	CS275

All indicated measurements are in millimeters.

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

External Hex Connection Implants

Tapered

Full OSSEOTITE Tapered
Commercially Pure Titanium

Full OSSEOTITE Surface

Length	3.25 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
8.5 mm	FNT3285	FNT485	FNT585	FNT685
10 mm	FNT3210	FNT410	FNT510	FNT610
11.5 mm	FNT3211	FNT411	FNT511	FNT611
13 mm	FNT3213	FNT413	FNT513	FNT613
15 mm	FNT3215	FNT415	FNT515	FNT615
<i>Cover Screw 1 mm(H) (included)</i>	MMCS1	CS375	CS500	CS600
<i>Cover Screw Headless</i>	CS275	CS275	CS275	CS275

OSSEOTITE Tapered
Commercially Pure Titanium

Modified Hybrid OSSEOTITE Surface

Length	3.25 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
8.5 mm	NT3285	NT485	NT585	NT685
10 mm	NT3210	NT410	NT510	NT610
11.5 mm	NT3211	NT411	NT511	NT611
13 mm	NT3213	NT413	NT513	NT613
15 mm	NT3215	NT415	NT515	NT615
<i>Cover Screw 1 mm(H) (included)</i>	MMCS1	CS375	CS500	CS600
<i>Cover Screw Headless</i>	CS275	CS275	CS275	CS275

All indicated measurements are in millimeters.

Some products may not be available outside of the United States.
Algunos productos no se comercializan fuera de EE.UU.
Certains produits ne sont pas disponibles en dehors des États-Unis.
Einige Produkte sind außerhalb der USA nicht erhältlich.

External Hex Connection Implants

Parallel Walled

T3 Parallel Walled With DCD
Commercially Pure Titanium

Contemporary Hybrid Surface

Length	3.25 mm(D)	3.75 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
6.5 mm	BNES365	BNES3765	BNES465	BNES565	BNES665
8.5 mm	BNES385	BNES3785	BNES485	BNES585	BNES685
10 mm	BNES310	BNES3710	BNES410	BNES510	BNES610
11.5 mm	BNES311	BNES3711	BNES411	BNES511	BNES611
13 mm	BNES313	BNES3713	BNES413	BNES513	BNES613
15 mm	BNES315	BNES3715	BNES415	BNES515	BNES615
18 mm	BNES318	BNES3718	BNES418	BNES518	BNES618

T3 Parallel Walled

Commercially Pure Titanium

Length	6.5 mm	8.5 mm	10 mm	11.5 mm	13 mm	15 mm	18 mm
Cover Screw 1 mm(H) (included)	MMCS1	CS375	CS375	CS500	CS600		
Cover Screw Headless	CS275	CS275	CS275	CS275	CS275		

OSSEOTITE 2 Parallel Walled
Commercially Pure Titanium

Full OSSEOTITE Surface

Length	3.25 mm(D)	3.75 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
6.5 mm	XFOSM365	XFOS365	XFOS465	XFOS565	XFOS665
8.5 mm	XFOSM385	XFOS385	XFOS485	XFOS585	XFOS685
10 mm	XFOSM310	XFOS310	XFOS410	XFOS510	XFOS610
11.5 mm	XFOSM311	XFOS311	XFOS411	XFOS511	XFOS611
13 mm	XFOSM313	XFOS313	XFOS413	XFOS513	XFOS613
15 mm	XFOSM315	XFOS315	XFOS415	XFOS515	XFOS615

Cover Screw 1 mm(H) (included)	MMCS1	CS375	CS375	CS500	CS600
Cover Screw Headless	CS275	CS275	CS275	CS275	CS275

All indicated measurements are in millimeters.

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

External Hex Connection Implants

Parallel Walled

Full OSSEOTITE Parallel Walled
Commercially Pure Titanium

Full OSSEOTITE Surface

Length	3.25 mm(D)	3.75 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
7 mm	FOSM307	FOS307	FOS407	FOS507	FOS607
8.5 mm	FOSM385	FOS385	FOS485	FOS585	FOS685
10 mm	FOSM310	FOS310	FOS410	FOS510	FOS610
11.5 mm	FOSM311	FOS311	FOS411	FOS511	FOS611
13 mm	FOSM313	FOS313	FOS413	FOS513	FOS613
15 mm	FOSM315	FOS315	FOS415	FOS515	FOS615
Cover Screw 1 mm(H) (Included)	MMCS1	CS375	CS375	CS500	CS600
Cover Screw Headless	CS275	CS275	CS275	CS275	CS275

OSSEOTITE Parallel Walled
Commercially Pure Titanium

Hybrid OSSEOTITE Surface

Length	3.25 mm(D)	3.75 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
7 mm	—	—	—	OSS507	OSS607
8.5 mm	OSM385	OSS385	OSS485	OSS585	OSS685
10 mm	OSM310	OSS310	OSS410	OSS510	OSS610
11.5 mm	OSM311	OSS311	OSS411	OSS511	OSS611
13 mm	OSM313	OSS313	OSS413	OSS513	OSS613
15 mm	OSM315	OSS315	OSS415	OSS515	OSS615
18 mm	OSM318	OSS318	OSS418	OSS518	OSS618
20 mm	N/A	OSS320	OSS420	—	—
Cover Screw 1 mm(H) (Included)	MMCS1	CS375	CS375	CS500	CS600
Cover Screw Headless	CS275	CS275	CS275	CS275	CS275

All indicated measurements are in millimeters.

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

The BellaTek® Encode® Impression System



EASY. EFFICIENT. PROVEN.

The **BellaTek Encode Impression System** eliminates the need for an implant-level impression while delivering a patient specific restoration with appropriate margin height and natural emergence contours for the patient. This accuracy is achieved from an impression of the BellaTek Encode Healing Abutment.

Codes embedded on the occlusal surface of the BellaTek Encode Healing Abutment communicate the collar height, implant hex orientation, platform diameter and connection type (the Certain Internal Connection or External Hex Connection) of the implant.

Because the tissue is healed at the time of impression, the margin should have the appropriate placement and contour. The result is a patient specific, anatomically designed, final BellaTek Abutment. Available in titanium or with titanium nitride* coating.

Optimization Is Key To Bellatek Digital Dentistry Solutions

- Hard- And Soft-Tissue Maintenance
- Customized Treatment Solutions



* Titanium nitride not available in all markets.

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Healing Abutments

Certain Internal Connection



Encode Two-Piece

3.4 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
3.8 mm	3 mm	IEHA343
3.8 mm	4 mm	IEHA344
3.8 mm	6 mm	IEHA346
3.8 mm	8 mm	IEHA348
5 mm	3 mm	IEHA353
5 mm	4 mm	IEHA354
5 mm	6 mm	IEHA356
5 mm	8 mm	IEHA358

4.1 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
4.1 mm	3 mm	IEHA443
4.1 mm	4 mm	IEHA444
4.1 mm	6 mm	IEHA446
4.1 mm	8 mm	IEHA448
5 mm	3 mm	IEHA453
5 mm	4 mm	IEHA454
5 mm	6 mm	IEHA456
5 mm	8 mm	IEHA458
6 mm	3 mm	IEHA463
6 mm	4 mm	IEHA464
6 mm	6 mm	IEHA466
6 mm	8 mm	IEHA468

5 mm(D) Seating Surface





Emergence Profile	Collar Height	Item Numbers
5.6 mm	3 mm	IEHA553
5.6 mm	4 mm	IEHA554
5.6 mm	6 mm	IEHA556
5.6 mm	8 mm	IEHA558
6 mm	3 mm	IEHA563
6 mm	4 mm	IEHA564
6 mm	6 mm	IEHA566
6 mm	8 mm	IEHA568

6 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
6.8 mm	3 mm	IEHA663
6.8 mm	4 mm	IEHA664
6.8 mm	6 mm	IEHA666
6.8 mm	8 mm	IEHA668



Occlusal markings provide scanner information for abutment design.



All indicated measurements are in millimeters.

Some products may not be available outside of the United States.


Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Healing Abutments



Certain Internal Connection



EP One-Piece



3.4 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
3.4 mm	2 mm	ISMHA32
3.4 mm	3 mm	ISMHA33
3.4 mm	4 mm	ISMHA34
3.4 mm	6 mm	ISMHA36
3.8 mm	2 mm	IMHA32
3.8 mm	3 mm	IMHA33
3.8 mm	4 mm	IMHA34
3.8 mm	6 mm	IMHA36
5 mm	2 mm	IMHA352
5 mm	3 mm	IMHA353
5 mm	4 mm	IMHA354
5 mm	6 mm	IMHA356



4.1 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
4.1 mm	2 mm	ISHA42
4.1 mm	3 mm	ISHA43
4.1 mm	4 mm	ISHA44
4.1 mm	6 mm	ISHA46
4.1 mm	8 mm	ISHA48
5 mm	2 mm	ITHA52
5 mm	3 mm	ITHA53
5 mm	4 mm	ITHA54
5 mm	6 mm	ITHA56
5 mm	8 mm	ITHA58
6 mm	3 mm	ITHA63
6 mm	4 mm	ITHA64
6 mm	6 mm	ITHA66
6 mm	8 mm	ITHA68



All indicated measurements are in millimeters.

Some products may not be available outside of the United States.
Algunos productos no se comercializan fuera de EE.UU.
Certains produits ne sont pas disponibles en dehors des États-Unis.
Einige Produkte sind außerhalb der USA nicht erhältlich.


Healing Abutments

Certain Internal Connection

EP One-Piece


5 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
5 mm	2 mm	ISWHA52
5 mm	3 mm	ISWHA53
5 mm	4 mm	ISWHA54
5 mm	6 mm	ISWHA56
5 mm	8 mm	ISWHA58
5.6 mm	2 mm	IWTH52
5.6 mm	3 mm	IWTH53
5.6 mm	4 mm	IWTH54
5.6 mm	6 mm	IWTH56
5.6 mm	8 mm	IWTH58
6 mm	2 mm	IWTH562
6 mm	3 mm	IWTH563
6 mm	4 mm	IWTH564
6 mm	6 mm	IWTH566
6 mm	8 mm	IWTH568



6 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
6 mm	2 mm	ISWHA62
6 mm	3 mm	ISWHA63
6 mm	4 mm	ISWHA64
6 mm	6 mm	ISWHA66
6 mm	8 mm	ISWHA68
6.8 mm	2 mm	IWTH62
6.8 mm	3 mm	IWTH63
6.8 mm	4 mm	IWTH64
6.8 mm	6 mm	IWTH66
6.8 mm	8 mm	IWTH68



All indicated measurements are in millimeters.

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Healing Abutments

External Hex Connection



Encode Two-Piece

3.4 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
3.8 mm	3 mm	EHA343
3.8 mm	4 mm	EHA344
3.8 mm	6 mm	EHA346
3.8 mm	8 mm	EHA348
5 mm	3 mm	EHA353
5 mm	4 mm	EHA354
5 mm	6 mm	EHA356
5 mm	8 mm	EHA358

4.1 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
4.1 mm	3 mm	EHA443
4.1 mm	4 mm	EHA444
4.1 mm	6 mm	EHA446
4.1 mm	8 mm	EHA448
5 mm	3 mm	EHA453
5 mm	4 mm	EHA454
5 mm	6 mm	EHA456
5 mm	8 mm	EHA458
6 mm	3 mm	EHA463
6 mm	4 mm	EHA464
6 mm	6 mm	EHA466
6 mm	8 mm	EHA468

5 mm(D) Seating Surface





Emergence Profile	Collar Height	Item Numbers
5.6 mm	3 mm	EHA553
5.6 mm	4 mm	EHA554
5.6 mm	6 mm	EHA556
5.6 mm	8 mm	EHA558
6 mm	3 mm	EHA563
6 mm	4 mm	EHA564
6 mm	6 mm	EHA566
6 mm	8 mm	EHA568

6 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
6.8 mm	3 mm	EHA663
6.8 mm	4 mm	EHA664
6.8 mm	6 mm	EHA666
6.8 mm	8 mm	EHA668



Occlusal markings provide scanner information for abutment design.



All indicated measurements are in millimeters.

Some products may not be available outside of the United States.


Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Healing Abutments

External Hex Connection



EP One-Piece

3.4 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
3.8 mm	2 mm	MHA32
3.8 mm	3 mm	MHA33
3.8 mm	4 mm	MHA34
3.8 mm	6 mm	MHA36




4.1 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
4.1 mm	2 mm	THA42
4.1 mm	3 mm	THA43
4.1 mm	4 mm	THA44
4.1 mm	6 mm	THA46
4.1 mm	8 mm	THA48
5 mm	2 mm	THA52
5 mm	3 mm	THA53
5 mm	4 mm	THA54
5 mm	6 mm	THA56
5 mm	8 mm	THA58
6 mm	3 mm	THA63
6 mm	4 mm	THA64
6 mm	6 mm	THA66
6 mm	8 mm	THA68




5 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
5.6 mm	2 mm	WTH52
5.6 mm	3 mm	WTH53
5.6 mm	4 mm	WTH54
5.6 mm	6 mm	WTH56
5.6 mm	8 mm	WTH58
6 mm	2 mm	WTH562
6 mm	3 mm	WTH563
6 mm	4 mm	WTH564
6 mm	6 mm	WTH566
6 mm	8 mm	WTH568



6 mm(D) Seating Surface

Emergence Profile	Collar Height	Item Numbers
6.8 mm	2 mm	WTH62
6.8 mm	3 mm	WTH63
6.8 mm	4 mm	WTH64
6.8 mm	6 mm	WTH66
6.8 mm	8 mm	WTH68



All indicated measurements are in millimeters.

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Product Overview



Tapered Navigator Surgical Kit



Parallel Walled Navigator Surgical Kit

The Navigator System For Guided Surgery

The Navigator System helps clinicians transform computer-based planning into practical implant placement with an opportunity for immediate provisionalization.

The Navigator System enables placement and restoration of the following BIOMET 3i Tapered and Parallel Walled Implant Systems:

- Tapered/Parallel Walled Certain 3.25, 4 and 5 mm Implants

Features specific to the Navigator System include:

- Depth-specific instrumentation for preparation and implant placement
- Control of hex-orientation to fabricate and deliver provisional restorations immediately following implant placement
- Open architecture compatibility that provides freedom to use the planning software of their choice

W & H Implantmed Surgical Drilling Units

W & H Implantmed Surgical Drilling Units accept twist drills, shaping drills and implant drivers. The units power these instruments in order to create the osteotomy for implant placement.

Features include:

- Ergonomic handpiece design
- Customized programs for every stage of dental implant surgical procedures
- Foot control for hands-free program and setting selections
- Motor with 5.5 Ncm torque
- Speed range: 300-40,000 rpm at the motor
- Precise torque limitation: 5 to 7 Ncm
- Automatic thread cutter function



Implantmed Surgical Drilling Unit

Site Preparation Technologies

Product Overview



Advanced Cutting Technology® (ACT) Drills

- Two-flute design for efficient cutting
- Alternating lines and bands enhance depth mark visibility and drill orientation in the osteotomy
- Matte finish to reduce glare



Tapered Implant Depth Indicators & Quad Shaping Drills

- Tapered Implant Depth Indicators (NTDIs) verify the position of the implant platform prior to placement
- Quad Shaping Drills (QSDs) use stepped depth marks for accuracy in creating the osteotomy
- QSDs have end cutting ability
- Both QSDs and NTDIs are color-coded for platform recognition



Summers Osteotomes & Tapered Osteotomes

- Summers Osteotomes for use with parallel walled implants
- Tapered Osteotomes available in straight and angled designs for use with tapered implants
- Matte finished tip surface to reduce glare
- Ball striking end to facilitate use of a mallet



High Torque Indicating Ratchet Wrench (H-TIRW)

- The H-TIRW doubles as a conventional ratchet wrench to place implants and as a torque indicator to provide a visual assessment of torque
- Clearly indicates forward and reverse torque of 50-90 Ncm without the need for additional components
- Does not require lubrication or periodic re-calibration
- Calibration may be checked by verifying that the arrow is positioned at the first scale mark (0 Ncm)
- Consisting of only two parts, the H-TIRW is easy to prepare for sterilization

Site Preparation Technologies

Tapered Navigator System For Guided Surgery

For Tapered Implants Including:

- Certain 3.25, 4 and 5 mm Implants
- PREVAIL 4/3 and 5/4 mm Implants

SGTIKIT *Tapered Navigator Surgical Kit*



SGTIKIT Surgical Kit	Description	Item Numbers
•	Tapered Navigator Surgical Tray	SGTTRAY
•	Tapered Navigator Tissue Punch, 4.1 mm(D)	SGTTP4
•	Tapered Navigator Tissue Punch, 5 mm(D)	SGTTP5
•	Tapered Navigator Cortical Perforator, 4.1 mm(D) - Short	SGTCP4S
•	Tapered Navigator Cortical Perforator, 4.1 mm(D) - Long	SGTCP4L
•	Tapered Navigator Cortical Perforator, 5 mm(D) - Short	SGTCP5S
•	Tapered Navigator Cortical Perforator, 5 mm(D) - Long	SGTCP5L
•	Tapered Navigator Twist Drill, 1.9 mm(D) x A(L)	SGTD19A
•	Tapered Navigator Twist Drill, 1.9 mm(D) x B(L)	SGTD19B
•	Tapered Navigator Twist Drill, 1.9 mm(D) x C(L)	SGTD19C
•	Tapered Navigator Twist Drill, 1.9 mm(D) x D(L)	SGTD19D
•	Tapered Navigator Twist Drill, 1.9 mm(D) x E(L)	SGTD19E
•	Tapered Navigator Twist Drill, 1.9 mm(D) x F(L)	SGTD19F
•	Tapered Navigator Twist Drill, 1.9 mm(D) x G(L)	SGTD19G
•	Tapered Navigator Countersink Drill, 3.4 mm(D) - Short	MSGTCDS
•	Tapered Navigator Countersink Drill, 4.1 mm(D) - Short	SGTCD4S
•	Tapered Navigator Countersink Drill, 5 mm(D) - Short	SGTCD5S
•	Tapered Navigator Countersink Drill, 3.4 mm(D) - Long	MSGTCDL
•	Tapered Navigator Countersink Drill, 4.1 mm(D) - Long	SGTCD4L
•	Tapered Navigator Countersink Drill, 5 mm(D) - Long	SGTCD5L
•	Tapered Navigator Shaping Drill, 3.25 mm(D) x 8.5 mm(L) - Short	MSGTD85S
•	Tapered Navigator Shaping Drill, 3.25 mm(D) x 10 mm(L) - Short	MSGTD10S
•	Tapered Navigator Shaping Drill, 3.25 mm(D) x 11.5 mm(L) - Short	MSGTD11S
•	Tapered Navigator Shaping Drill, 3.25 mm(D) x 13 mm(L) - Short	MSGTD13S
•	Tapered Navigator Shaping Drill, 3.25 mm(D) x 15 mm(L) - Short	MSGTD15S
•	Tapered Navigator Shaping Drill, 4.1 mm(D) x 8.5 mm(L) - Short	SGTD485S
•	Tapered Navigator Shaping Drill, 4.1 mm(D) x 10 mm(L) - Short	SGTD410S
•	Tapered Navigator Shaping Drill, 4.1 mm(D) x 11.5 mm(L) - Short	SGTD411S
•	Tapered Navigator Shaping Drill, 4.1 mm(D) x 13 mm(L) - Short	SGTD413S
•	Tapered Navigator Shaping Drill, 4.1 mm(D) x 15 mm(L) - Short	SGTD415S
•	Tapered Navigator Shaping Drill, 5 mm(D) x 8.5 mm(L) - Short	SGTD585S

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Tapered Navigator Surgical Kit Cont'd

SGTIKIT Surgical Kit	Description	Item Numbers
•	Tapered Navigator Shaping Drill, 5 mm(D) x 10 mm(L) - Short	SGTD510S
•	Tapered Navigator Shaping Drill, 5 mm(D) x 11.5 mm(L) - Short	SGTD511S
•	Tapered Navigator Shaping Drill, 5 mm(D) x 13 mm(L) - Short	SGTD513S
•	Tapered Navigator Shaping Drill, 5 mm(D) x 15 mm(L) - Short	SGTD515S
•	Tapered Navigator Shaping Drill, 3.25 mm(D) x 8.5 mm(L) - Long	MSGTD85L
•	Tapered Navigator Shaping Drill, 3.25 mm(D) x 10 mm(L) - Long	MSGTD10L
•	Tapered Navigator Shaping Drill, 3.25 mm(D) x 11.5 mm(L) - Long	MSGTD11L
•	Tapered Navigator Shaping Drill, 3.25 mm(D) x 13 mm(L) - Long	MSGTD13L
•	Tapered Navigator Shaping Drill, 3.25 mm(D) x 15 mm(L) - Long	MSGTD15L
•	Tapered Navigator Shaping Drill, 4.1 mm(D) x 8.5 mm(L) - Long	SGTD485L
•	Tapered Navigator Shaping Drill, 4.1 mm(D) x 10 mm(L) - Long	SGTD410L
•	Tapered Navigator Shaping Drill, 4.1 mm(D) x 11.5 mm(L) - Long	SGTD411L
•	Tapered Navigator Shaping Drill, 4.1 mm(D) x 13 mm(L) - Long	SGTD413L
•	Tapered Navigator Shaping Drill, 4.1 mm(D) x 15 mm(L) - Long	SGTD415L
•	Tapered Navigator Shaping Drill, 5 mm(D) x 8.5 mm(L) - Long	SGTD585L
•	Tapered Navigator Shaping Drill, 5 mm(D) x 10 mm(L) - Long	SGTD510L
•	Tapered Navigator Shaping Drill, 5 mm(D) x 11.5 mm(L) - Long	SGTD511L
•	Tapered Navigator Shaping Drill, 5 mm(D) x 13 mm(L) - Long	SGTD513L
•	Tapered Navigator Shaping Drill, 5 mm(D) x 15 mm(L) - Long	SGTD515L
•	Tapered Navigator Twist Drill Positioning Handle	SGTDPHT
•	Tapered Navigator Reduction Drill Positioning Handle	SGTDPHR
•	Handpiece Connector	MDR10
•	Narrow Right Angle Large Hexed Driver Tip, 24 mm(L)	RASH3N
•	Posterior Large Hexed Driver, 17 mm(L)	PHD02N
•	Ratchet Extension, 6 mm(L) - Short	RE100
•	Ratchet Extension, 15 mm(L) - Long	RE200
•	Ratchet Wrench	WR150
•	Open End Wrench	CW100
•	Navigator Certain Implant Mount, 3.4 mm(D) - Short	MSGIIMS
•	Navigator Certain Implant Mount, 3.4 mm(D) - Long	MSGIIML
•	Navigator Certain Implant Mount, 4.1 mm(D) - Short	SGIIM4S
•	Navigator Certain Implant Mount, 4.1 mm(D) - Long	SGIIM4L
•	Navigator Certain Implant Mount, 5 mm(D) - Short	SGIIM5S
•	Navigator Certain Implant Mount, 5 mm(D) - Long	SGIIM5L
•	Certain Manual Bone Profiler, 3.4 mm(D) x 4.1 mm(P)	IMMBP
•	Certain Manual Bone Profiler, 4.1 mm(D) x 5 mm(P)	IMBP4
•	Certain Manual Bone Profiler, 5 mm(D) x 6 mm(P)	IMBP5

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Tapered Navigator System For Guided Surgery

For Tapered Implants Including:

- Certain 3.25, 4 and 5 mm Implants
- PREVAIL 4/3 and 5/4 mm Implants

Tapered Navigator Tap Kit (Included with SGTKIT)



SGTKIT Surgical Kit	Description	Item Numbers
•	Tapered Navigator Bone Tap Tray	SGTTAPT
•	Tapered Navigator Bone Tap, 3.25 mm(D) x 8.5 mm(L) - Short	MSGTT85S
•	Tapered Navigator Bone Tap, 3.25 mm(D) x 10 mm(L) - Short	MSGTT10S
•	Tapered Navigator Bone Tap, 3.25 mm(D) x 11.5 mm(L) - Short	MSGTT11S
•	Tapered Navigator Bone Tap, 3.25 mm(D) x 13 mm(L) - Short	MSGTT13S
•	Tapered Navigator Bone Tap, 3.25 mm(D) x 15 mm(L) - Short	MSGTT15S
•	Tapered Navigator Bone Tap, 4.1 mm(D) x 8.5 mm(L) - Short	SGTT485S
•	Tapered Navigator Bone Tap, 4.1 mm(D) x 10 mm(L) - Short	SGTT410S
•	Tapered Navigator Bone Tap, 4.1 mm(D) x 11.5 mm(L) - Short	SGTT411S
•	Tapered Navigator Bone Tap, 4.1 mm(D) x 13 mm(L) - Short	SGTT413S
•	Tapered Navigator Bone Tap, 4.1 mm(D) x 15 mm(L) - Short	SGTT415S
•	Tapered Navigator Bone Tap, 5 mm(D) x 8.5 mm(L) - Short	SGTT585S
•	Tapered Navigator Bone Tap, 5 mm(D) x 10 mm(L) - Short	SGTT510S
•	Tapered Navigator Bone Tap, 5 mm(D) x 11.5 mm(L) - Short	SGTT511S
•	Tapered Navigator Bone Tap, 5 mm(D) x 13 mm(L) - Short	SGTT513S
•	Tapered Navigator Bone Tap, 5 mm(D) x 15 mm(L) - Short	SGTT515S
•	Tapered Navigator Bone Tap, 3.25 mm(D) x 8.5 mm(L) - Long	MSGTT85L
•	Tapered Navigator Bone Tap, 3.25 mm(D) x 10 mm(L) - Long	MSGTT10L
•	Tapered Navigator Bone Tap, 3.25 mm(D) x 11.5 mm(L) - Long	MSGTT11L
•	Tapered Navigator Bone Tap, 3.25 mm(D) x 13 mm(L) - Long	MSGTT13L
•	Tapered Navigator Bone Tap, 3.25 mm(D) x 15 mm(L) - Long	MSGTT15L
•	Tapered Navigator Bone Tap, 4.1 mm(D) x 8.5 mm(L) - Long	SGTT485L
•	Tapered Navigator Bone Tap, 4.1 mm(D) x 10 mm(L) - Long	SGTT410L
•	Tapered Navigator Bone Tap, 4.1 mm(D) x 11.5 mm(L) - Long	SGTT411L
•	Tapered Navigator Bone Tap, 4.1 mm(D) x 13 mm(L) - Long	SGTT413L
•	Tapered Navigator Bone Tap, 4.1 mm(D) x 15 mm(L) - Long	SGTT415L
•	Tapered Navigator Bone Tap, 5 mm(D) x 8.5 mm(L) - Long	SGTT585L
•	Tapered Navigator Bone Tap, 5 mm(D) x 10 mm(L) - Long	SGTT510L
•	Tapered Navigator Bone Tap, 5 mm(D) x 11.5 mm(L) - Long	SGTT511L
•	Tapered Navigator Bone Tap, 5 mm(D) x 13 mm(L) - Long	SGTT513L
•	Tapered Navigator Bone Tap, 5 mm(D) x 15 mm(L) - Long	SGTT515L

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Tapered Navigator System For Guided Surgery

SGTILKIT *Tapered Navigator Laboratory Kit*



For Tapered Implants Including:

- Certain 3.25, 4 and 5 mm Implants
- PREVAIL 4/3 and 5/4 mm Implants

 SGTILKIT <i>Surgical Kit</i>	<i>Description</i>	<i>Item Numbers</i>
•	Tapered Navigator Laboratory Tray	SGTLTRAY
•	Navigator Certain Analog Mount, 3.4 mm(D) - Short	MSGIAMS
•	Navigator Certain Analog Mount, 4.1 mm(D) - Short	SGIAM4S
•	Navigator Certain Analog Mount, 5 mm(D) - Short	SGIAM5S
•	Navigator Certain Analog Mount, 3.4 mm(D) - Long	MSGIAML
•	Navigator Certain Analog Mount, 4.1 mm(D) - Long	SGIAM4L
•	Navigator Certain Analog Mount, 5 mm(D) - Long	SGIAM5L

Site Preparation Technologies

Parallel Walled Navigator System For Guided Surgery

For Parallel Walled Implants Including:

- Certain 3.25, 4 and 5 mm Implants
- PREVAIL 4/3 and 5/4 mm Implants

SGKIT

Navigator Parallel Walled Surgical Kit



 SGKIT Surgical Kit	Description	Item Numbers
•	Navigator Surgical Tray	SGTRAY
•	Navigator Tissue Punch, 4.1 mm(D)	SGTP4
•	Navigator Tissue Punch, 5 mm(D)	SGTP5
•	Navigator Starter Drill, 3.4 mm(D)	MSGSD
•	Navigator Starter Drill, 3/4 mm(D)	SGSD34
•	Navigator Starter Drill, 4.1 mm(D)	SGSD4
•	Navigator Starter Drill, 4/5 mm(D)	SGSD45
•	Navigator Certain Starter Drill, 5 mm(D)	SGISD5
•	Navigator Twist Drill, 2 mm(D) x A(L)	SGD2A
•	Navigator Twist Drill, 2 mm(D) x B(L)	SGD2B
•	Navigator Twist Drill, 2 mm(D) x C(L)	SGD2C
•	Navigator Twist Drill, 2 mm(D) x D(L)	SGD2D
•	Navigator Twist Drill, 2 mm(D) x E(L)	SGD2E
•	Navigator Twist Drill, 2.75 mm(D) x A(L)	SGD275A
•	Navigator Twist Drill, 2.75 mm(D) x B(L)	SGD275B
•	Navigator Twist Drill, 2.75 mm(D) x C(L)	SGD275C
•	Navigator Twist Drill, 2.75 mm(D) x D(L)	SGD275D
•	Navigator Twist Drill, 2.75 mm(D) x E(L)	SGD275E
•	Navigator Twist Drill, 3 mm(D) x A(L)	SGD3A
•	Navigator Twist Drill, 3 mm(D) x B(L)	SGD3B
•	Navigator Twist Drill, 3 mm(D) x C(L)	SGD3C
•	Navigator Twist Drill, 3 mm(D) x D(L)	SGD3D
•	Navigator Twist Drill, 3 mm(D) x E(L)	SGD3E
•	Navigator Twist Drill, 3.25 mm(D) x A(L)	SGD325A
•	Navigator Twist Drill, 3.25 mm(D) x B(L)	SGD325B
•	Navigator Twist Drill, 3.25 mm(D) x C(L)	SGD325C
•	Navigator Twist Drill, 3.25 mm(D) x D(L)	SGD325D
•	Navigator Twist Drill, 3.25 mm(D) x E(L)	SGD325E
•	Navigator Twist Drill, 3.85 mm(D) x A(L)	SGD385A
•	Navigator Twist Drill, 3.85 mm(D) x B(L)	SGD385B
•	Navigator Twist Drill, 3.85 mm(D) x C(L)	SGD385C
•	Navigator Twist Drill, 4.25 mm(D) x A(L)	SGD425A

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Parallel Walled Navigator Surgical Kit Cont'd

SGKIT Surgical Kit	Description	Item Numbers
•	Navigator Twist Drill, 4.25 mm(D) x B(L)	SGD425B
•	Navigator Twist Drill, 4.25 mm(D) x C(L)	SGD425C
•	Navigator Bone Tap, 3.25 mm(D)	MSGTAP
•	Navigator Bone Tap, 4.1 mm(D)	SGTAP4
•	Navigator Bone Tap, 4/5 mm(D)	SGTAP45
•	Navigator Bone Tap, 5 mm(D)	SGTAP5
•	Navigator Drill Positioning Handle 1	SGDPH1
•	Navigator Drill Positioning Handle 2	SGDPH2
•	Navigator Drill Positioning Handle 3	SGDPH3
•	Navigator Drill Positioning Handle 4	SGDPH4
•	Navigator Drill Positioning Handle 5	SGDPH5
•	Certain Manual Bone Profiler, 3.4 mm(D) x 4.1 mm(P)	IMMBP
•	Certain Manual Bone Profiler, 4.1 mm(D) x 5 mm(P)	IMBP4
•	Certain Manual Bone Profiler, 5 mm(D) x 6 mm(P)	IMBP5
•	Narrow Right Angle Large Hexed Driver Tip, 24 mm(L)	RASH3N
•	Open End Wrench	CW100
•	Ratchet Wrench	WR150
•	Handpiece Connector	MDR10
•	Posterior Large Hexed Driver, 17 mm(L)	PHD02N
•	Ratchet Extension - Short, 6 mm(L)	RE100
•	Ratchet Extension - Long, 15 mm(L)	RE200
•	Navigator Certain Implant Mount, 3.4 mm(D) x 1(L)	MSGIIM1
•	Navigator Certain Implant Mount, 3.4 mm(D) x 2(L)	MSGIIM2
•	Navigator Certain Implant Mount, 3.4 mm(D) x 3(L)	MSGIIM3
•	Navigator Certain Implant Mount, 3.4 mm(D) x 4(L)	MSGIIM4
•	Navigator Certain Implant Mount, 4.1 mm(D) x 1(L)	SGIIM41
•	Navigator Certain Implant Mount, 4.1 mm(D) x 2(L)	SGIIM42
•	Navigator Certain Implant Mount, 4.1 mm(D) x 3(L)	SGIIM43
•	Navigator Certain Implant Mount, 4.1 mm(D) x 4(L)	SGIIM44
•	Navigator Certain Implant Mount, 5 mm(D) x 1(L)	SGIIM51
•	Navigator Certain Implant Mount, 5 mm(D) x 2(L)	SGIIM52
•	Navigator Certain Implant Mount, 5 mm(D) x 3(L)	SGIIM53
•	Navigator Certain Implant Mount, 5 mm(D) x 4(L)	SGIIM54

The following items are not included in the Navigator Surgical Kit, but can be ordered separately, as needed, through Customer Service.

Description	Item Numbers	Description	Item Numbers
Navigator Twist Drill, 2 mm(D) x Y(L)	SGD2Y	Navigator Twist Drill, 3.25 mm(D) x Y(L)	SGD325Y
Navigator Twist Drill, 2 mm(D) x Z(L)	SGD2Z	Navigator Twist Drill, 3.25 mm(D) x Z(L)	SGD325Z
Navigator Twist Drill, 2.75 mm(D) x Y(L)	SGD275Y	Navigator Twist Drill, 3.85 mm(D) x Y(L)	SGD385Y
Navigator Twist Drill, 2.75 mm(D) x Z(L)	SGD275Z	Navigator Twist Drill, 3.85 mm(D) x Z(L)	SGD385Z
Navigator Twist Drill, 3 mm(D) x Y(L)	SGD3Y	Navigator Twist Drill, 4.25 mm(D) x Y(L)	SGD425Y
Navigator Twist Drill, 3 mm(D) x Z(L)	SGD3Z	Navigator Twist Drill, 4.25 mm(D) x Z(L)	SGD425Z

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Parallel Walled Navigator System For Guided Surgery

SGLKIT ***Navigator Parallel Walled Laboratory Kit***



	SGLKIT <i>Laboratory Kit</i>	<i>Description</i>	<i>Item Numbers</i>
•		Navigator Laboratory Tray	SGLTRAY
•		Navigator Certain Analog Mount, 3.4 mm(D) x 1(L)	MSGIAM1
•		Navigator Certain Analog Mount, 3.4 mm(D) x 2(L)	MSGIAM2
•		Navigator Certain Analog Mount, 3.4 mm(D) x 3(L)	MSGIAM3
•		Navigator Certain Analog Mount, 3.4 mm(D) x 4(L)	MSGIAM4
•		Navigator Certain Analog Mount, 4.1 mm(D) x 1(L)	SGIAM41
•		Navigator Certain Analog Mount, 4.1 mm(D) x 2(L)	SGIAM42
•		Navigator Certain Analog Mount, 4.1 mm(D) x 3(L)	SGIAM43
•		Navigator Certain Analog Mount, 4.1 mm(D) x 4(L)	SGIAM44
•		Navigator Certain Analog Mount, 5 mm(D) x 1(L)	SGIAM51
•		Navigator Certain Analog Mount, 5 mm(D) x 2(L)	SGIAM52
•		Navigator Certain Analog Mount, 5 mm(D) x 3(L)	SGIAM53
•		Navigator Certain Analog Mount, 5 mm(D) x 4(L)	SGIAM54

Some products may not be available outside of the United States.
Algunos productos no se comercializan fuera de EE.UU.
Certains produits ne sont pas disponibles en dehors des États-Unis.
Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Tapered Implant Surgical Kits

QNTSK40 Premium Kit



SLIMKT Slim Kit - Certain

SLIMKTE Slim Kit - Certain & External Hex (pictured)



					Description	Item Numbers
•	•			•	Quad Shaping Drill, 3.25 mm(D) x 8.5 mm(L)	QSD3285
•	•	•		•	Quad Shaping Drill, 3.25 mm(D) x 10 mm(L)	QSD3210
•	•	•		•	Quad Shaping Drill, 3.25 mm(D) x 11.5 mm(L)	QSD3211
•	•	•		•	Quad Shaping Drill, 3.25 mm(D) x 13 mm(L)	QSD3213
				•	Quad Shaping Drill, 3.25 mm(D) x 15 mm(L)	QSD3215
•	•			•	Quad Shaping Drill, 4 mm(D) x 8.5 mm(L)	QSD485
•	•	•		•	Quad Shaping Drill, 4 mm(D) x 10 mm(L)	QSD410
•	•	•		•	Quad Shaping Drill, 4 mm(D) x 11.5 mm(L)	QSD411
•	•	•		•	Quad Shaping Drill, 4 mm(D) x 13 mm(L)	QSD413
				•	Quad Shaping Drill, 4 mm(D) x 15 mm(L)	QSD415
				•	Quad Shaping Drill, 5 mm(D) x 8.5 mm(L)	QSD585
	•			•	Quad Shaping Drill, 5 mm(D) x 10 mm(L)	QSD510
	•			•	Quad Shaping Drill, 5 mm(D) x 11.5 mm(L)	QSD511
	•			•	Quad Shaping Drill, 5 mm(D) x 13 mm(L)	QSD513
				•	Quad Shaping Drill, 5 mm(D) x 15 mm(L)	QSD515
				•	Quad Shaping Drill, 6 mm(D) x 8.5 mm(L)	QSD685
				•	Quad Shaping Drill, 6 mm(D) x 10 mm(L)	QSD610
				•	Quad Shaping Drill, 6 mm(D) x 11.5 mm(L)	QSD611
				•	Quad Shaping Drill, 6 mm(D) x 13 mm(L)	QSD613
				•	Quad Shaping Drill, 6 mm(D) x 15 mm(L)	QSD615
•	•			•	Dense Bone Tap, 3.25 mm(D) x 8.5 mm(L)	NTAP3285
•	•	•		•	Dense Bone Tap, 3.25 mm(D) x 10 mm(L)	NTAP3210
•	•	•		•	Dense Bone Tap, 3.25 mm(D) x 11.5 mm(L)	NTAP3211
•	•	•		•	Dense Bone Tap, 3.25 mm(D) x 13 mm(L)	NTAP3213
				•	Dense Bone Tap, 3.25 mm(D) x 15 mm(L)	NTAP3215
•	•			•	Dense Bone Tap, 4 mm(D) x 8.5 mm(L)	NTAP485
•	•	•		•	Dense Bone Tap, 4 mm(D) x 10 mm(L)	NTAP410
•	•	•		•	Dense Bone Tap, 4 mm(D) x 11.5 mm(L)	NTAP411
•	•	•		•	Dense Bone Tap, 4 mm(D) x 13 mm(L)	NTAP413
				•	Dense Bone Tap, 4 mm(D) x 15 mm(L)	NTAP415
				•	Dense Bone Tap, 5 mm(D) x 8.5 mm(L)	NTAP585
		•		•	Dense Bone Tap, 5 mm(D) x 10 mm(L)	NTAP510

Some products may not be available outside of the United States.
Algunos productos no se comercializan fuera de EE.UU.
Certains produits ne sont pas disponibles en dehors des États-Unis.
Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Tapered Surgical Kits Cont'd

					Description	Item Numbers
SLIMKT Certain	SLIMKTE Certain/External Hex	QNTSK20 Starter (Basic) Kit	QNTSK40U Upgrade Kit	QNTSK40 Premium Kit		
		•	•	•	Dense Bone Tap, 5 mm(D) x 11.5 mm(L)	NTAP511
		•	•	•	Dense Bone Tap, 5 mm(D) x 13 mm(L)	NTAP513
			•	•	Dense Bone Tap, 5 mm(D) x 15 mm(L)	NTAP515
			•	•	Dense Bone Tap, 6 mm(D) x 8.5 mm(L)	NTAP685
			•	•	Dense Bone Tap, 6 mm(D) x 10 mm(L)	NTAP610
			•	•	Dense Bone Tap, 6 mm(D) x 11.5 mm(L)	NTAP611
			•	•	Dense Bone Tap, 6 mm(D) x 13 mm(L)	NTAP613
			•	•	Dense Bone Tap, 6 mm(D) x 15 mm(L)	NTAP615
		•	•	•	Tapered Implant Dense Bone Tap Kit Tray	NTAPKT
•	•		•	•	Tapered Implant Depth Indicator, 3.25 mm(D) x 8.5 mm(L) 3ea.	NTDI3285*
•	•	•	•	•	Tapered Implant Depth Indicator, 3.25 mm(D) x 10 mm(L)	NTDI3210
•	•	•	•	•	Tapered Implant Depth Indicator, 3.25 mm(D) x 11.5 mm(L)	NTDI3211
•	•	•	•	•	Tapered Implant Depth Indicator, 3.25 mm(D) x 13 mm(L)	NTDI3213
			•	•	Tapered Implant Depth Indicator, 3.25 mm(D) x 15 mm(L)	NTDI3215
•	•		•	•	Tapered Implant Depth Indicator, 4 mm(D) x 8.5 mm(L) 3ea.	NTDI485*
•	•	•	•	•	Tapered Implant Depth Indicator, 4 mm(D) x 10 mm(L)	NTDI410
•	•	•	•	•	Tapered Implant Depth Indicator, 4 mm(D) x 11.5 mm(L)	NTDI411
•	•	•	•	•	Tapered Implant Depth Indicator, 4 mm(D) x 13 mm(L)	NTDI413
			•	•	Tapered Implant Depth Indicator, 4 mm(D) x 15 mm(L)	NTDI415
			•	•	Tapered Implant Depth Indicator, 5 mm(D) x 8.5 mm(L) 3ea.	NTDI585
		•	•	•	Tapered Implant Depth Indicator, 5 mm(D) x 10 mm(L)	NTDI510
		•	•	•	Tapered Implant Depth Indicator, 5 mm(D) x 11.5 mm(L)	NTDI511
		•	•	•	Tapered Implant Depth Indicator, 5 mm(D) x 13 mm(L)	NTDI513
			•	•	Tapered Implant Depth Indicator, 5 mm(D) x 15 mm(L)	NTDI515
			•	•	Tapered Implant Depth Indicator, 6 mm(D) x 8.5 mm(L) 3ea.	NTDI685
			•	•	Tapered Implant Depth Indicator, 6 mm(D) x 10 mm(L)	NTDI610
			•	•	Tapered Implant Depth Indicator, 6 mm(D) x 11.5 mm(L)	NTDI611
			•	•	Tapered Implant Depth Indicator, 6 mm(D) x 13 mm(L)	NTDI613
			•	•	Tapered Implant Depth Indicator, 6 mm(D) x 15 mm(L)	NTDI615
•	•	•	•	•	Certain Countersink Drill, 4 mm(D)	ICD100
			•	•	QSD/NTDI Surgical Tray w/Plastic Insert	QNTSKT
		•	•	•	Open End Wrench	CW100
			•	•	Ratchet Wrench	WR150
*	*				Hight Torque Indicating Ratchet Wrench	H-TIRW**
•	•	•		•	Ratchet Extension (Short), 6 mm(L)	RE100
		•		•	Ratchet Extension (Long), 15 mm(L)	RE200

* One (1) each for SLIMKT and SLIMKTE.

** H-TIRW is manufactured by Elos Med Tech and distributed by BIOMET 3i, LLC - Packaged Individually.

Site Preparation Technologies

Tapered Surgical Kits Cont'd

					Description	Item Numbers
SLIMKT Certain	SLIMKTE Certain/External Hex	QNTSK20 Starter (Basic) Kit	QNTSK40U Upgrade Kit	QNTSK40 Premium Kit		
		•		•	Implant Depth Gauge, 20 mm(L)	DP020
	•	•		•	Narrow Posterior Hexed Driver, 17 mm(L)	PHD00N
•	•	•		•	Posterior Large Hexed Driver, 17 mm(L)	PHD02N
				•	Narrow Right Angle Large Hexed Driver Tip, 24 mm(L)	RASH3N
				•	Direction Indicator, 2 mm(D) x 10 mm(L) 3 ea.	DI100
•	•	•		•	Handpiece Connector	MDR10
	•	•		•	Implant Mount, 3.4 mm(D) x 15 mm(L)	MMC15
•	•	•		•	ACT Pointed Starter Drill	ACTPSD
		•		•	ACT Reusable Twist Drill, 2 mm(D) x 10 mm(L)	ACT2010
•	•	•		•	ACT Reusable Twist Drill, 2 mm(D) x 15 mm(L)	ACT2015
				•	ACT Reusable Twist Drill, 2 mm(D) x 20 mm(L)	ACT2020
•	•	•		•	ACT Drill Extension	ACTDE
•	•	•		•	Certain Implant Placement Driver Tip (Short), 4.1, 5, 6 mm(D)	IIPDTS
•	•	•		•	Certain Implant Placement Driver Tip (Short), 3.4 mm(D)	IMPDTS
		•		•	Certain Implant Placement Driver Tip (Long), 4.1, 5, 6 mm(D)	IIPDTL
		•		•	Certain Implant Placement Driver Tip (Long), 3.4 mm(D)	IMPDTL
		•		•	Certain Universal Ratchet Extension Driver (Short), 6 mm(L)	IRE100U
•	•	•		•	Certain Universal Ratchet Extension Driver (Long), 15 mm(L)	IRE200U
		•		•	Certain Driver Replacement O-Rings, 10-pack	IRORDR

Some products may not be available outside of the United States.
 Algunos productos no se comercializan fuera de EE.UU.
 Certains produits ne sont pas disponibles en dehors des États-Unis.
 Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Parallel Walled Surgical Kits

For Certain Internal Connection Implants

PSKT40 Premium Kit



			<i>Description</i>	<i>Item Numbers</i>
PSKT01 Starter (Basic) Kit	PSKT35 Certain Premium Kit	PSKT40 Premium Kit		
•	•	•	Plastic Surgical Tray Organizer	PTT300I
		•	Plastic Tray Organizer for PTT300I	PTT100
	•	•	ACT Reusable Twist Drill, 2 mm(D) x 10 mm(L)	ACT2010
•	•	•	ACT Reusable Twist Drill, 2 mm(D) x 15 mm(L)	ACT2015
	•	•	ACT Reusable Twist Drill, 2 mm(D) x 20 mm(L)	ACT2020
	•	•	ACT Reusable Twist Drill, 2.75 mm(D) x 10 mm(L)	ACT2710
•	•	•	ACT Reusable Twist Drill, 2.75 mm(D) x 15 mm(L)	ACT2715
		•	ACT Reusable Twist Drill, 2.75 mm(D) x 20 mm(L)	ACT2720
	•	•	ACT Reusable Twist Drill, 3 mm(D) x 10 mm(L)	ACT3010
•	•	•	ACT Reusable Twist Drill, 3 mm(D) x 15 mm(L)	ACT3015
		•	ACT Reusable Twist Drill, 3 mm(D) x 20 mm(L)	ACT3020
	•	•	ACT Reusable Twist Drill, 3.25 mm(D) x 10 mm(L)	ACT3210
•	•	•	ACT Reusable Twist Drill, 3.25 mm(D) x 15 mm(L)	ACT3215
		•	ACT Reusable Twist Drill, 3.25 mm(D) x 20 mm(L)	ACT3220
	•	•	ACT Reusable Twist Drill, 3.85 mm(D) x 10 mm(L)	ACT3810
•	•	•	ACT Reusable Twist Drill, 3.85 mm(D) x 15 mm(L)	ACT3815
	•	•	ACT Reusable Twist Drill, 3.85 mm(D) x 20 mm(L)	ACT3820
	•	•	ACT Reusable Twist Drill, 4.25 mm(D) x 8.5 mm(L)	ACT4285
•	•	•	ACT Reusable Twist Drill, 4.25 mm(D) x 13 mm(L)	ACT4213
	•	•	ACT Reusable Twist Drill, 4.25 mm(D) x 18 mm(L)	ACT4218
	•	•	ACT Reusable Twist Drill, 4.85 mm(D) x 8.5 mm(L)	ACT4885
	•	•	ACT Reusable Twist Drill, 4.85 mm(D) x 13 mm(L)	ACT4813
	•	•	ACT Reusable Twist Drill, 4.85 mm(D) x 18 mm(L)	ACT4818
	•	•	ACT Reusable Twist Drill, 5.25 mm(D) x 8.5 mm(L)	ACT5285
	•	•	ACT Reusable Twist Drill, 5.25 mm(D) x 13 mm(L)	ACT5213
	•	•	ACT Reusable Twist Drill, 5.25 mm(D) x 18 mm(L)	ACT5218
•	•	•	ACT Drill Extension	ACTDE
•	•	•	Countersink/Pilot Drill, 5 mm(D)	CD500

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Parallel Walled Surgical Kits Cont'd

			Description	Item Numbers
PSKT01 Starter (Basic) Kit	PSKT35 Certain Premium Kit	PSKT40 Premium Kit		
	•	•	Countersink Depth Indicator for CD5600	CDI5600
•	•	•	Certain Countersink Drill, 4 mm(D)	ICD100
•	•	•	Countersink Depth Indicator for ICD100	ICDI100
•		•	Countersink Drill, 4.1 mm(D)	CD100
	•	•	Countersink/Pilot Drill, 6 mm(D)	CD600
•	•	•	Pilot Drill, 2-3 mm(D)	PD100
	•	•	Implant Dense Bone Tap, 3.25 mm(D) x 18 mm(L)	MTAP2
	•	•	Implant Dense Bone Tap, 4 mm(D) x 13 mm(L)	TAP413
	•	•	Implant Dense Bone Tap, 5 mm(D) x 13 mm(L)	TAP53S
		•	Implant Dense Bone Tap, 6 mm(D) x 13 mm(L)	TAP63S
		•	OSSEOTITE 2 Dense Bone Tap, 5 mm(D) x 7-13 mm(L)	XTAP53S
		•	OSSEOTITE 2 Dense Bone Tap, 6 mm(D) x 7-13 mm(L)	XTAP63S
	•	•	Certain Implant Driver Tip (Short), 3.4 mm(D)	IMPDTS
•	•	•	Certain Implant Driver Tip (Long), 3.4 mm(D)	IMPDTL
•	•	•	Certain Implant Placement Driver Tip (Short), 4.1, 5, 6 mm(D)	IIPDTS
•	•	•	Certain Implant Placement Driver Tip (Long), 4.1, 5, 6 mm(D)	IIPDTL
•	•	•	Certain Universal Ratchet Extension Driver (Short), 6 mm(L)	IRE100U
•	•	•	Certain Universal Ratchet Extension Driver (Long), 15 mm(L)	IRE200U
•		•	Narrow Posterior Hexed Hand Driver, 17 mm(L)	PHD00N
•	•	•	Posterior Large Hexed Hand Driver, 17 mm(L)	PHD02N
•	•	•	Narrow Large Hexed Driver, Tip 24 mm(L)	RASH3N
	•	•	Driver Tip Replacement O-Rings, 10-pack	IRORDR
•	•	•	Handpiece Connector	MDR10
•		•	Open End Wrench	CW100
•	•	•	Ratchet Wrench	WR150
•		•	Ratchet Extension (Short), 6 mm(L)	RE100
•	•	•	Ratchet Extension (Long), 15 mm(L)	RE200
•	•	•	Implant Depth Gauge, 20 mm(L)	DP020
•		•	Implant Mount, 3.4 mm(D) x 15 mm(L)	MMC15
•	•	•	Direction Indicator, 2 mm(D) x 10 mm(L) 3ea.	DI100
•	•	•	Stainless Steel Round Drill, 2 mm(D)	RD100

Some products may not be available outside of the United States.
 Algunos productos no se comercializan fuera de EE.UU.
 Certains produits ne sont pas disponibles en dehors des États-Unis.
 Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Parallel Walled Surgical Kits

For External Hex Connection Implants

			Description	Item Numbers
PSKT10 Starter (Basic) Kit	PSKT20 Standard Kit	PSKT30 Premium Kit		
•	•	•	Plastic Surgical Tray Organizer	PTT300I
	•	•	Plastic Organizer Tray for PTT300I	PTT100
	•	•	ACT Reusable Twist Drill, 2 mm(D) x 10 mm(L)	ACT2010
	•	•	ACT Reusable Twist Drill, 2 mm(D) x 15 mm(L)	ACT2015
	•	•	ACT Reusable Twist Drill, 2 mm(D) x 20 mm(L)	ACT2020
	•	•	ACT Reusable Twist Drill, 2.75 mm(D) x 10 mm(L)	ACT2710
	•	•	ACT Reusable Twist Drill, 2.75 mm(D) x 15 mm(L)	ACT2715
	•	•	ACT Reusable Twist Drill, 2.75 mm(D) x 20 mm(L)	ACT2720
	•	•	ACT Reusable Twist Drill, 3 mm(D) x 10 mm(L)	ACT3010
	•	•	ACT Reusable Twist Drill, 3 mm(D) x 15 mm(L)	ACT3015
	•	•	ACT Reusable Twist Drill, 3 mm(D) x 20 mm(L)	ACT3020
	•	•	ACT Reusable Twist Drill, 3.25 mm(D) x 10 mm(L)	ACT3210
	•	•	ACT Reusable Twist Drill, 3.25 mm(D) x 15 mm(L)	ACT3215
	•	•	ACT Reusable Twist Drill, 3.25 mm(D) x 20 mm(L)	ACT3220
		•	ACT Reusable Twist Drill, 4.25 mm(D) x 8.5 mm(L)	ACT4285
		•	ACT Reusable Twist Drill, 4.25 mm(D) x 13 mm(L)	ACT4213
		•	ACT Reusable Twist Drill, 4.25 mm(D) x 18 mm(L)	ACT4218
		•	ACT Reusable Twist Drill, 5.25 mm(D) x 8.5 mm(L)	ACT5285
		•	ACT Reusable Twist Drill, 5.25 mm(D) x 13 mm(L)	ACT5213
		•	ACT Reusable Twist Drill, 5.25 mm(D) x 18 mm(L)	ACT5218
	•	•	ACT Drill Extension	ACTDE
	•	•	Pilot Drill, 2-3 mm(D)	PD100
	•	•	Countersink Drill, 4.1 mm(D)	CD100
		•	Countersink Drill, PREVAIL 4/5/4	CD4500
		•	Countersink/Pilot Drill, 5 mm(D)	CD500
		•	Countersink Drill, PREVAIL 5/6/5	CD5600
		•	Countersink/Pilot Drill, 6 mm(D)	CD600
	•	•	Implant Dense Bone Tap, 3.25 mm(D) x 18 mm(L)	MTAP2
	•	•	Implant Dense Bone Tap, 4 mm(D) x 13 mm(L)	TAP413
		•	Implant Dense Bone Tap, 5 mm(D) x 13 mm(L)	TAP53S
		•	Implant Dense Bone Tap, 6 mm(D) x 13 mm(L)	TAP63S
		•	OSSEOTITE 2 Dense Bone Tap, 5 mm(D) x 7-13 mm(L)	XTAP53S
		•	OSSEOTITE 2 Dense Bone Tap, 6 mm(D) x 7-13 mm(L)	XTAP63S

Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Parallel Walled Surgical Kits Cont'd

			<i>Description</i>	<i>Item Numbers</i>
PSKT10 Starter (Basic) Kit	PSKT20 Standard Kit	PSKT30 Premium Kit		
•	•	•	Narrow Posterior Hexed Hand Driver, 17 mm(L)	PHD00N
•	•	•	Posterior Large Hexed Hand Driver, 17 mm(L)	PHD02N
•	•	•	Narrow Large Hexed Driver Tip, 24 mm(L)	RASH3N
•	•	•	Handpiece Connector	MDR10
•	•	•	Open End Wrench	CW100
•	•	•	Ratchet Wrench	WR150
•	•	•	Ratchet Extension (Short), 6 mm(L)	RE100
•	•	•	Ratchet Extension (Long), 15 mm(L)	RE200
•	•	•	Implant Depth Gauge, 20 mm(L)	DP020
	•	•	Implant Mount, 3.4 mm(D) x 15 mm(L)	MMC15
	•	•	Direction Indicator, 2 mm(D) x 10 mm(L) 3ea.	DI100
	•	•	Stainless Steel Round Drill, 2 mm(D)	RD100

PTT100 Plastic Tray Organizer

NOTE: For use with PTT300I



Some products may not be available outside of the United States.
 Algunos productos no se comercializan fuera de EE.UU.
 Certains produits ne sont pas disponibles en dehors des États-Unis.
 Einige Produkte sind außerhalb der USA nicht erhältlich.



W & H Surgical Drilling Unit

Description	Item Numbers
16929001 Surgical Drilling Unit 115 volt	16929001
16929000 Surgical Drilling Unit 230 volt	16929000*

Accessories Included With 16929000 And 16929001 Drilling Units

Description	Item Numbers
Micromotor With Cable - 1.8m/5.9ft motor cable plugs into console and attaches to handpiece	06631600
Motor/Handpiece Support - Drill unit attachment for resting handpiece	06177800
Foot Control - Ergonomic design, variable speed and connects to console to provide foot activation	06202400
Handle For Foot Control - Foot control attachment allowing for repositioning of foot control	04653500
Irrigation Bag Stand - Stand for irrigation solution bag	04005900
Disposable Irrigation Tubing Set (3-piece) - For the supply of irrigation fluid	436360
Irrigation Tube Clamps (5-pack) - Clamps holding irrigation tubing to motor cable	04019000
Electrical Power Cord (United States, Canada, Japan) - Connects to console and appropriate wall outlet	02821400
Electrical Power Cord (European Union) - Connects to console and appropriate wall outlet	01343700*
Electrical Power Cord (Denmark) - Connects to console and appropriate wall outlet	05901800*
Electrical Power Cord (United Kingdom, Ireland) - Connects to console and appropriate wall outlet	03212700*
Electrical Power Cord (Australia, New Zealand) - Connects to console and appropriate wall outlet	02909300*
Electrical Power Cord (China) - Connects to console and appropriate wall outlet	04280600*

The following items are not included with the W & H Surgical Drilling Unit, but can be ordered separately through Zimmer Biomet Dental Customer Service.

Description	Item Numbers
20:1 Handpiece - WS-75 L G Surgical contra-angle handpiece with push-button, mini LED+ and generator	30032000
20:1 Handpiece - WS-75 contra-angle handpiece	30065000
Spray Cap With Nozzle - Spray cap for service oil	02038200
Y-Connector (3-pack) - Used to bifurcate irrigate flow from irrigation tube to provide both internal and external irrigation; included with handpiece	06016400
Disposable Irrigation Tubing (Set of 6)	04363600
Sterilizing Protector for Motor Micromotors and AC	04032600
Spray Clip for EXT/INT CO	04757100

* Not available in the United States.

Site Preparation Technologies

Surgical Drills

ACT Non-Irrigated Reusable Twist Drills

Implant Lengths	Drill Lengths	2 mm(D)	2.3 mm(D)	2.75 mm(D)	3 mm(D)	3.15 mm(D)	3.25 mm(D)	3.85 mm(D)	4.25 mm(D)	4.85 mm(D)	5.25 mm(D)
7 – 8.5 mm	8.5 mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ACT4285	ACT4885	ACT5285
7 – 10 mm	10 mm	ACT2010	N/A	ACT2710	ACT3010	ACT3110	ACT3210	ACT3810	N/A	N/A	N/A
7 – 13 mm	13 mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ACT4213	ACT4813	ACT5213
7 – 15 mm	15 mm	ACT2015	N/A	ACT2715	ACT3015	ACT3115	ACT3215	ACT3815	N/A	N/A	N/A
7 – 18 mm	18 mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ACT4218	ACT4818	ACT5218
7 – 20 mm	20 mm	ACT2020	N/A	ACT2720	ACT3020	ACT3120	ACT3220	ACT3820	N/A	N/A	N/A




Quad Shaping Drills For Tapered Implants



Drill Lengths	3.25 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
8.5 mm	QSD3285	QSD485	QSD585	QSD685
10 mm	QSD3210	QSD410	QSD510	QSD610
11.5 mm	QSD3211	QSD411	QSD511	QSD611
13 mm	QSD3213	QSD413	QSD513	QSD613
15 mm	QSD3215	QSD415	QSD515	QSD615

Miscellaneous Drills

Description	Disposable	Reusable
Round Drill, 2 mm	DR100	RD100
ACT Pointed Starter Drill	N/A	ACTPSD
Pilot Drill, 2-3 mm	DP100	PD100
Countersink Drill - External Connection, 4.1 mm	DC100	CD100
Countersink Drill - Certain Connection, 4.1 mm	N/A	ICD100
Countersink Drill, 4/5 mm	N/A	CD4500
Countersink/Pilot Drill, 5 mm	DC500	CD500
Countersink Drill, 5/6 mm	N/A	CD5600
Countersink/Pilot Drill, 6 mm	DC600	CD600



Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Surgical Components

Handpiece Bone Profilers (Packaged with Guide Pin)

Description	Item Numbers
Bone Profiler, 3.4 mm(D) x 3.8 mm(P)	BP340
Bone Profiler, 3/4, 4.1 mm(D) x 5 mm(P)	BP450
Bone Profiler, 3/4, 4.1 mm(D) x 6 mm(P)	BP460
Bone Profiler, 3/4, 4.1 mm(D) x 7.5 mm(P)	BP475
Bone Profiler, 4/5, 5 mm(D) x 5 mm(P)	BP550
Bone Profiler, 4/5, 5 mm(D) x 6 mm(P)	BP560
Bone Profiler, 4/5, 5 mm(D) x 7.5 mm(P)	BP575
Bone Profiler, 5/6, 6 mm(D) x 6 mm(P)	BP660
Bone Profiler, 5/6, 6 mm(D) x 7.5 mm(P)	BP675



Low Profile Abutment Bone Profilers

Low Profile Abutment Bone Profiler, 3.4 mm(D)	LPCBP3
Low Profile Abutment Bone Profiler, 4.1 mm(D)	LPCBP4
Low Profile Abutment Bone Profiler, 5 mm(D)	LPCBP5



Certain Manual Bone Profilers

Certain Manual Bone Profiler, 3.4 mm(D) x 4.1 mm(P)	IMMBP
Certain Manual Bone Profiler, 3.4 mm(D) x 5 mm(P)	IMMBP35
Certain Manual Bone Profiler, 4.1 mm(D) x 5 mm(P)	IMBP4
Certain Manual Bone Profiler, 5 mm(D) x 6 mm(P)	IMBP5
Certain Low Profile Abutment Manual Bone Profiler, 3.4 mm(D)	ILPCMBP3
Certain Low Profile Abutment Manual Bone Profiler, 4.1 mm(D)	ILPCMBP4
Certain Low Profile Abutment Manual Bone Profiler, 5 mm(D)	ILPCMBP5



Bone Profiler Guide Pins

Bone Profiler Guide Pin, 4.1, 5 & 6 mm(D)	BPGUIDE
---	---------



Guide Pins are included in all External Connection Bone Profiler Components and Kits. For Certain Internal Connections, please order the appropriate Certain Bone Profiler Guide Pin listed below.

Certain Bone Profiler Guide Pin, 3.25 mm(D) 3-pack	IBPMGP
Certain Bone Profiler Guide Pin, 4.1, 5 & 6 mm(D) 3-pack	IBPGP



Bone Profiler Organizers & Kits

Bone Profiler Organizer Box, 4.1 mm(D)	BPKITB
Bone Profiler Organizer Box, 5 & 6 mm(D)	BPAKTB
Bone Profiler Organizer Kit	BB001
Bone Profiler Kit - For use with 4.1 mm(D) Implants Contains: BP450, BP460, BP475, BB001	BPKIT
Bone Profiler Kit - For use with 5 mm(D) or 6 mm(D) Implants Contains: BP550, BP560, BP575, BP660, BP675, BB001	BPAKT



Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Surgical Components

Bone Taps

Implant Lengths	3.25 mm(D)	3.75 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
8.5 – 18 mm	MTAP1 (18 mmL)	N/A	N/A	N/A	N/A
8.5 – 18 mm	MTAP2 (27 mmL)	N/A	N/A	N/A	N/A
7 – 10 mm	N/A	TAP10	TAP410	N/A	N/A
7 – 13 mm	N/A	TAP13	TAP413	N/A	N/A
7 – 20 mm	N/A	TAP20	TAP420	N/A	N/A
7 – 8.5 mm	N/A	N/A	N/A	TAP58S	TAP68S
7 – 13 mm	N/A	N/A	N/A	TAP53S	TAP63S
7 – 18 mm	N/A	N/A	N/A	TAP518S	TAP618S

Bone Taps - OSSEOTITE 2 & T3 Implants

6.5/7 – 8.5 mm	N/A	N/A	N/A	XTAP58S	XTAP68S
6.5/7 – 13 mm	N/A	N/A	N/A	XTAP53S	XTAP63S
6.5/7 – 18 mm	N/A	N/A	N/A	XTAP518S	XTAP618S

Dense Bone Taps For Tapered Implants

Implant Lengths	3.25 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
8.5 mm	NTAP3285	NTAP485	NTAP585	NTAP685
10 mm	NTAP3210	NTAP410	NTAP510	NTAP610
11.5 mm	NTAP3211	NTAP411	NTAP511	NTAP611
13 mm	NTAP3213	NTAP413	NTAP513	NTAP613
15 mm	NTAP3215	NTAP415	NTAP515	NTAP615

NTAPK Dense Bone Tap Kit

NOTE: Kit includes all of the Dense Bone Taps listed above.



Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Surgical Components

Depth/Direction Indicators For Tapered Implants




Implant Lengths	3.25 mm(D)	4 mm(D)	5 mm(D)	6 mm(D)
8.5 mm	NTDI3285	NTDI485	NTDI585	NTDI685
10 mm	NTDI3210	NTDI410	NTDI510	NTDI610
11.5 mm	NTDI3211	NTDI411	NTDI511	NTDI611
13 mm	NTDI3213	NTDI413	NTDI513	NTDI613
15 mm	NTDI3215	NTDI415	NTDI515	NTDI615

Also available in a kit:

NTDIK Depth/Direction Indicator Kit

NOTE: Kit includes all of the indicators listed to the left.



Direction Indicators

DI100 *2 mm/3 mm(D) x 10 mm(L)*

DI200 *2 mm/3 mm(D) x 15 mm(L)*



DI2310 *2.3 mm/3 mm(D) x 10 mm(L)*

Anodized Blue



DI2315 *2.3 mm/3 mm(D) x 15 mm(L)*

Anodized Gold



IDIKT  *Certain Direction Indicator Kit*


IDI001
For 4 mm(D),
5 mm(D),
and 6 mm(D)
Implants



IDIM01
For
3.25 mm(D)
Implant

Mounts

IC015  *15 mm(L) Implant Mount*




MMC03 

3 mm(L)

MMC15 

15 mm(L)



Some products may not be available outside of the United States.

Algunos productos no se comercializan fuera de EE.UU.

Certains produits ne sont pas disponibles en dehors des États-Unis.

Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Surgical Components

Miscellaneous Instrumentation

H-TIRW **High Torque Indicating Ratchet Wrench**



CW100 **Open End Wrench**

For use with External Connection Implants.



MALL1 **Mallet**
Stainless Steel



TE003 **Titanium Elevator**



DP020 **Implant Depth Gauge**



MIDTH **Manual Interchangeable Driver Tip Handle**




Ratchet Extensions

IRE100U	RE100	6 mm(L)
IRE200U	RE200	15 mm(L)



TMP80 **Tissue Measuring Post**



Some products may not be available outside of the United States.
Algunos productos no se comercializan fuera de EE.UU.
Certains produits ne sont pas disponibles en dehors des États-Unis.
Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Surgical Components

Miscellaneous Instrumentation

ACTDE **ACT Drill Extension**



MDR10 **Handpiece Connector**



IC100 **Surgical Index Coping**



TP001 **Tissue Punch**

4.1 mm

TP005

5 mm

TP006

6 mm



IRORDR **Certain Implant Driver Replacement O-Rings**
(Qty: 10)



XDG00 **Gelb Radiographic Depth Gauge Kit**

Includes:

→ XDG13

2 mm(D)x13 mm(L)

→ XDG20

2 mm(D)x20 mm(L)



→ XDG01

Includes:

→ XDG2313

2.3 mm(D)x13 mm(L)

→ XDG2320

2.3 mm(D)x20 mm(L)

IIPDTL **Certain Implant Placement Driver Tip**
Long

IIPDTS **Short**

IMPDTL
3.4 mm(D)
Long

IMPDTS
3.4 mm(D)
Short



Some products may not be available outside of the United States.
Algunos productos no se comercializan fuera de EE.UU.
Certains produits ne sont pas disponibles en dehors des États-Unis.
Einige Produkte sind außerhalb der USA nicht erhältlich.

Site Preparation Technologies

Site Preparation Components

Straight And Angled Osteotomes

Description		Item Numbers
Straight OSSEOTITE Tapered Osteotome	Kit	NTOST0
Angled OSSEOTITE Tapered Osteotome	Kit	NTOST0A
Straight OSSEOTITE Tapered, 3.25 mm(D)	Osteotome	NTOST3
Straight OSSEOTITE Tapered, 4 mm(D)	Osteotome	NTOST4
Straight OSSEOTITE Tapered, 5 mm(D)	Osteotome	NTOST5
Straight OSSEOTITE Tapered, 6 mm(D)	Osteotome	NTOST6
Angled OSSEOTITE Tapered, 3.25 mm(D)	Osteotome	NTOST3A
Angled OSSEOTITE Tapered, 4 mm(D)	Osteotome	NTOST4A
Angled OSSEOTITE Tapered, 5 mm(D)	Osteotome	NTOST5A
Angled OSSEOTITE Tapered, 6 mm(D)	Osteotome	NTOST6A
Straight OSSEOTITE Tapered Osteotome Tray		NTOSTTRS
Angled OSSEOTITE Tapered Osteotome Tray		NTOSTTRA



Summers Osteotomes

Description		Item Numbers
Summers Osteotome	Kit #1-4	OST00
Summers Osteotome	Kit #1-5	OST10
Summers Osteotome	Kit #1-5, FS	OST20
Summers Osteotome	#1	OST01
Summers Osteotome	#2	OST02
Summers Osteotome	#3	OST03
Summers Osteotome	#4	OST04
Summers Osteotome	#5	OST05
Summers Osteotome For Future Site		OSTFS
Summers Osteotome System Tray		OSTTR



Site Preparation Technologies

Site Preparation Components


Sinus Elevation

Description	Item Numbers
Sinus Elevation Kit	SEKT1
Titanium Nitride Coated Bone Carrier	TIBC1
Small Membrane Elevator	ME100
Medium Membrane Elevator	ME200
Large Membrane Elevator	ME300
Large Titanium Plugger	TIPL1
Small Titanium Plugger	TIPS1
Sinus Elevation Tray	SEKTR



Trephine Burs

Description	Item Numbers
Trephine Bur, 2 mm Inside Diameter/3 mm Outside Diameter	TRE02
Trephine Bur, 4 mm Inside Diameter/5 mm Outside Diameter	TRE04
Trephine Bur, 5 mm Inside Diameter/6 mm Outside Diameter	TRE05
Trephine Bur, 6 mm Inside Diameter/7 mm Outside Diameter	TRE06
Trephine Bur, 8 mm Inside Diameter/9.3 mm Outside Diameter	TRE08



Sinus Elevators

Trephine Burs

Some products may not be available outside of the United States.
Algunos productos no se comercializan fuera de EE.UU.
Certains produits ne sont pas disponibles en dehors des États-Unis.
Einige Produkte sind außerhalb der USA nicht erhältlich.

Regenerative Technologies

Product Overview



RegenerOss Allograft Putty Plus

Demineralized bone matrix and mineralized bone chips/mixture.

- Contains 48% by weight DBM (28% cortical and 20% cancellous chips) for handling and bone regeneration
- Moldable, non-toxic, lecithin carrier that is highly resistant to irrigation
- Osteoinductivity of every lot is validated by a cell proliferation assay
- Ergonomic design features a smaller diameter syringe with a curved tip to treat hard-to-reach defects
- 2-year shelf-life

Manufactured By Interpore Cross International, LLC

Tissue Provided By LifeLink Tissue Bank (AATB Certified)



Endobon Xenograft Granules

A RegenerOss® Product.

- Bovine-derived Hydroxyapatite
- Osteoconductive material for bony in-growth
- 500–1000 µm and 1000–2000 µm particle sizes for dental applications
- High porosity with interconnecting macro and micropores
- Easy to use packaging
- 18 month shelf-life

Manufactured By BIOMET France Sarl



OsseoGuard Resorbable Collagen Membrane

The protection you need to grow.

- Dental barrier for guided bone regeneration
- Type I collagen bovine tendon
- Strong enough to resist tearing when tacked or sutured, yet pliable for easy placement
- Resorption profile of 6-9 months
- Does not require removal when exposed
- 3-year shelf-life

Manufactured By Collagen Matrix, Inc., Franklin Lakes, NJ

Regenerative Technologies

Product Overview



OsseoGuard Flex Resorbable Collagen Membrane

Creating balance between flexibility and resorption profile.

- Same clinical benefits as OsseoGuard
- Flexible, yet won't fold over onto itself
- Type I and III bovine dermis
- 3-year shelf-life

Manufactured By Collagen Matrix, Inc., Franklin Lakes, NJ



Safescraper TWIST

Cortical bone scraper/collector.

- Unique design provides 160° cutting area and facilitates access to difficult posterior regions
- Effectively harvests up to 5 cc of bone
- Contains bone in a sterile exclusive chamber, which is designed to protect patients from cross-contamination
- Shortens operating time and simplifies graft collection
- Lateral opening system provides device stability
- 3-year shelf-life

Manufactured By META® Advanced Medical Technology

Regenerative Technologies

Allografts

Description	Item Numbers
RegenerOss® Allograft	
Demineralized Freeze Dried Bone Allograft (DFDBA)	
& Freeze Dried Bone Allograft (FDBA)	
<i>Manufactured By: CTS (Community Tissue Services)</i>	
Cancellous, Partially Demineralized	RDCA205
Cancellous, Partially Demineralized	RDCA210
Cancellous, Partially Demineralized	RDCA305
Cancellous, Partially Demineralized	RDCA310
Cancellous, Partially Demineralized	RDCA505
Cancellous, Partially Demineralized	RDCA510
Cortical, Partially Demineralized	RDC0205
Cortical, Partially Demineralized	RDC0210
Cortical, Partially Demineralized	RDC0305
Cortical, Partially Demineralized	RDC0310
Cortical, Partially Demineralized	RDC0505
Cortical, Partially Demineralized	RDC0510
Cancellous, Mineralized	RMCA205
Cancellous, Mineralized	RMCA210
Cancellous, Mineralized	RMCA305
Cancellous, Mineralized	RMCA310
Cancellous, Mineralized	RMCA505
Cancellous, Mineralized	RMCA510
Cortical, Mineralized	RMCO205
Cortical, Mineralized	RMCO210
Cortical, Mineralized	RMCO305
Cortical, Mineralized	RMCO310
Cortical, Mineralized	RMCO505
Cortical, Mineralized	RMCO510
Cancellous, Mineralized	RMCA220
Cancellous, Mineralized	RMCA320
Cancellous, Mineralized	RMCA520
Cortical, Mineralized	RMCO220
Cortical, Mineralized	RMCO320
Cortical, Mineralized	RMCO520
Cancellous, Partially Demineralized	RDCA220
Cancellous, Partially Demineralized	RDCA320
Cancellous, Partially Demineralized	RDCA520
Cortical, Partially Demineralized	RDC0220
Cortical, Partially Demineralized	RDC0320
Cortical, Partially Demineralized	RDC0520



Regenerative Technologies

Allografts (Cont'd)

RegenerOss Allograft Putty Plus

0.5 cc Syringe	ROAPM05
1 cc Syringe	ROAPM10
2 cc Pack (4 x 0.5 cc syringes)	ROAPM20



Xenografts

Description	Item Numbers			
Endobon Xenograft Granules				
A RegenerOss® Product (Bovine-derived Hydroxyapatite Particulate)				
<i>Manufactured By Biomet France Sarl</i>				
500 – 1000 µm	0.5 ML	ROX05		
500 – 1000 µm	1 ML	ROX10		
500 – 1000 µm	2 ML	ROX20		
1000 – 2000 µm	2 ML	ROXLG20		
1000 – 2000 µm	5 ML	ROXLG50		
1000 – 2000 µm	8 ML	ROXLG80		



GBR Barriers

OsseoGuard Membrane

Cross-linked Bovine Collagen

Manufactured By Collagen Matrix, Inc., Franklin Lakes, NJ

Resorbable Collagen Membrane	15 mm x 20 mm	OG1520
Resorbable Collagen Membrane	20 mm x 30 mm	OG2030
Resorbable Collagen Membrane	30 mm x 40 mm	OG3040



OsseoGuard Flex Membrane

Cross-linked Highly Purified Bovine Dermis Collagen

Manufactured By Collagen Matrix, Inc., Franklin Lakes, NJ

Resorbable Collagen Membrane	15 mm x 20 mm	OGF1520
Resorbable Collagen Membrane	20 mm x 30 mm	OGF2030
Resorbable Collagen Membrane	30 mm x 40 mm	OGF3040



Autogenous Bone Collector

Safescraper TWIST

Disposable Cortical Bone Collector (3-pack)

Curved	3987
Straight	3598



Index

Item#	Description	Page#	Item#	Description	Page#
3987	SAFESCRAPER TWIST, CURVED (3-PACK)	43	ACT4885	ACT REUSABLE TWIST DRILL, 4.85 MM X 8.5 MM	27,32
3598	SAFESCRAPER TWIST, STRAIGHT (3-PACK)	43	ACT4813	ACT REUSABLE TWIST DRILL, 4.85 MM X 13 MM	27,32
436360	DISPOSABLE IRRIGATION TUBING SET (3-PIECE) - FOR THE SUPPLY OF IRRIGATION FLUID	31	ACT4818	ACT REUSABLE TWIST DRILL, 4.85 MM X 18 MM	27,32
			ACT5285	ACT REUSABLE TWIST DRILL, 5.25 MM X 8.5 MM	27,29,32
01343700	ELECTRICAL POWER CORD (EUROPEAN UNION) - CONNECTS TO CONSOLE AND APPROPRIATE WALL OUTLET	31	ACT5213	ACT REUSABLE TWIST DRILL, 5.25 MM X 13 MM	27,29,32
			ACT5218	ACT REUSABLE TWIST DRILL, 5.25 MM X 18 MM	27,29,32
02038200	SPRAY CAP WITH NOZZLE - SPRAY CAP FOR SERVICE OIL	31	ACTDE	ACT DRILL EXTENSION	26,27,29,37
02821400	ELECTRICAL POWER CORD (UNITED STATES, CANADA, JAPAN) - CONNECTS TO CONSOLE AND APPROPRIATE WALL OUTLET	31	ACTPSD	ACT POINTED STARTER DRILL	26,32
02909300	ELECTRICAL POWER CORD (AUSTRALIA, NEW ZEALAND) - CONNECTS TO CONSOLE AND APPROPRIATE WALL OUTLET	31	BB001	BONE PROFILER ORGANIZER KIT	33
03212700	ELECTRICAL POWER CORD (UNITED KINGDOM, IRELAND) - CONNECTS TO CONSOLE AND APPROPRIATE WALL OUTLET	31	BNES365	T3 W/DCD PARALLEL WALLED IMPLANT, 3.25 MM(D) X 6.5 MM(L)	7
			BNES385	T3 W/DCD PARALLEL WALLED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	7
			BNES310	T3 W/DCD PARALLEL WALLED IMPLANT, 3.25 MM(D) X 10 MM(L)	7
			BNES311	T3 W/DCD PARALLEL WALLED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	7
04005900	IRRIGATION BAG STAND - STAND FOR IRRIGATION SOLUTION BAG	31	BNES313	T3 W/DCD PARALLEL WALLED IMPLANT, 3.25 MM(D) X 13 MM(L)	7
04019000	IRRIGATION TUBE CLAMPS (5-PACK) - CLAMPS HOLDING IRRIGATION TUBING TO MOTOR CABLE	31	BNES315	T3 W/DCD PARALLEL WALLED IMPLANT, 3.25 MM(D) X 15 MM(L)	7
			BNES318	T3 W/DCD PARALLEL WALLED IMPLANT, 3.25 MM(D) X 18 MM(L)	7
04032600	STERILIZING PROTECTOR FOR MOTOR MICROMOTERS AND AC	31	BNES3765	T3 W/DCD PARALLEL WALLED IMPLANT, 3.75 MM(D) X 6.5 MM(L)	7
04280600	ELECTRICAL POWER CORD (CHINA) - CONNECTS TO CONSOLE AND APPROPRIATE WALL OUTLET	31	BNES3785	T3 W/DCD PARALLEL WALLED IMPLANT, 3.75 MM(D) X 8.5 MM(L)	7
			BNES3710	T3 W/DCD PARALLEL WALLED IMPLANT, 3.75 MM(D) X 10 MM(L)	7
04363600	DISPOSABLE IRRIGATION TUBING (SET OF 6)	31	BNES3711	T3 W/DCD PARALLEL WALLED IMPLANT, 3.75 MM(D) X 11.5 MM(L)	7
04653500	HANDLE FOR FOOT CONTROL - FOOT CONTROL ATTACHMENT ALLOWING FOR REPOSITIONING OF FOOT CONTROL	31	BNES3713	T3 W/DCD PARALLEL WALLED IMPLANT, 3.75 MM(D) X 13 MM(L)	7
			BNES3715	T3 W/DCD PARALLEL WALLED IMPLANT, 3.75 MM(D) X 15 MM(L)	7
04757100	SPRAY CLIP FOR EXT/INT CO	31	BNES3718	T3 W/DCD PARALLEL WALLED IMPLANT, 3.75 MM(D) X 18 MM(L)	7
05901800	ELECTRICAL POWER CORD (DENMARK) - CONNECTS TO CONSOLE AND APPROPRIATE WALL OUTLET	31	BNES465	T3 W/DCD PARALLEL WALLED IMPLANT, 4 MM(D) X 6.5 MM(L)	7
			BNES485	T3 W/DCD PARALLEL WALLED IMPLANT, 4 MM(D) X 8.5 MM(L)	7
06016400	Y-CONNECTOR (3-PACK) - USED TO BIFURcate IRRIGATE FLOW FROM IRRIGATION TUBE TO PROVIDE BOTH INTERNAL AND EXTERNAL IRRIGATION; INCLUDED WITH HANDPIECE	31	BNES410	T3 W/DCD PARALLEL WALLED IMPLANT, 4 MM(D) X 10 MM(L)	7
			BNES411	T3 W/DCD PARALLEL WALLED IMPLANT, 4 MM(D) X 11.5 MM(L)	7
			BNES413	T3 W/DCD PARALLEL WALLED IMPLANT, 4 MM(D) X 13 MM(L)	7
06177800	MOTOR/HANDPIECE SUPPORT - DRILL UNIT ATTACHMENT FOR RESTING HANDPIECE	31	BNES415	T3 W/DCD PARALLEL WALLED IMPLANT, 4 MM(D) X 15 MM(L)	7
			BNES418	T3 W/DCD PARALLEL WALLED IMPLANT, 4 MM(D) X 18 MM(L)	7
06202400	FOOT CONTROL - ERGONOMIC DESIGN, VARIABLE SPEED AND CONNECTS TO CONSOLE TO PROVIDE FOOT ACTIVATION	31	BNES565	T3 W/DCD PARALLEL WALLED IMPLANT, 5 MM(D) X 6.5 MM(L)	7
			BNES585	T3 W/DCD PARALLEL WALLED IMPLANT, 5 MM(D) X 8.5 MM(L)	7
06631600	MICROMOTOR WITH CABLE - 1.8M/5.9FT MOTOR CABLE PLUGS INTO CONSOLE AND ATTACHES TO HANDPIECE	31	BNES510	T3 W/DCD PARALLEL WALLED IMPLANT, 5 MM(D) X 10 MM(L)	7
			BNES511	T3 W/DCD PARALLEL WALLED IMPLANT, 5 MM(D) X 11.5 MM(L)	7
30032000	20:1 HANDPIECE - WS-75 L G SURGICAL CONTRA-ANGLE HANDPIECE WITH PUSH-BUTTON, MINI LED+ AND GENERATOR	31	BNES513	T3 W/DCD PARALLEL WALLED IMPLANT, 5 MM(D) X 13 MM(L)	7
			BNES515	T3 W/DCD PARALLEL WALLED IMPLANT, 5 MM(D) X 15 MM(L)	7
ACT2010	ACT REUSABLE TWIST DRILL, 2 MM X 10 MM	26,27,29,32	BNES518	T3 W/DCD PARALLEL WALLED IMPLANT, 5 MM(D) X 18 MM(L)	7
ACT2015	ACT REUSABLE TWIST DRILL, 2 MM X 15 MM	26,27,29,32	BNES665	T3 W/DCD PARALLEL WALLED IMPLANT, 6 MM(D) X 6.5 MM(L)	7
ACT2020	ACT REUSABLE TWIST DRILL, 2 MM X 20 MM	26,27,29,32	BNES685	T3 W/DCD PARALLEL WALLED IMPLANT, 6 MM(D) X 8.5 MM(L)	7
ACT2710	ACT REUSABLE TWIST DRILL, 2.75 MM X 10 MM	27,29,32	BNES610	T3 W/DCD PARALLEL WALLED IMPLANT, 6 MM(D) X 10 MM(L)	7
ACT2715	ACT REUSABLE TWIST DRILL, 2.75 MM X 15 MM	27,29,32	BNES611	T3 W/DCD PARALLEL WALLED IMPLANT, 6 MM(D) X 11.5 MM(L)	7
ACT2720	ACT REUSABLE TWIST DRILL, 2.75 MM X 20 MM	27,29,32	BNES613	T3 W/DCD PARALLEL WALLED IMPLANT, 6 MM(D) X 13 MM(L)	7
ACT3010	ACT REUSABLE TWIST DRILL, 3 MM X 10 MM	27,29,32	BNES615	T3 W/DCD PARALLEL WALLED IMPLANT, 6 MM(D) X 15 MM(L)	7
ACT3015	ACT REUSABLE TWIST DRILL, 3 MM X 15 MM	27,29,32	BNES618	T3 W/DCD PARALLEL WALLED IMPLANT, 6 MM(D) X 18 MM(L)	7
ACT3020	ACT REUSABLE TWIST DRILL, 3 MM X 20 MM	27,29,32	BNET3285	T3 W/DCD TAPERED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	5
ACT3110	ACT REUSABLE TWIST DRILL, 3.15 MM X 10 MM	32	BNET3210	T3 W/DCD TAPERED IMPLANT, 3.25 MM(D) X 10 MM(L)	5
ACT3115	ACT REUSABLE TWIST DRILL, 3.15 MM X 15 MM	32	BNET3211	T3 W/DCD TAPERED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	5
ACT3120	ACT REUSABLE TWIST DRILL, 3.15 MM X 20 MM	32	BNET3213	T3 W/DCD TAPERED IMPLANT, 3.25 MM(D) X 13 MM(L)	5
ACT3210	ACT REUSABLE TWIST DRILL, 3.25 MM X 10 MM	27,29,32	BNET3215	T3 W/DCD TAPERED IMPLANT, 3.25 MM(D) X 15 MM(L)	5
ACT3215	ACT REUSABLE TWIST DRILL, 3.25 MM X 15 MM	27,29,32	BNET485	T3 W/DCD TAPERED IMPLANT, 4 MM(D) X 8.5 MM(L)	5
ACT3220	ACT REUSABLE TWIST DRILL, 3.25 MM X 20 MM	27,29,32	BNET410	T3 W/DCD TAPERED IMPLANT, 4 MM(D) X 10 MM(L)	5
ACT3810	ACT REUSABLE TWIST DRILL, 3.85 MM X 10 MM	27,32	BNET411	T3 W/DCD TAPERED IMPLANT, 4 MM(D) X 11.5 MM(L)	5
ACT3815	ACT REUSABLE TWIST DRILL, 3.85 MM X 15 MM	27,32	BNET413	T3 W/DCD TAPERED IMPLANT, 4 MM(D) X 13 MM(L)	5
ACT3820	ACT REUSABLE TWIST DRILL, 3.85 MM X 20 MM	27,32	BNET415	T3 W/DCD TAPERED IMPLANT, 4 MM(D) X 15 MM(L)	5
ACT4285	ACT REUSABLE TWIST DRILL, 4.25 MM X 8.5 MM	27,29,32	BNET585	T3 W/DCD TAPERED IMPLANT, 5 MM(D) X 8.5 MM(L)	5
ACT4213	ACT REUSABLE TWIST DRILL, 4.25 MM X 13 MM	27,29,32	BNET510	T3 W/DCD TAPERED IMPLANT, 5 MM(D) X 10 MM(L)	5
ACT4218	ACT REUSABLE TWIST DRILL, 4.25 MM X 18 MM	27,29,32	BNET511	T3 W/DCD TAPERED IMPLANT, 5 MM(D) X 11.5 MM(L)	5

Index

Item#	Description	Page#	Item#	Description	Page#
BNET513	T3 W/DCD TAPERED IMPLANT, 5 MM(D) X 13 MM(L)	5	BNSS313	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 13 MM(L)	4
BNET515	T3 W/DCD TAPERED IMPLANT, 5 MM(D) X 15 MM(L)	5	BNSS315	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 15 MM(L)	4
BNET685	T3 W/DCD TAPERED IMPLANT, 6 MM(D) X 8.5 MM(L)	5	BNSS318	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 18 MM(L)	4
BNET610	T3 W/DCD TAPERED IMPLANT, 6 MM(D) X 10 MM(L)	5	BNSS385	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	4
BNET611	T3 W/DCD TAPERED IMPLANT, 6 MM(D) X 11.5 MM(L)	5	BNSS410	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 10 MM(L)	4
BNET613	T3 W/DCD TAPERED IMPLANT, 6 MM(D) X 13 MM(L)	5	BNSS411	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 11.5 MM(L)	4
BNET615	T3 W/DCD TAPERED IMPLANT, 6 MM(D) X 15 MM(L)	5	BNSS413	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 13 MM(L)	4
BNPS4310	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4/3 X 10 MM(L)	4	BNSS415	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 15 MM(L)	4
BNPS4311	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4/3 X 11.5 MM(L)	4	BNSS418	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 18 MM(L)	4
BNPS4313	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4/3 X 13 MM(L)	4	BNSS485	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 8.5 MM(L)	4
BNPS4315	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4/3 X 15 MM(L)	4	BNSS510	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5 MM(D) X 10 MM(L)	4
BNPS4385	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4/3 X 8.5 MM(L)	4	BNSS511	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5 MM(D) X 11.5 MM(L)	4
BNPS5410	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5/4 X 10 MM(L)	4	BNSS513	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5 MM(D) X 13 MM(L)	4
BNPS5411	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5/4 X 11.5 MM(L)	4	BNSS515	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5 MM(D) X 15 MM(L)	4
BNPS5413	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5/4 X 13 MM(L)	4	BNSS585	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5 MM(D) X 8.5 MM(L)	4
BNPS5415	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5/4 X 15 MM(L)	4	BNSS610	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6 MM(D) X 10 MM(L)	4
BNPS5485	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5/4 X 8.5 MM(L)	4	BNSS611	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6 MM(D) X 11.5 MM(L)	4
BNPS6510	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6/5 X 10 MM(L)	4	BNSS613	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6 MM(D) X 13 MM(L)	4
BNPS6511	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6/5 X 11.5 MM(L)	4	BNSS615	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6 MM(D) X 15 MM(L)	4
BNPS6513	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6/5 X 13 MM(L)	4	BNSS685	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6 MM(D) X 8.5 MM(L)	4
BNPS6515	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6/5 X 15 MM(L)	4	BNST3210	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 10 MM(L)	1
BNPS6585	T3 W/DCD PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6/5 X 8.5 MM(L)	4	BNST3211	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	1
BNPT4310	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 4/3 X 10 MM(L)	1	BNST3213	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 13 MM(L)	1
BNPT4311	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 4/3 X 11.5 MM(L)	1	BNST3215	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 15 MM(L)	1
BNPT4313	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 4/3 X 13 MM(L)	1	BNST3285	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	1
BNPT4315	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 4/3 X 15 MM(L)	1	BNST410	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 10 MM(L)	1
BNPT4385	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 4/3 X 8.5 MM(L)	1	BNST411	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 11.5 MM(L)	1
BNPT5410	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 5/4 X 10 MM(L)	1	BNST413	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 13 MM(L)	1
BNPT5411	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 5/4 X 11.5 MM(L)	1			
BNPT5413	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 5/4 X 13 MM(L)	1			
BNPT5415	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 5/4 X 15 MM(L)	1			
BNPT5485	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 5/4 X 8.5 MM(L)	1			
BNPT6510	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 6/5 X 10 MM(L)	1			
BNPT6511	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 6/5 X 11.5 MM(L)	1			
BNPT6513	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 6/5 X 13 MM(L)	1			
BNPT6515	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 6/5 X 15 MM(L)	1			
BNPT6585	T3 W/DCD PLATFORM SWITCHED TAPERED IMPLANT, 6/5 X 8.5 MM(L)	1			
BNSS310	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 10 MM(L)	4			
BNSS311	T3 W/DCD NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	4			

Index

Item#	Description	Page#	Item#	Description	Page#
BNST415	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 15 MM(L)	1	BOES613	T3 PARALLEL WALLED IMPLANT, 6 MM(D) X 13 MM(L)	7
BNST485	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 8.5 MM(L)	1	BOES615	T3 PARALLEL WALLED IMPLANT, 6 MM(D) X 15 MM(L)	7
BNST510	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 10 MM(L)	1	BOES618	T3 PARALLEL WALLED IMPLANT, 6S MM(D) X 18 MM(L)	7
BNST511	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 11.5 MM(L)	1	BOET3285	T3 TAPERED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	5
BNST513	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 13 MM(L)	1	BOET3210	T3 TAPERED IMPLANT, 3.25 MM(D) X 10 MM(L)	5
BNST515	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 15 MM(L)	1	BOET3211	T3 TAPERED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	5
BNST515	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 15 MM(L)	1	BOET3213	T3 TAPERED IMPLANT, 3.25 MM(D) X 13 MM(L)	5
BNST515	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 15 MM(L)	1	BOET3215	T3 TAPERED IMPLANT, 3.25 MM(D) X 15 MM(L)	5
BNST513	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 8.5 MM(L)	1	BOET485	T3 TAPERED IMPLANT, 4 MM(D) X 8.5 MM(L)	5
BNST513	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 10 MM(L)	1	BOET410	T3 TAPERED IMPLANT, 4 MM(D) X 10 MM(L)	5
BNST515	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 11.5 MM(L)	1	BOET411	T3 TAPERED IMPLANT, 4 MM(D) X 11.5 MM(L)	5
BNST513	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 13 MM(L)	1	BOET413	T3 TAPERED IMPLANT, 4 MM(D) X 13 MM(L)	5
BNST585	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 8.5 MM(L)	1	BOET415	T3 TAPERED IMPLANT, 4 MM(D) X 15 MM(L)	5
BNST610	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 10 MM(L)	1	BOET585	T3 TAPERED IMPLANT, 5 MM(D) X 8.5 MM(L)	5
BNST611	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 11.5 MM(L)	1	BOET510	T3 TAPERED IMPLANT, 5 MM(D) X 10 MM(L)	5
BNST613	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 13 MM(L)	1	BOET511	T3 TAPERED IMPLANT, 5 MM(D) X 11.5 MM(L)	5
BNST615	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 15 MM(L)	1	BOET513	T3 TAPERED IMPLANT, 5 MM(D) X 13 MM(L)	5
BNST615	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 15 MM(L)	1	BOET515	T3 TAPERED IMPLANT, 5 MM(D) X 15 MM(L)	5
BNST685	T3 W/DCD NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 8.5 MM(L)	1	BOET685	T3 TAPERED IMPLANT, 6 MM(D) X 8.5 MM(L)	5
BOES365	T3 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 6.5 MM(L)	7	BOET610	T3 TAPERED IMPLANT, 6 MM(D) X 10 MM(L)	5
BOES385	T3 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	7	BOET611	T3 TAPERED IMPLANT, 6 MM(D) X 11.5 MM(L)	5
BOES310	T3 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 10 MM(L)	7	BOET613	T3 TAPERED IMPLANT, 6 MM(D) X 13 MM(L)	5
BOES311	T3 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	7	BOET615	T3 TAPERED IMPLANT, 6 MM(D) X 15 MM(L)	5
BOES313	T3 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 13 MM(L)	7	BOPS4310	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4/3 X 10 MM(L)	4
BOES315	T3 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 15 MM(L)	7	BOPS4311	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4/3 X 11.5 MM(L)	4
BOES318	T3 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 18 MM(L)	7	BOPS4313	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4/3 X 13 MM(L)	4
BOES3765	T3 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 6.5 MM(L)	7	BOPS4315	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4/3 X 15 MM(L)	4
BOES3785	T3 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 8.5 MM(L)	7	BOPS4385	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4/3 X 8.5 MM(L)	4
BOES3710	T3 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 10 MM(L)	7	BOPS5410	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5/4 X 10 MM(L)	4
BOES3711	T3 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 11.5 MM(L)	7	BOPS5411	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5/4 X 11.5 MM(L)	4
BOES3713	T3 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 13 MM(L)	7	BOPS5413	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5/4 X 13 MM(L)	4
BOES3715	T3 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 15 MM(L)	7	BOPS5415	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5/4 X 15 MM(L)	4
BOES3718	T3 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 18 MM(L)	7	BOPS5485	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5/4 X 8.5 MM(L)	4
BOES465	T3 PARALLEL WALLED IMPLANT, 4 MM(D) X 6.5 MM(L)	7	BOPS6510	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6/5 X 10 MM(L)	4
BOES485	T3 PARALLEL WALLED IMPLANT, 4 MM(D) X 8.5 MM(L)	7	BOPS6511	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6/5 X 11.5 MM(L)	4
BOES410	T3 PARALLEL WALLED IMPLANT, 4 MM(D) X 10 MM(L)	7	BOPS6513	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6/5 X 13 MM(L)	4
BOES411	T3 PARALLEL WALLED IMPLANT, 4 MM(D) X 11.5 MM(L)	7	BOPS6515	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6/5 X 15 MM(L)	4
BOES413	T3 PARALLEL WALLED IMPLANT, 4 MM(D) X 13 MM(L)	7	BOPS6585	T3 PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6/5 X 8.5 MM(L)	4
BOES415	T3 PARALLEL WALLED IMPLANT, 4 MM(D) X 15 MM(L)	7	BOPT4310	T3 PLATFORM SWITCHED TAPERED IMPLANT, 4/3 X 10 MM(L)	1
BOES418	T3 PARALLEL WALLED IMPLANT, 4 MM(D) X 18 MM(L)	7	BOPT4311	T3 PLATFORM SWITCHED TAPERED IMPLANT, 4/3 X 11.5 MM(L)	1
BOES565	T3 PARALLEL WALLED IMPLANT, 5 MM(D) X 6.5 MM(L)	7	BOPT4313	T3 PLATFORM SWITCHED TAPERED IMPLANT, 4/3 X 13 MM(L)	1
BOES585	T3 PARALLEL WALLED IMPLANT, 5 MM(D) X 8.5 MM(L)	7	BOPT4315	T3 PLATFORM SWITCHED TAPERED IMPLANT, 4/3 X 15 MM(L)	1
BOES510	T3 PARALLEL WALLED IMPLANT, 5 MM(D) X 10 MM(L)	7	BOPT4385	T3 PLATFORM SWITCHED TAPERED IMPLANT, 4/3 X 8.5 MM(L)	1
BOES511	T3 PARALLEL WALLED IMPLANT, 5 MM(D) X 11.5 MM(L)	7	BOPT5410	T3 PLATFORM SWITCHED TAPERED IMPLANT, 5/4 X 10 MM(L)	1
BOES513	T3 PARALLEL WALLED IMPLANT, 5 MM(D) X 13 MM(L)	7	BOPT5411	T3 PLATFORM SWITCHED TAPERED IMPLANT, 5/4 X 11.5 MM(L)	1
BOES515	T3 PARALLEL WALLED IMPLANT, 5 MM(D) X 15 MM(L)	7	BOPT5413	T3 PLATFORM SWITCHED TAPERED IMPLANT, 5/4 X 13 MM(L)	1
BOES518	T3 PARALLEL WALLED IMPLANT, 5 MM(D) X 18 MM(L)	7	BOPT5415	T3 PLATFORM SWITCHED TAPERED IMPLANT, 5/4 X 15 MM(L)	1
BOES665	T3 PARALLEL WALLED IMPLANT, 6 MM(D) X 6.5 MM(L)	7	BOPT5485	T3 PLATFORM SWITCHED TAPERED IMPLANT, 5/4 X 8.5 MM(L)	1
BOES685	T3 PARALLEL WALLED IMPLANT, 6 MM(D) X 8.5 MM(L)	7	BOPT6510	T3 PLATFORM SWITCHED TAPERED IMPLANT, 6/5 X 10 MM(L)	1
BOES610	T3 PARALLEL WALLED IMPLANT, 6 MM(D) X 10 MM(L)	7	BOPT6511	T3 PLATFORM SWITCHED TAPERED IMPLANT, 6/5 X 11.5 MM(L)	1
BOES611	T3 PARALLEL WALLED IMPLANT, 6 MM(D) X 11.5 MM(L)	7	BOPT6513	T3 PLATFORM SWITCHED TAPERED IMPLANT, 6/5 X 13 MM(L)	1
		7	BOPT6515	T3 PLATFORM SWITCHED TAPERED IMPLANT, 6/5 X 15 MM(L)	1
		7	BOPT6585	T3 PLATFORM SWITCHED TAPERED IMPLANT, 6/5 X 8.5 MM(L)	1
		7	BOSS310	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 10 MM(L)	4
		7	BOSS311	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	4

Index

Item#	Description	Page#	Item#	Description	Page#
BOSS313	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 13 MM(L)	4	BOST511	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 11.5 MM(L)	1
BOSS315	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 15 MM(L)	4	BOST513	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 13 MM(L)	1
BOSS318	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 18 MM(L)	4	BOST515	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 15 MM(L)	1
BOSS385	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	4	BOST585	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 8.5 MM(L)	1
BOSS410	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 10 MM(L)	4	BOST610	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 10 MM(L)	1
BOSS411	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 11.5 MM(L)	4	BOST611	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 11.5 MM(L)	1
BOSS413	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 13 MM(L)	4	BOST613	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 13 MM(L)	1
BOSS415	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 15 MM(L)	4	BOST615	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 15 MM(L)	1
BOSS418	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 18 MM(L)	4	BOST685	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 8.5 MM(L)	1
BOSS485	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 4 MM(D) X 8.5 MM(L)	4	BP340	BONE PROFILER W/GUIDE PIN, 3.4 MM(D) X 3.8 MM(P)	33
BOSS510	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5 MM(D) X 10 MM(L)	2	BP450	BONE PROFILER W/GUIDE PIN, 4.1 MM(D) X 5 MM(P)	33
BOSS511	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5 MM(D) X 11.5 MM(L)	4	BP460	BONE PROFILER W/GUIDE PIN, 4.1 MM(D) X 6 MM(P)	33
BOSS513	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5 MM(D) X 13 MM(L)	4	BP475	BONE PROFILER W/GUIDE PIN, 4.1 MM(D) X 7.5 MM(P)	33
BOSS515	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5 MM(D) X 15 MM(L)	4	BP550	BONE PROFILER W/GUIDE PIN, 5 MM(D) X 5 MM(P)	33
BOSS585	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 5 MM(D) X 8.5 MM(L)	4	BP560	BONE PROFILER W/GUIDE PIN, 5 MM(D) X 6 MM(P)	33
BOSS610	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6 MM(D) X 10 MM(L)	4	BP575	BONE PROFILER W/GUIDE PIN, 5 MM(D) X 7.5 MM(P)	33
BOSS611	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6 MM(D) X 11.5 MM(L)	4	BP660	BONE PROFILER W/GUIDE PIN, 6 MM(D) X 6 MM(P)	33
BOSS613	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6 MM(D) X 13 MM(L)	4	BP675	BONE PROFILER W/GUIDE PIN, 6 MM(D) X 7.5 MM(P)	33
BOSS615	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6 MM(D) X 15 MM(L)	4	BPAKT	BONE PROFILER KIT, 5 & 6 MM(D)	33
BOSS685	T3 NON-PLATFORM SWITCHED PARALLEL WALLED IMPLANT, 6 MM(D) X 8.5 MM(L)	4	BPAKTB	BONE PROFILER ORGANIZER BOX, 5 & 6 MM(D)	33
BOST3210	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 10 MM(L)	1	BPGUIDE	BONE PROFILER GUIDE PIN, 4.1, 5 & 6 MM(D)	33
BOST3211	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	1	BPKIT	BONE PROFILER KIT, 4.1 MM(D)	33
BOST3213	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 13 MM(L)	1	BPKITB	BONE PROFILER ORGANIZER BOX, 4.1 MM(D)	33
BOST3215	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 15 MM(L)	1	CD100	COUNTERSINK REUSABLE DRILL, 4.1 MM EXTERNAL CONNECTION	28,29,32
BOST3285	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	1	CD500	COUNTERSINK/PILOT REUSABLE DRILL, 5 MM	27,29,32
BOST410	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 10 MM(L)	1	CD600	COUNTERSINK/PILOT REUSABLE DRILL, 4.25–5.25 MM	28,29,32
BOST411	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 11.5 MM(L)	1	CS275	HEADLESS COVER SCREW, 4.1, 5, 6 MM(D)	5,6,7,8
BOST413	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 13 MM(L)	1	CS375	IMPLANT COVER SCREW, 4.1 MM(D) X 1 MM(H)	5,6,7,8
BOST415	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 15 MM(L)	1	CS500	IMPLANT COVER SCREW, 5 MM(D) X 1 MM(H)	5,6,7,8
BOST485	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 8.5 MM(L)	1	CS600	IMPLANT COVER SCREW, 6 MM(D) X 1 MM(H)	5,6,7,8
BOST510	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 10 MM(L)	1	CW100	OPEN END WRENCH	18,22,25,28,30,36
BOST513	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 11.5 MM(L)	1	DC100	COUNTERSINK DISPOSABLE DRILL, 4.1 MM EXTERNAL CONNECTION	32
BOST515	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 13 MM(L)	1	DC500	PILOT/COUNTERSINK DISPOSABLE DRILL, 5 MM	32
BOST585	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 5 MM(D) X 8.5 MM(L)	1	DC600	PILOT/COUNTERSINK DISPOSABLE DRILL, 6 MM	32
BOST610	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 10 MM(L)	1	DI100	DIRECTION INDICATOR, 2 MM(D) X 10 MM(L), 3EA.	26,28,30,35
BOST611	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 11.5 MM(L)	1	DI200	DIRECTION INDICATOR, 2 MM(D) X 15 MM(L)	35
BOST613	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 13 MM(L)	1	DI2310	DIRECTION INDICATOR, 2.3 MM(D) X 10 MM(L)	35
BOST615	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 15 MM(L)	1	DI2315	DIRECTION INDICATOR, 2.3 MM(D) X 15 MM(L)	35
BOST685	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 6 MM(D) X 8.5 MM(L)	1	DP020	IMPLANT DEPTH GAUGE, 20 MM(L)	26,28,30,36
BOST3210	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 10 MM(L)	1	DP100	DISPOSABLE PILOT DRILL, 2-3 MM	32
BOST3211	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	1	DR100	DISPOSABLE ROUND BUR	32
BOST3213	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 13 MM(L)	1	EHA343	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 3 MM(H)	13
BOST3215	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 15 MM(L)	1	EHA344	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 4 MM(H)	13
BOST3285	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	1	EHA346	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 6 MM(H)	13
BOST410	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 10 MM(L)	1	EHA348	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 8 MM(H)	13
BOST411	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 11.5 MM(L)	1	EHA353	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 3 MM(H)	13
BOST413	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 13 MM(L)	1	EHA354	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 4 MM(H)	13
BOST415	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 15 MM(L)	1	EHA356	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 6 MM(H)	13
BOST485	T3 NON-PLATFORM SWITCHED TAPERED IMPLANT, 4 MM(D) X 8.5 MM(L)	1	EHA358	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 8 MM(H)	13

Index

Item#	Description	Page#	Item#	Description	Page#
EHA443	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 3 MM(H)	13	FNT415	FULL OSSEOTITE TAPERED IMPLANT, 4 MM(D) X 15 MM(L)	6
EHA444	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 4 MM(H)	13	FNT485	FULL OSSEOTITE TAPERED IMPLANT, 4 MM(D) X 8.5 MM(L)	6
EHA446	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 6 MM(H)	13	FNT510	FULL OSSEOTITE TAPERED IMPLANT, 5 MM(D) X 10 MM(L)	6
EHA448	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 8 MM(H)	13	FNT511	FULL OSSEOTITE TAPERED IMPLANT, 5 MM(D) X 11.5 MM(L)	6
EHA453	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 3 MM(H)	13	FNT513	FULL OSSEOTITE TAPERED IMPLANT, 5 MM(D) X 13 MM(L)	6
EHA454	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 4 MM(H)	13	FNT515	FULL OSSEOTITE TAPERED IMPLANT, 5 MM(D) X 15 MM(L)	6
EHA456	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 6 MM(H)	13	FNT585	FULL OSSEOTITE TAPERED IMPLANT, 5 MM(D) X 8.5 MM(L)	6
EHA458	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 8 MM(H)	13	FNT610	FULL OSSEOTITE TAPERED IMPLANT, 6 MM(D) X 10 MM(L)	6
EHA463	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 3 MM(H)	13	FNT611	FULL OSSEOTITE TAPERED IMPLANT, 6 MM(D) X 11.5 MM(L)	6
EHA464	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 4 MM(H)	13	FNT613	FULL OSSEOTITE TAPERED IMPLANT, 6 MM(D) X 13 MM(L)	6
EHA466	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 6 MM(H)	13	FNT615	FULL OSSEOTITE TAPERED IMPLANT, 6 MM(D) X 15 MM(L)	6
EHA468	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 8 MM(H)	13	FNT685	FULL OSSEOTITE TAPERED IMPLANT, 6 MM(D) X 8.5 MM(L)	6
EHA553	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 3 MM(H)	13	FOS307	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 7 MM(L)	8
EHA554	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 4 MM(H)	13	FOS310	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 10 MM(L)	8
EHA556	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 6 MM(H)	13	FOS311	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 11.5 MM(L)	8
EHA558	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 8 MM(H)	13	FOS313	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 13 MM(L)	8
EHA563	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 3 MM(H)	13	FOS315	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 15 MM(L)	8
EHA564	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 4 MM(H)	13	FOS385	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 8.5 MM(L)	8
EHA566	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 6 MM(H)	13	FOS407	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 7 MM(L)	8
EHA568	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 8 MM(H)	13	FOS410	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 10 MM(L)	8
EHA663	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 3 MM(H)	13	FOS411	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 11.5 MM(L)	8
EHA664	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 4 MM(H)	13	FOS413	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 13 MM(L)	8
EHA666	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 6 MM(H)	13	FOS415	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 15 MM(L)	8
EHA668	BELLATEK ENCODE 2-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 8 MM(H)	13	FOS485	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 8.5 MM(L)	8
FNT3210	FULL OSSEOTITE TAPERED IMPLANT, 3.25 MM(D) X 10 MM(L)	6	FOS507	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 7 MM(L)	8
FNT3211	FULL OSSEOTITE TAPERED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	6	FOS510	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 10 MM(L)	8
FNT3213	FULL OSSEOTITE TAPERED IMPLANT, 3.25 MM(D) X 13 MM(L)	6	FOS511	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 11.5 MM(L)	8
FNT3215	FULL OSSEOTITE TAPERED IMPLANT, 3.25 MM(D) X 15 MM(L)	6	FOS513	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 13 MM(L)	8
FNT3285	FULL OSSEOTITE TAPERED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	6	FOS515	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 15 MM(L)	8
FNT410	FULL OSSEOTITE TAPERED IMPLANT, 4 MM(D) X 10 MM(L)	6	FOS585	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 8.5 MM(L)	8
FNT411	FULL OSSEOTITE TAPERED IMPLANT, 4 MM(D) X 11.5 MM(L)	6	FOS607	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 7 MM(L)	8
FNT413	FULL OSSEOTITE TAPERED IMPLANT, 4 MM(D) X 13 MM(L)	6	FOS610	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 10 MM(L)	8
		13	FOS611	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 11.5 MM(L)	8
		13	FOS613	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 13 MM(L)	8
		13	FOS615	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 15 MM(L)	8
		13	FOS685	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 8.5 MM(L)	8
		13	FOSM307	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 7 MM(L)	8
		13	FOSM310	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 10 MM(L)	8
		13	FOSM311	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	8
		13	FOSM313	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 13 MM(L)	8
		13	FOSM315	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 15 MM(L)	8
		13	FOSM385	FULL OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	8
		13	H-TIRW	HIGH TORQUE INDICATING RATCHET WRENCH	25,36
		13	IBPGP	CERTAIN PROFILER GUIDE PIN (3-PACK), 4.1, 5 & 6 MM(D)	33
		13	IBPMGP	CERTAIN BONE PROFILER GUIDE PIN (3-PACK), 3.25 MM(D)	33
		13	IC015	IMPLANT MOUNT, 15 MM(L)	35
		13	IC100	SURGICAL INDEX COPING	37
		13	ICD100	CERTAIN COUNTERSINK DRILL, 4 MM(D)	25,28,32
		6	ICDI100	COUNTERSINK DEPTH INDICATOR FOR ICD100	28
		6	ICSF41	CERTAIN FLAT IMPLANT COVER SCREW, 4.1 MM(D)	1,2,3,4
		6	ICSF50	CERTAIN FLAT IMPLANT COVER SCREW, 5 MM(D)	1,2,3,4
		6	ICSF60	CERTAIN FLAT IMPLANT COVER SCREW, 6 MM(D)	1,2,3,4
		6	IDI001	CERTAIN DIRECTION INDICATOR, 10 MM(L)	35
		6	IDIKT	CERTAIN DIRECTION INDICATOR KIT	35
		6	IDIM01	CERTAIN DIRECTION INDICATOR, 3.25 MM(D) X 10 MM(L)	35
		6	IEHA343	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 3 MM(H)	10

Index

Item#	Description	Page#	Item#	Description	Page#
IEHA344	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 4 MM(H)	10	IEHA664	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 4 MM(H)	10
IEHA346	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 6 MM(H)	10	IEHA666	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 6 MM(H)	10
IEHA348	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 8 MM(H)	10	IEHA668	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 8 MM(H)	10
IEHA353	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 3 MM(H)	10	IIPDTL	CERTAIN IMPLANT PLACEMENT DRIVER (LONG), 4.1, 5, 6 MM(D)	26,28,37
			IIPDTS	CERTAIN IMPLANT PLACEMENT DRIVER (SHORT), 4.1, 5, 6 MM(D)	26,28,37
IEHA354	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 4 MM(H)	10	ILPCMGP3	CERTAIN LOW PROFILE ABUTMENT MANUAL BONE PROFILER, 3.4 MM(D)	33
			ILPCMGP4	CERTAIN LOW PROFILE ABUTMENT MANUAL BONE PROFILER, 4.1 MM(D)	33
IEHA356	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 6 MM(H)	10	ILPCMGP5	CERTAIN LOW PROFILE ABUTMENT MANUAL BONE PROFILER, 5 MM(D)	33
			IMBP4	CERTAIN MANUAL BONE PROFILER, 4.1 MM(D) X 5 MM(P)	18,22,33
IEHA358	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 8 MM(H)	10	IMBP5	CERTAIN MANUAL BONE PROFILER, 5 MM(D) X 6 MM(P)	18,22,33
			IMCSF34	CERTAIN FLAT IMPLANT COVER SCREW, 3.4 MM(D)	1,2,3,4
IEHA443	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 3 MM(H)	10	IMHA32	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 2 MM(H)	11
			IMHA33	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 3 MM(H)	11
IEHA444	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 4 MM(H)	10	IMHA34	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 4 MM(H)	11
			IMHA36	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 6 MM(H)	11
IEHA446	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 6 MM(H)	10	IMHA352	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 2 MM(H)	11
			IMHA353	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 3 MM(H)	11
IEHA448	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 8 MM(H)	10	IMHA354	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 4 MM(H)	11
			IMHA356	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 5 MM(P) X 6 MM(H)	11
IEHA453	BELLATEK CERTAIN ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 3 MM(H)	10	IMMBP	CERTAIN MANUAL BONE PROFILER, 3.4 MM(D) X 4.1 MM(P)	18,22,33
			IMMBP35	CERTAIN MANUAL BONE PROFILER, 3.4 MM(D) X 5 MM(P)	33
IEHA454	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 4 MM(H)	10	IMPDTL	CERTAIN IMPLANT PLACEMENT DRIVER TIP, 3.4 MM(D) LONG	26,28,37
			IMPDTS	CERTAIN IMPLANT PLACEMENT DRIVER TIP, 3.4 MM(D) SHORT	26,28,37
IEHA456	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 6 MM(H)	10	IRE100U	CERTAIN UNIVERSAL RATCHET EXTENSION, 6 MM(L) SHORT	26,28,36
			IRE200U	CERTAIN UNIVERSAL RATCHET EXTENSION, 15 MM(L) LONG	26,28,36
IEHA458	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 8 MM(H)	10	IRORDR	CERTAIN DRIVER REPLACEMENT O-RINGS, QTY:10	26,28,37
			ISHA42	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 2 MM(H)	11
IEHA463	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 3 MM(H)	10	ISHA43	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 3 MM(H)	11
			ISHA44	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 4 MM(H)	11
IEHA464	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 4 MM(H)	10	ISHA46	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 6 MM(H)	11
			ISHA48	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 8 MM(H)	11
IEHA466	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 6 MM(H)	10	ISMHA32	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 3.4 MM(P) X 2 MM(H)	11
			ISMHA33	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 3.4 MM(P) X 3 MM(H)	11
IEHA468	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 8 MM(H)	10	ISMHA34	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 3.4 MM(P) X 4 MM(H)	11
			ISMHA36	CERTAIN EP 1-PC HEALING ABUTMENT, 3.4 MM(D) X 3.4 MM(P) X 6 MM(H)	11
IEHA553	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 3 MM(H)	10	ISWHA52	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 2 MM(H)	12
			ISWHA53	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 3 MM(H)	12
IEHA554	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 4 MM(H)	10	ISWHA54	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 4 MM(H)	12
			ISWHA56	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 6 MM(H)	12
IEHA556	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 6 MM(H)	10	ISWHA58	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 8 MM(H)	12
			ISWHA62	CERTAIN EP 1-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 2 MM(H)	12
IEHA558	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 8 MM(H)	10	ISWHA63	CERTAIN EP 1-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 3 MM(H)	12
			ISWHA64	CERTAIN EP 1-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 4 MM(H)	12
IEHA563	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 3 MM(H)	10	ISWHA66	CERTAIN EP 1-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 6 MM(H)	12
			ISWHA68	CERTAIN EP 1-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 8 MM(H)	12
IEHA564	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 4 MM(H)	10	ITHA52	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 2 MM(H)	11
			ITHA53	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 3 MM(H)	11
IEHA566	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 6 MM(H)	10	ITHA54	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 4 MM(H)	11
			ITHA56	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 6 MM(H)	11
IEHA568	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 8 MM(H)	10	ITHA58	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 8 MM(H)	11
			ITHA63	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 3 MM(H)	11
IEHA663	CERTAIN BELLATEK ENCODE 2-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 3 MM(H)	10	ITHA64	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 4 MM(H)	11
			ITHA66	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 6 MM(H)	11

Index

Item#	Description	Page#	Item#	Description	Page#
IWTHA68	CERTAIN EP 1-PC HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 8 MM(H)	11		3.25 MM(D) X 13 MM(L) - LONG	
IWTH52	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 2 MM(H)	12	MSGTD13S	TAPERED NAVIGATOR SHAPING DRILL,	17
IWTH53	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 3 MM(H)	12		3.25 MM(D) X 13 MM(L) - SHORT	
IWTH54	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 4 MM(H)	12	MSGTD15L	TAPERED NAVIGATOR SHAPING DRILL,	18
IWTH56	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 6 MM(H)	12		3.25 MM(D) X 15 MM(L) - LONG	
IWTH562	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 2 MM(H)	12	MSGTD15S	TAPERED NAVIGATOR SHAPING DRILL,	17
IWTH563	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 3 MM(H)	12		3.25 MM(D) X 15 MM(L) - SHORT	
IWTH564	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 4 MM(H)	12	MSGTD85L	TAPERED NAVIGATOR SHAPING DRILL,	18
IWTH566	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 6 MM(H)	12		3.25 MM(D) X 8.5 MM(L) - LONG	
IWTH568	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 8 MM(H)	12	MSGTD85S	TAPERED NAVIGATOR SHAPING DRILL,	17
IWTH58	CERTAIN EP 1-PC HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 8 MM(H)	12		3.25 MM(D) X 8.5 MM(L) - SHORT	
IWTH62	CERTAIN EP 1-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 2 MM(H)	12	MSGTT10L	TAPERED NAVIGATOR BONE TAP, 3.25 MM(D) X 10(L) - LONG	19
IWTH63	CERTAIN EP 1-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 3 MM(H)	12	MSGTT10S	TAPERED NAVIGATOR BONE TAP, 3.25 MM(D) X 10(L) - SHORT	19
IWTH64	CERTAIN EP 1-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 4 MM(H)	12	MSGTT11L	TAPERED NAVIGATOR BONE TAP, 3.25 MM(D) X 11.5(L) - LONG	19
IWTH66	CERTAIN EP 1-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 6 MM(H)	12	MSGTT11S	TAPERED NAVIGATOR BONE TAP, 3.25 MM(D) X 11.5(L) - SHORT	19
IWTH68	CERTAIN EP 1-PC HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 8 MM(H)	12	MSGTT13L	TAPERED NAVIGATOR BONE TAP, 3.25 MM(D) X 13(L) - LONG	19
LPCBP3	LOW PROFILE ABUTMENT BONE PROFILER, 3.4 MM(D)	33	MSGTT13S	TAPERED NAVIGATOR BONE TAP, 3.25 MM(D) X 13(L) - SHORT	19
LPCBP4	LOW PROFILE ABUTMENT BONE PROFILER, 4.1 MM(D)	33	MSGTT15L	TAPERED NAVIGATOR BONE TAP, 3.25 MM(D) X 15(L) - LONG	19
LPCBP5	LOW PROFILE ABUTMENT BONE PROFILER, 5 MM(D)	33	MSGTT15S	TAPERED NAVIGATOR BONE TAP, 3.25 MM(D) X 15(L) - SHORT	19
MALL1	MALLET, STAINLESS STEEL	36	MSGTT85L	TAPERED NAVIGATOR BONE TAP, 3.25 MM(D) X 8.5(L) - LONG	19
MDR10	HANDPIECE CONNECTOR	18,22,26,28,30,37	MSGTT85S	TAPERED NAVIGATOR BONE TAP, 3.25 MM(D) X 8.5(L) - SHORT	19
ME100	SMALL MEMBRANE ELEVATOR	39	MTAP1	DENSE BONE TAP FOR PARALLEL WALLED IMPLANTS,	34
ME200	MEDIUM MEMBRANE ELEVATOR	39		3.25 MM(D) - SHORT	
ME300	LARGE MEMBRANE ELEVATOR	39	MTAP2	DENSE BONE TAP FOR PARALLEL WALLED IMPLANTS,	28,29,34
				3.25 MM(D) - LONG	
MHA32	EP 1-PIECE HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 2 MM(H)	14	NINT3210	NANOTITE TAPERED CERTAIN IMPLANT, 3.25 MM(D) X 10 MM(L)	2
MHA33	EP 1-PIECE HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 3 MM(H)	14	NINT3211	NANOTITE TAPERED CERTAIN IMPLANT, 3.25 MM(D) X 11.5 MM(L)	2
MHA34	EP 1-PIECE HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 4 MM(H)	14	NINT3213	NANOTITE TAPERED CERTAIN IMPLANT, 3.25 MM(D) X 13 MM(L)	2
MHA36	EP 1-PIECE HEALING ABUTMENT, 3.4 MM(D) X 3.8 MM(P) X 6 MM(H)	14	NINT3215	NANOTITE TAPERED CERTAIN IMPLANT, 3.25 MM(D) X 15 MM(L)	2
MIDTH	MANUAL INTERCHANGEABLE DRIVER TIP HANDLE	36	NINT3285	NANOTITE TAPERED CERTAIN IMPLANT, 3.25 MM(D) X 8.5 MM(L)	2
MMC03	IMPLANT MOUNT, 3.4 MM(D) X 3 MM(L)	35	NINT410	NANOTITE TAPERED CERTAIN IMPLANT, 4 MM(D) X 10 MM(L)	2
MMC15	IMPLANT MOUNT, 3.4 MM(D) X 15 MM(L)	26,28,30,35	NINT411	NANOTITE TAPERED CERTAIN IMPLANT, 4 MM(D) X 11.5 MM(L)	2
MMCS1	IMPLANT COVER SCREW, 3.4 MM(D) X 1 MM(H)	5,6,7,8	NINT413	NANOTITE TAPERED CERTAIN IMPLANT, 4 MM(D) X 13 MM(L)	2
MSGIAM1	NAVIGATOR CERTAIN ANALOG MOUNT, 3.4 MM(D) X 1(L)	23	NINT415	NANOTITE TAPERED CERTAIN IMPLANT, 4 MM(D) X 15 MM(L)	2
MSGIAM2	NAVIGATOR CERTAIN ANALOG MOUNT, 3.4 MM(D) X 2(L)	23	NINT485	NANOTITE TAPERED CERTAIN IMPLANT, 4 MM(D) X 8.5 MM(L)	2
MSGIAM3	NAVIGATOR CERTAIN ANALOG MOUNT, 3.4 MM(D) X 3(L)	23	NINT510	NANOTITE TAPERED CERTAIN IMPLANT, 5 MM(D) X 10 MM(L)	2
MSGIAM4	NAVIGATOR CERTAIN ANALOG MOUNT, 3.4 MM(D) X 4(L)	23	NINT511	NANOTITE TAPERED CERTAIN IMPLANT, 5 MM(D) X 11.5 MM(L)	2
MSGIAML	NAVIGATOR CERTAIN ANALOG MOUNT, 3.4 MM(D) - LONG	20	NINT513	NANOTITE TAPERED CERTAIN IMPLANT, 5 MM(D) X 13 MM(L)	2
MSGIAMS	NAVIGATOR CERTAIN ANALOG MOUNT, 3.4 MM(D) - SHORT	20	NINT515	NANOTITE TAPERED CERTAIN IMPLANT, 5 MM(D) X 15 MM(L)	2
MSGIIML	NAVIGATOR CERTAIN IMPLANT MOUNT, 3.4 MM(D) - LONG	18	NINT585	NANOTITE TAPERED CERTAIN IMPLANT, 5 MM(D) X 8.5 MM(L)	2
MSGIIMS	NAVIGATOR CERTAIN IMPLANT MOUNT, 3.4 MM(D) - SHORT	18	NINT610	NANOTITE TAPERED CERTAIN IMPLANT, 6 MM(D) X 10 MM(L)	2
MSGIIM1	NAVIGATOR CERTAIN IMPLANT MOUNT, 3.4 MM(D) X 1(L)	22	NINT611	NANOTITE TAPERED CERTAIN IMPLANT, 6 MM(D) X 11.5 MM(L)	2
MSGIIM2	NAVIGATOR CERTAIN IMPLANT MOUNT, 3.4 MM(D) X 2(L)	22	NINT613	NANOTITE TAPERED CERTAIN IMPLANT, 6 MM(D) X 13 MM(L)	2
MSGIIM3	NAVIGATOR CERTAIN IMPLANT MOUNT, 3.4 MM(D) X 3(L)	22	NINT615	NANOTITE TAPERED CERTAIN IMPLANT, 6 MM(D) X 15 MM(L)	2
MSGIIM4	NAVIGATOR CERTAIN IMPLANT MOUNT, 3.4 MM(D) X 4(L)	22	NINT685	NANOTITE TAPERED CERTAIN IMPLANT, 6 MM(D) X 8.5 MM(L)	2
MSGSD	NAVIGATOR STARTER DRILL, 3.4 MM(D)	21	NT3210	OSSEOTITE TAPERED IMPLANT, 3.25 MM(D) X 10 MM(L)	6
MSGTAP	NAVIGATOR BONE TAP, 3.25 MM(D)	22	NT3211	OSSEOTITE TAPERED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	6
MSGTCDL	TAPERED NAVIGATOR COUNTERSINK DRILL, 3.4 MM(D) - LONG	17	NT3213	OSSEOTITE TAPERED IMPLANT, 3.25 MM(D) X 13 MM(L)	6
MSGTCDS	TAPERED NAVIGATOR COUNTERSINK DRILL, 3.4 MM(D) - SHORT	17	NT3215	OSSEOTITE TAPERED IMPLANT, 3.25 MM(D) X 15 MM(L)	6
MSGTD10L	TAPERED NAVIGATOR SHAPING DRILL, 3.25 MM(D) X 10 MM(L) - LONG	18	NT3285	OSSEOTITE TAPERED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	6
MSGTD10S	TAPERED NAVIGATOR SHAPING DRILL, 3.25 MM(D) X 10 MM(L) - SHORT	17	NT410	OSSEOTITE TAPERED IMPLANT, 4 MM(D) X 10 MM(L)	6
MSGTD11L	TAPERED NAVIGATOR SHAPING DRILL, 3.25 MM(D) X 11.5 MM(L) - LONG	18	NT411	OSSEOTITE TAPERED IMPLANT, 4 MM(D) X 11.5 MM(L)	6
MSGTD11S	TAPERED NAVIGATOR SHAPING DRILL, 3.25 MM(D) X 11.5 MM(L) - SHORT	17	NT413	OSSEOTITE TAPERED IMPLANT, 4 MM(D) X 13 MM(L)	6
MSGTD13L	TAPERED NAVIGATOR SHAPING DRILL,	18	NT415	OSSEOTITE TAPERED IMPLANT, 4 MM(D) X 15 MM(L)	6
			NT485	OSSEOTITE TAPERED IMPLANT, 4 MM(D) X 8.5 MM(L)	6
			NT510	OSSEOTITE TAPERED IMPLANT, 5 MM(D) X 10 MM(L)	6
			NT511	OSSEOTITE TAPERED IMPLANT, 5 MM(D) X 11.5 MM(L)	6

Index

Item#	Description	Page#	Item#	Description	Page#
NT513	OSSEOTITE TAPERED IMPLANT, 5 MM(D) X 13 MM(L)	6	NTOST4A	OSSEOTITE TAPERED ANGLED OSTEOTOME, 4 MM	38
NT515	OSSEOTITE TAPERED IMPLANT, 5 MM(D) X 15 MM(L)	6	NTOST5	OSSEOTITE TAPERED STRAIGHT OSTEOTOME, 5 MM	38
NT585	OSSEOTITE TAPERED IMPLANT, 5 MM(D) X 8.5 MM(L)	6	NTOST5A	OSSEOTITE TAPERED ANGLED OSTEOTOME, 5 MM	38
NT610	OSSEOTITE TAPERED IMPLANT, 6 MM(D) X 10 MM(L)	6	NTOST6	OSSEOTITE TAPERED STRAIGHT OSTEOTOME, 6 MM	38
NT611	OSSEOTITE TAPERED IMPLANT, 6 MM(D) X 11.5 MM(L)	6	NTOST6A	OSSEOTITE TAPERED ANGLED OSTEOTOME, 6 MM	38
NT613	OSSEOTITE TAPERED IMPLANT, 6 MM(D) X 13 MM(L)	6	NTOSTTRA	OSSEOTITE TAPERED OSTEOTOME TRAY, ANGLED	38
NT615	OSSEOTITE TAPERED IMPLANT, 6 MM(D) X 15 MM(L)	6	NTOSTTRS	OSSEOTITE TAPERED OSTEOTOME TRAY, STRAIGHT	38
NT685	OSSEOTITE TAPERED IMPLANT, 6 MM(D) X 8.5 MM(L)	6	OG1520	OSSEOGUARD RESORBABLE COLLAGEN MEMBRANE, 15 MM X 20 MM	43
NTAP3210	DENSE BONE TAP FOR TAPERED IMPLANTS, 3.25 MM(D) X 10 MM(L)	24,34	OG2030	OSSEOGUARD RESORBABLE COLLAGEN MEMBRANE, 20 MM X 30 MM	43
NTAP3211	DENSE BONE TAP FOR TAPERED IMPLANTS, 3.25 MM(D) X 11.5 MM(L)	24,34	OG3040	OSSEOGUARD RESORBABLE COLLAGEN MEMBRANE, 30 MM X 40 MM	43
NTAP3213	DENSE BONE TAP FOR TAPERED IMPLANTS, 3.25 MM(D) X 13 MM(L)	24,34	OGF1520	OSSEOGUARD FLEX RESORBABLE COLLAGEN MEMBRANE, 15 MM X 20 MM	43
NTAP3215	DENSE BONE TAP FOR TAPERED IMPLANTS, 3.25 MM(D) X 15 MM(L)	24,34	OGF2030	OSSEOGUARD FLEX RESORBABLE COLLAGEN MEMBRANE, 20 MM X 30 MM	43
NTAP3285	DENSE BONE TAP FOR TAPERED IMPLANTS, 3.25 MM(D) X 8.5 MM(L)	24,34	OGF3040	OSSEOGUARD FLEX RESORBABLE COLLAGEN MEMBRANE, 30 MM X 40 MM	43
NTAP410	DENSE BONE TAP FOR TAPERED IMPLANTS, 4 MM(D) X 10 MM(L)	24,34	OSM310	OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 10 MM(L)	8
NTAP411	DENSE BONE TAP FOR TAPERED IMPLANTS, 4 MM(D) X 11.5 MM(L)	24,34	OSM311	OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	8
NTAP413	DENSE BONE TAP FOR TAPERED IMPLANTS, 4 MM(D) X 13 MM(L)	24,34	OSM313	OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 13 MM(L)	8
NTAP415	DENSE BONE TAP FOR TAPERED IMPLANTS, 4 MM(D) X 15 MM(L)	24,34	OSM315	OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 15 MM(L)	8
NTAP485	DENSE BONE TAP FOR TAPERED IMPLANTS, 4 MM(D) X 8.5 MM(L)	24,34	OSM318	OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 18 MM(L)	8
NTAP510	DENSE BONE TAP FOR TAPERED IMPLANTS, 5 MM(D) X 10 MM(L)	24,34	OSM385	OSSEOTITE PARALLEL WALLED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	8
NTAP511	DENSE BONE TAP FOR TAPERED IMPLANTS, 5 MM(D) X 11.5 MM(L)	25,34	OSS310	OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 6 MM(L)	8
NTAP513	DENSE BONE TAP FOR TAPERED IMPLANTS, 5 MM(D) X 13 MM(L)	25,34	OSS311	OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 11.5 MM(L)	8
NTAP515	DENSE BONE TAP FOR TAPERED IMPLANTS, 5 MM(D) X 15 MM(L)	25,34	OSS313	OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 13 MM(L)	8
NTAP585	DENSE BONE TAP FOR TAPERED IMPLANTS, 5 MM(D) X 8.5 MM(L)	24,34	OSS315	OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 15 MM(L)	8
NTAP610	DENSE BONE TAP FOR TAPERED IMPLANTS, 6 MM(D) X 10 MM(L)	25,34	OSS318	OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 18 MM(L)	8
NTAP611	DENSE BONE TAP FOR TAPERED IMPLANTS, 6 MM(D) X 11.5 MM(L)	25,34	OSS320	OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 20 MM(L)	8
NTAP613	DENSE BONE TAP FOR TAPERED IMPLANTS, 6 MM(D) X 13 MM(L)	25,34	OSS385	OSSEOTITE PARALLEL WALLED IMPLANT, 3.75 MM(D) X 8.5 MM(L)	8
NTAP615	DENSE BONE TAP FOR TAPERED IMPLANTS, 6 MM(D) X 15 MM(L)	25,34	OSS410	OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 6 MM(L)	8
NTAP685	DENSE BONE TAP FOR TAPERED IMPLANTS, 6 MM(D) X 8.5 MM(L)	25,34	OSS411	OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 11.5 MM(L)	8
NTAPK	DENSE BONE TAP KIT	34	OSS413	OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 13 MM(L)	8
NTAPKT	DENSE BONE TAP KIT TRAY FOR TAPERED IMPLANTS	25	OSS415	OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 15 MM(L)	8
NTDI3210	OSSEOTITE TAPERED DEPTH INDICATOR, 3.25 MM X 10 MM	25,35	OSS418	OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 18 MM(L)	8
NTDI3211	OSSEOTITE TAPERED DEPTH INDICATOR, 3.25 MM X 11.5 MM	25,35	OSS420	OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 20 MM(L)	8
NTDI3213	OSSEOTITE TAPERED DEPTH INDICATOR, 3.25 MM X 13 MM	25,35	OSS485	OSSEOTITE PARALLEL WALLED IMPLANT, 4 MM(D) X 8.5 MM(L)	8
NTDI3215	OSSEOTITE TAPERED DEPTH INDICATOR, 3.25 MM X 15 MM	25,35	OSS507	OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 7 MM(L)	8
NTDI3285	OSSEOTITE TAPERED DEPTH INDICATOR, 3.25 MM X 8.5 MM	25,35	OSS510	OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 10 MM(L)	8
NTDI410	OSSEOTITE TAPERED DEPTH INDICATOR, 4 MM X 10 MM	25,35	OSS511	OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 11.5 MM(L)	8
NTDI411	OSSEOTITE TAPERED DEPTH INDICATOR, 4 MM X 11.5 MM	25,35	OSS513	OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 13 MM(L)	8
NTDI413	OSSEOTITE TAPERED DEPTH INDICATOR, 4 MM X 13 MM	25,35	OSS515	OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 15 MM(L)	8
NTDI415	OSSEOTITE TAPERED DEPTH INDICATOR, 4 MM X 15 MM	25,35	OSS518	OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 18 MM(L)	8
NTDI485	OSSEOTITE TAPERED DEPTH INDICATOR, 4 MM X 8.5 MM	25,35	OSS585	OSSEOTITE PARALLEL WALLED IMPLANT, 5 MM(D) X 8.5 MM(L)	8
NTDI510	OSSEOTITE TAPERED DEPTH INDICATOR, 5 MM X 10 MM	25,35	OSS607	OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 7 MM(L)	8
NTDI511	OSSEOTITE TAPERED DEPTH INDICATOR, 5 MM X 11.5 MM	25,35	OSS610	OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 10 MM(L)	8
NTDI513	OSSEOTITE TAPERED DEPTH INDICATOR, 5 MM X 13 MM	25,35	OSS611	OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 11.5 MM(L)	8
NTDI515	OSSEOTITE TAPERED DEPTH INDICATOR, 5 MM X 15 MM	25,35	OSS613	OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 13 MM(L)	8
NTDI585	OSSEOTITE TAPERED DEPTH INDICATOR, 5 MM X 8.5 MM	25,35	OSS615	OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 15 MM(L)	8
NTDI610	OSSEOTITE TAPERED DEPTH INDICATOR, 6 MM X 10 MM	25,35	OSS618	OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 18 MM(L)	8
NTDI611	OSSEOTITE TAPERED DEPTH INDICATOR, 6 MM X 11.5 MM	25,35	OSS685	OSSEOTITE PARALLEL WALLED IMPLANT, 6 MM(D) X 8.5 MM(L)	8
NTDI613	OSSEOTITE TAPERED DEPTH INDICATOR, 6 MM X 13 MM	25,35	OST00	SUMMERS OSTEOTOME KIT #1-4	38
NTDI615	OSSEOTITE TAPERED DEPTH INDICATOR, 6 MM X 15 MM	25,35	OST01	SUMMERS OSTEOTOME #1	38
NTDI685	OSSEOTITE TAPERED DEPTH INDICATOR, 6 MM X 8.5 MM	25,35	OST02	SUMMERS OSTEOTOME #2	38
NTDIK	OSSEOTITE TAPERED DIRECTION/DEPTH INDICATOR KIT	35	OST03	SUMMERS OSTEOTOME #3	38
NTOSTO	OSSEOTITE TAPERED OSTEOTOME SYSTEM KIT, STRAIGHT	38	OST04	SUMMERS OSTEOTOME #4	38
NTOSTOA	OSSEOTITE TAPERED OSTEOTOME SYSTEM KIT, ANGLED	38	OST05	SUMMERS OSTEOTOME #5	38
NTOST3	OSSEOTITE TAPERED STRAIGHT OSTEOTOME, 3.25 MM	38	OST10	SUMMERS OSTEOTOME KIT #1-5	38
NTOST3A	OSSEOTITE TAPERED ANGLED OSTEOTOME, 3.25 MM	38	OST20	SUMMERS OSTEOTOME KIT #1-5 AND FUTURE SITE	38
NTOST4	OSSEOTITE TAPERED STRAIGHT OSTEOTOME, 4 MM	38	OSTFS	SUMMERS OSTEOTOME FOR FUTURE SITE	38

Index

Item#	Description	Page#	Item#	Description	Page#
OSTTR	SUMMERS OSTEOTOME SYSTEM TRAY	38	RE100	RATCHET EXTENSION - SHORT, 6 MM(L)	18,22,25,28,30,36
PD100	PILOT REUSABLE DRILL, 2-3 MM	28,29,32	RE200	RATCHET EXTENSION - LONG, 15 MM(L)	18,22,25,28,30,36
PHD00N	NARROW POSTERIOR SMALL HEX DRIVER, 17 MM	26,28,30	RMCA205	CANCELLOUS, MINERALIZED, 0.5 CC, 200-300 µm	42
PHD02N	NARROW POSTERIOR LARGE HEX DRIVER, 17 MM	18,22,26,28,30	RMCA210	CANCELLOUS, MINERALIZED, 1 CC, 200-300 µm	42
PSKT01	STARTER KIT	27,28	RMCA220	CANCELLOUS, MINERALIZED, 2 CC, 200-300 µm	42
PSKT10	BASIC SURGICAL KIT - PLASTIC	29,30	RMCA305	CANCELLOUS, MINERALIZED, 0.5 CC, 300-500 µm	42
PSKT20	STANDARD UNISYSTEM SURGICAL KIT - PLASTIC	29,30	RMCA310	CANCELLOUS, MINERALIZED, 1 CC, 300-500 µm	42
PSKT30	PREMIUM UNISYSTEM SURGICAL KIT	29,30	RMCA320	CANCELLOUS, MINERALIZED, 2 CC, 300-500 µm	42
PSKT35	CERTAIN PREMIUM SURGICAL KIT	29,30	RMCA505	CANCELLOUS, MINERALIZED, 0.5 CC, 500-800 µm	42
PSKT40	CERTAIN PREMIUM SURGICAL KIT FOR PARALLEL WALLED IMPLANT	27,28	RMCA510	CANCELLOUS, MINERALIZED, 1 CC, 500-800 µm	42
PTT100	PLASTIC TRAY ORGANIZER	27,29	RMCA520	CANCELLOUS, MINERALIZED, 2 CC, 500-800 µm	42
PTT300I	PLASTIC SURGICAL TRAY ORGANIZER	27,29	RMCO205	CORTICAL, MINERALIZED, 0.5 CC, 200-300 µm	42
QNTSK20	TAPERED IMPLANT STARTER (BASIC) KIT	24,25,26	RMCO210	CORTICAL, MINERALIZED, 1 CC, 200-300 µm	42
QNTSK40	TAPERED IMPLANT QUAD SHAPING DRILL, PREMIUM SURGICAL KIT	24,25,26	RMCO220	CORTICAL, MINERALIZED, 2 CC, 200-300 µm	42
QNTSK40U	TAPERED IMPLANT QUAD SHAPING DRILL, PREMIUM UPGRADE KIT	24,25,26	RMCO305	CORTICAL, MINERALIZED, 0.5 CC, 300-500 µm	42
QNTSKT	QSD/NTDI SURGICAL TRAY	25	RMCO310	CORTICAL, MINERALIZED, 1 CC, 300-500 µm	42
QSD3210	QUAD SHAPING DRILL, 3.25 MM(D) X 10 MM(L)	24,32	RMCO320	CORTICAL, MINERALIZED, 2 CC, 300-500 µm	42
QSD3211	QUAD SHAPING DRILL, 3.25 MM(D) X 11.5 MM(L)	24,32	RMCO505	CORTICAL, MINERALIZED, 0.5 CC, 500-800 µm	42
QSD3213	QUAD SHAPING DRILL, 3.25 MM(D) X 13 MM(L)	24,32	RMCO510	CORTICAL, MINERALIZED, 1 CC, 500-800 µm	42
QSD3215	QUAD SHAPING DRILL, 3.25 MM(D) X 15 MM(L)	24,32	RMCO520	CORTICAL, MINERALIZED, 2 CC, 500-800 µm	42
QSD3285	QUAD SHAPING DRILL, 3.25 MM(D) X 8.5 MM(L)	24,32	ROAPM05	REGENERROSS ALLOGRAFT PUTTY PLUS, 0.5 CC SYRINGE	43
QSD410	QUAD SHAPING DRILL, 4 MM(D) X 10 MM(L)	24,32	ROAPM10	REGENERROSS ALLOGRAFT PUTTY PLUS, 1 CC SYRINGE	43
QSD411	QUAD SHAPING DRILL, 4 MM(D) X 11.5 MM(L)	24,32	ROAPM20	REGENERROSS ALLOGRAFT PUTTY PLUS, 2 CC (4 X 0.5 CC SYRINGES)	43
QSD413	QUAD SHAPING DRILL, 4 MM(D) X 13 MM(L)	24,32	ROX05	ENDOBON XENOGRAFT GRANULES, 0.5 ML PACK	43
QSD415	QUAD SHAPING DRILL, 4 MM(D) X 15 MM(L)	24,32	ROX10	ENDOBON XENOGRAFT GRANULES, 1 ML PACK	43
QSD485	QUAD SHAPING DRILL, 4 MM(D) X 8.5 MM(L)	24,32	ROX20	ENDOBON XENOGRAFT GRANULES, 2 ML PACK	43
QSD510	QUAD SHAPING DRILL, 5 MM(D) X 10 MM(L)	24,32	ROXLG20	ENDOBON XENOGRAFT GRANULES, 1000–2000 µm, 2 ML	43
QSD511	QUAD SHAPING DRILL, 5 MM(D) X 11.5 MM(L)	24,32	ROXLG50	ENDOBON XENOGRAFT GRANULES, 1000–2000 µm, 5 ML	43
QSD513	QUAD SHAPING DRILL, 5 MM(D) X 13 MM(L)	24,32	ROXLG80	ENDOBON XENOGRAFT GRANULES, 1000–2000 µm, 8 ML	43
QSD515	QUAD SHAPING DRILL, 5 MM(D) X 15 MM(L)	24,32	SEKT1	SINUS ELEVATION KIT	39
QSD585	QUAD SHAPING DRILL, 5 MM(D) X 8.5 MM(L)	24,32	SEKTR	SINUS ELEVATION TRAY	39
QSD610	QUAD SHAPING DRILL, 6 MM(D) X 10 MM(L)	24,32	SGD275A	NAVIGATOR TWIST DRILL 2.75 MM(D) X A(L)	21
QSD611	QUAD SHAPING DRILL, 6 MM(D) X 11.5 MM(L)	24,32	SGD275B	NAVIGATOR TWIST DRILL, 2.75 MM(D) X B(L)	21
QSD613	QUAD SHAPING DRILL, 6 MM(D) X 13 MM(L)	24,32	SGD275C	NAVIGATOR TWIST DRILL, 2.75 MM(D) X C(L)	21
QSD615	QUAD SHAPING DRILL, 6 MM(D) X 15 MM(L)	24,32	SGD275D	NAVIGATOR TWIST DRILL, 2.75 MM(D) X D(L)	21
QSD685	QUAD SHAPING DRILL, 6 MM(D) X 8.5 MM(L)	24,32	SGD275E	NAVIGATOR TWIST DRILL, 2.75 MM(D) X E(L)	21
RASH3N	NARROW RIGHT ANGLE LARGE HEXED DRIVER TIP, 24 MM(L)	18,22,26,28,30	SGD275Y	NAVIGATOR TWIST DRILL, 2.75 MM(D) X Y(L)	22
RDCA205	CANCELLOUS, PARTIALLY DEMINERALIZED, 0.5 CC, 200-300	42	SGD275Z	NAVIGATOR TWIST DRILL, 2.75 MM(D) X Z(L)	22
RDCA210	CANCELLOUS, PARTIALLY DEMINERALIZED, 1 CC, 200-300 µm	42	SGD2A	NAVIGATOR TWIST DRILL, 2 MM(D) X A(L)	21
RDCA220	CANCELLOUS, PARTIALLY DEMINERALIZED, 2 CC, 200-300 µm	42	SGD2B	NAVIGATOR TWIST DRILL, 2 MM(D) X B(L)	21
RDCA305	CANCELLOUS, PARTIALLY DEMINERALIZED, 0.5 CC, 300-500 µm	42	SGD2C	NAVIGATOR TWIST DRILL, 2 MM(D) X C(L)	21
RDCA310	CANCELLOUS, PARTIALLY DEMINERALIZED, 1 CC, 300-500 µm	42	SGD2D	NAVIGATOR TWIST DRILL, 2 MM(D) X D(L)	21
RDCA320	CANCELLOUS, PARTIALLY DEMINERALIZED, 2 CC, 300-500 µm	42	SGD2Y	NAVIGATOR TWIST DRILL, 2 MM(D) X Y(L)	22
RDCA505	CANCELLOUS, PARTIALLY DEMINERALIZED, 0.5 CC, 500-800 µm	42	SGD2Z	NAVIGATOR TWIST DRILL, 2 MM(D) X Z(L)	22
RDCA510	CANCELLOUS, PARTIALLY DEMINERALIZED, 1 CC, 500-800 µm	42	SGD325A	NAVIGATOR TWIST DRILL, 3.25 MM(D) X A(L)	21
RDCA520	CANCELLOUS, PARTIALLY DEMINERALIZED, 2 CC, 500-800 µm	42	SGD325B	NAVIGATOR TWIST DRILL, 3.25 MM(D) X B(L)	21
RDC0205	CORTICAL, PARTIALLY DEMINERALIZED, 0.5 CC, 200-300 µm	42	SGD325C	NAVIGATOR TWIST DRILL, 3.25 MM(D) X C(L)	21
RDC0210	CORTICAL, PARTIALLY DEMINERALIZED, 1 CC, 200-300 µm	42	SGD325D	NAVIGATOR TWIST DRILL, 3.25 MM(D) X D(L)	21
RDC0220	CORTICAL, PARTIALLY DEMINERALIZED, 2 CC, 200-300 µm	42	SGD325E	NAVIGATOR TWIST DRILL, 3.25 MM(D) X E(L)	21
RDC0305	CORTICAL, PARTIALLY DEMINERALIZED, 0.5 CC, 300-500 µm	42	SGD325Y	NAVIGATOR TWIST DRILL, 3.25 MM(D) X Y(L)	22
RDC0310	CORTICAL, PARTIALLY DEMINERALIZED, 1 CC, 300-500 µm	42	SGD325Z	NAVIGATOR TWIST DRILL, 3.25 MM(D) X Z(L)	22
RDC0320	CORTICAL, PARTIALLY DEMINERALIZED, 2 CC, 300-500 µm	42	SGD385A	NAVIGATOR TWIST DRILL, 3.85 MM(D) X A(L)	21
RDC0505	CORTICAL, PARTIALLY DEMINERALIZED, 0.5 CC, 500-800 µm	42	SGD385B	NAVIGATOR TWIST DRILL, 3.85 MM(D) X B(L)	21
RDC0510	CORTICAL, PARTIALLY DEMINERALIZED, 1 CC, 500-800 µm	42	SGD385C	NAVIGATOR TWIST DRILL, 3.85 MM(D) X C(L)	21
RDC0520	CORTICAL, PARTIALLY DEMINERALIZED, 2 CC, 500-800 µm	42	SGD385Y	NAVIGATOR TWIST DRILL, 3.85 MM(D) X Y(L)	22
RD100	STAINLESS STEEL ROUND DRILL, 2 MM(D)	28,30,32	SGD385Z	NAVIGATOR TWIST DRILL, 3.85 MM(D) X Z(L)	22

Index

Item#	Description	Page#	Item#	Description	Page#
SGTCP4L	TAPERED NAVIGATOR CORTICAL PERFORATOR, 4.1MM(D) - LONG	17	SGTT585S	TAPERED NAVIGATOR BONE TAP, 5MM(D) X 8.5(L) - SHORT	21
SGTCP4S	TAPERED NAVIGATOR CORTICAL PERFORATOR, 4.1MM(D) - SHORT	17	SGTTAPT	TAPERED NAVIGATOR BONE TAP TRAY	21
SGTCP5L	TAPERED NAVIGATOR CORTICAL PERFORATOR, 5MM(D) - LONG	17	SGTTP4	TAPERED NAVIGATOR TISSUE PUNCH, 4.1MM(D)	19
SGTCP5S	TAPERED NAVIGATOR CORTICAL PERFORATOR, 5MM(D) - SHORT	17	SGTTP5	TAPERED NAVIGATOR TISSUE PUNCH, 5MM(D)	19
SGTD19A	TAPERED NAVIGATOR TWIST DRILL, 1.9MM(D) X A(L)	17	SGTTRAY	TAPERED NAVIGATOR SURGICAL TRAY	19
SGTD19B	TAPERED NAVIGATOR TWIST DRILL, 1.9MM(D) X B(L)	17	SLIMKT	SURGICAL SLIM KIT FOR TAPERED CERTAIN® IMPLANTS	26,27,28
SGTD19C	TAPERED NAVIGATOR TWIST DRILL, 1.9MM(D) X C(L)	17	SLIMKTE	SURGICAL SLIM KIT FOR CERTAIN & EXTERNAL HEX IMPLANTS	26,27,28
SGTD19D	TAPERED NAVIGATOR TWIST DRILL, 1.9MM(D) X D(L)	17	TAP10	BONE TAP, 3.75MM(D) X 7-10MM(L)	35
SGTD19E	TAPERED NAVIGATOR TWIST DRILL, 1.9MM(D) X E(L)	21	TAP13	BONE TAP, 3.75MM(D) X 7-13MM(L)	35
SGTD19F	TAPERED NAVIGATOR TWIST DRILL, 1.9MM(D) X F(L)	21	TAP20	BONE TAP, 3.75MM(D) X 7-20MM(L)	35
SGTD19G	TAPERED NAVIGATOR TWIST DRILL, 1.9MM(D) X G(L)	21	TAP410	BONE TAP, 4MM(D) X 7-10MM(L)	35
SGTD410L	TAPERED NAVIGATOR SHAPING DRILL, 4.1MM(D) X 10MM(L) - LONG	22	TAP413	BONE TAP, 4MM(D) X 7-13MM(L)	30,31,35
SGTD410S	TAPERED NAVIGATOR SHAPING DRILL, 4.1MM(D) X 10MM(L) - SHORT	21	TAP420	BONE TAP, 4MM(D) X 7-20MM(L)	35
SGTD411L	TAPERED NAVIGATOR® SHAPING DRILL, 4.1MM(D) X 11.5MM(L) - LONG	22	TAP518S	BONE TAP, 5MM(D) X 7-18MM(L)	35
SGTD411S	TAPERED NAVIGATOR SHAPING DRILL, 4.1MM(D) X 11.5MM(L) - SHORT	21	TAP53S	BONE TAP, 5MM(D) X 7-13MM(L)	30,31,35
SGTD413L	TAPERED NAVIGATOR SHAPING DRILL, 4.1MM(D) X 13MM(L) - LONG	22	TAP58S	BONE TAP, 5MM(D) X 7-8.5MM(L)	35
SGTD413S	TAPERED NAVIGATOR SHAPING DRILL, 4.1MM(D) X 13MM(L) - SHORT	21	TAP618S	BONE TAP, 6MM(D) X 7-18MM(L)	35
SGTD415L	TAPERED NAVIGATOR SHAPING DRILL, 4.1MM(D) X 15MM(L) - LONG	22	TAP63S	BONE TAP, 6MM(D) X 7-13MM(L)	30,31,35
SGTD415S	TAPERED NAVIGATOR SHAPING DRILL, 4.1MM(D) X 15MM(L) - SHORT	21	TAP68S	BONE TAP, 6MM(D) X 7-8.5MM(L)	35
SGTD485L	TAPERED NAVIGATOR SHAPING DRILL, 4.1MM(D) X 8.5MM(L) - LONG	22	TE003	TITANIUM ELEVATOR	35
SGTD485S	TAPERED NAVIGATOR SHAPING DRILL, 4.1MM(D) X 8.5MM(L) - SHORT	21	TF002	TITANIUM FORCEPS	35
SGTD510L	TAPERED NAVIGATOR SHAPING DRILL, 5MM(D) X 10MM(L) - LONG	22	THA42	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 2 MM(H)	12
SGTD510S	TAPERED NAVIGATOR SHAPING DRILL, 5MM(D) X 10MM(L) - SHORT	22	THA43	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 3 MM(H)	12
SGTD511L	TAPERED NAVIGATOR SHAPING DRILL, 5MM(D) X 11.5MM(L) - LONG	22	THA44	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 4 MM(H)	12
SGTD511S	TAPERED NAVIGATOR SHAPING DRILL, 5MM(D) X 11.5MM(L) - SHORT	22	THA46	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 6 MM(H)	12
SGTD513L	TAPERED NAVIGATOR SHAPING DRILL, 5MM(D) X 13MM(L) - LONG	22	THA48	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 4.1 MM(P) X 8 MM(H)	12
SGTD513S	TAPERED NAVIGATOR SHAPING DRILL, 5MM(D) X 13MM(L) - SHORT	22	THA52	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 2 MM(H)	12
SGTD515L	TAPERED NAVIGATOR SHAPING DRILL, 5MM(D) X 15MM(L) - LONG	22	THA53	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 3 MM(H)	12
SGTD515S	TAPERED NAVIGATOR SHAPING DRILL, 5MM(D) X 15MM(L) - SHORT	22	THA54	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 4 MM(H)	14
SGTD585L	TAPERED NAVIGATOR SHAPING DRILL, 5MM(D) X 8.5MM(L) - LONG	22	THA56	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 6 MM(H)	14
SGTD585S	TAPERED NAVIGATOR SHAPING DRILL, 5MM(D) X 8.5MM(L) - SHORT	21	THA58	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 5 MM(P) X 8 MM(H)	14
SGTDPHR	TAPERED NAVIGATOR REDUCTION DRILL POSITIONING HANDLE	22	THA63	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 3 MM(H)	14
SGTDPHT	TAPERED NAVIGATOR TWIST DRILL POSITIONING HANDLE	22	THA64	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 4 MM(H)	14
SGTLTRAY	TAPERED NAVIGATOR LABORATORY TRAY	24	THA66	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 6 MM(H)	14
SGTP4	NAVIGATOR TISSUE PUNCH, 4.1MM(D)	25	THA68	EP 1-PIECE HEALING ABUTMENT, 4.1 MM(D) X 6 MM(P) X 8 MM(H)	14
SGTP5	NAVIGATOR TISSUE PUNCH, 5MM(D)	25	THRC4	TEMPORARY HEALING RETENTION CYLINDER, 4.1 MM(D) X 4 MM(H)	14
SGTRAY	NAVIGATOR SURGICAL TRAY	25	THRC6	TEMPORARY HEALING RETENTION CYLINDER, 4.1 MM(D) X 6 MM(H)	14
SGTT410L	TAPERED NAVIGATOR BONE TAP, 4.1MM(D) X 10(L) - LONG	23	TIBC1	TITANIUM NITRIDE COATED BONE CARRIER FOR SEKT1	38
SGTT410S	TAPERED NAVIGATOR BONE TAP, 4.1MM(D) X 10(L) - SHORT	23	TIPL1	LARGE TITANIUM PLUGGER	38
SGTT411L	TAPERED NAVIGATOR BONE TAP, 4.1MM(D) X 11.5(L) - LONG	23	TIPS1	SMALL TITANIUM PLUGGER	38
SGTT411S	TAPERED NAVIGATOR BONE TAP, 4.1MM(D) X 11.5(L) - SHORT	23	TMP80	TISSUE MEASURING POST	35
SGTT413L	TAPERED NAVIGATOR BONE TAP, 4.1MM(D) X 13(L) - LONG	23	TP001	TISSUE PUNCH, 4.1 MM(D)	36
SGTT413S	TAPERED NAVIGATOR BONE TAP, 4.1MM(D) X 13(L) - SHORT	23	TP005	TISSUE PUNCH, 5 MM(D)	36
SGTT415L	TAPERED NAVIGATOR BONE TAP, 4.1MM(D) X 15(L) - LONG	23	TP006	TISSUE PUNCH, 6 MM(D)	36
SGTT415S	TAPERED NAVIGATOR BONE TAP, 4.1MM(D) X 15(L) - SHORT	23	TRE02	TREPINE BUR - 2 MM INSIDE DIAMETER/3 MM OUTSIDE DIAMETER	38
SGTT485L	TAPERED NAVIGATOR BONE TAP, 4.1MM(D) X 8.5(L) - LONG	21	TRE04	TREPINE BUR - 4 MM INSIDE DIAMETER/5 MM OUTSIDE DIAMETER	38
SGTT485S	TAPERED NAVIGATOR BONE TAP, 4.1MM(D) X 8.5(L) - SHORT	21	TRE05	TREPINE BUR - 5 MM INSIDE DIAMETER/6 MM OUTSIDE DIAMETER	38
SGTT510L	TAPERED NAVIGATOR BONE TAP, 5MM(D) X 10(L) - LONG	21	TRE06	TREPINE BUR - 6 MM INSIDE DIAMETER/7 MM OUTSIDE DIAMETER	38
SGTT510S	TAPERED NAVIGATOR BONE TAP, 5MM(D) X 10(L) - SHORT	21	TRE08	TREPINE BUR - 8 MM INSIDE DIAMETER/9.3 MM OUTSIDE DIAMETER	38
SGTT511L	TAPERED NAVIGATOR BONE TAP, 5MM(D) X 11.5(L) - LONG	21	WR150	RATCHET WRENCH	18,22,25,28,30
SGTT511S	TAPERED NAVIGATOR BONE TAP, 5MM(D) X 11.5(L) - SHORT	21	WTH52	EP 1-PIECE HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 2 MM(H)	14
SGTT513L	TAPERED NAVIGATOR BONE TAP, 5MM(D) X 13(L) - LONG	21	WTH53	EP 1-PIECE HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 3 MM(H)	14
SGTT513S	TAPERED NAVIGATOR BONE TAP, 5MM(D) X 13(L) - SHORT	21	WTH54	EP 1-PIECE HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 4 MM(H)	14
SGTT515L	TAPERED NAVIGATOR BONE TAP, 5MM(D) X 15(L) - LONG	21	WTH56	EP 1-PIECE HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 6 MM(H)	14
SGTT515S	TAPERED NAVIGATOR BONE TAP, 5MM(D) X 15(L) - SHORT	21	WTH562	EP 1-PIECE HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 2 MM(H)	14
SGTT585L	TAPERED NAVIGATOR BONE TAP, 5MM(D) X 8.5(L) - LONG	21	WTH563	EP 1-PIECE HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 3 MM(H)	14

Index

Item#	Description	Page#	Item#	Description	Page#
WTH564	EP 1-PIECE HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 4 MM(H)	14	XIFNT513	FULL OSSEOTITE TAPERED CERTAIN, 5 MM(D) X 13 MM(L)	3
WTH566	EP 1-PIECE HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 6 MM(H)	14	XIFNT515	FULL OSSEOTITE TAPERED CERTAIN, 5 MM(D) X 15 MM(L)	3
WTH568	EP 1-PIECE HEALING ABUTMENT, 5 MM(D) X 6 MM(P) X 8 MM(H)	14	XIFNT585	FULL OSSEOTITE TAPERED CERTAIN, 5 MM(D) X 8.5 MM(L)	3
WTH58	EP 1-PIECE HEALING ABUTMENT, 5 MM(D) X 5 MM(P) X 8 MM(H)	14	XIFNT610	FULL OSSEOTITE TAPERED CERTAIN, 6 MM(D) X 10 MM(L)	3
WTH62	EP 1-PIECE HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 2 MM(H)	14	XIFNT611	FULL OSSEOTITE TAPERED CERTAIN, 6 MM(D) X 11.5 MM(L)	3
WTH63	EP 1-PIECE HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 3 MM(H)	14	XIFNT613	FULL OSSEOTITE TAPERED CERTAIN, 6 MM(D) X 13 MM(L)	3
WTH64	EP 1-PIECE HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 4 MM(H)	14	XIFNT615	FULL OSSEOTITE TAPERED CERTAIN, 6 MM(D) X 15 MM(L)	3
WTH66	EP 1-PIECE HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 6 MM(H)	14	XIFNT685	FULL OSSEOTITE TAPERED CERTAIN, 6 MM(D) X 8.5 MM(L)	3
WTH68	EP 1-PIECE HEALING ABUTMENT, 6 MM(D) X 6 MM(P) X 8 MM(H)	14	XIIO4310	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 4 MM(D) X 3.4 MM(P) X 10 MM(L)	3
XDG00	GELB X-RAY DEPTH GAUGE KIT	36	XIIO4311	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 4 MM(D) X 3.4 MM(P) X 11.5 MM(L)	3
XDG01	GELB X-RAY DEPTH GAUGE KIT, 2.3 MM(D)	37	XIIO4313	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 4 MM(D) X 3.4 MM(P) X 13 MM(L)	3
XDG13	GELB X-RAY DEPTH GAUGE, 2 MM(D) X 13 MM(L)	37	XIIO4315	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 4 MM(D) X 3.4 MM(P) X 15 MM(L)	3
XDG20	GELB X-RAY DEPTH GAUGE, 2 MM(D) X 20 MM(L)	37	XIIOS4385	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 4 MM(D) X 3.4 MM(P) X 8.5 MM(L)	3
XDG2313	GELB X-RAY DEPTH GAUGE, 2.3 MM(D) X 13 MM(L)	37	XIIOS5410	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 5 MM(D) X 4.1 MM(P) X 10 MM(L)	3
XDG2320	GELB X-RAY DEPTH GAUGE, 2.3 MM(D) X 20 MM(L)	37	XIIOS5411	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 5 MM(D) X 4.1 MM(P) X 11.5 MM(L)	3
XFOS310	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 10 MM(L)	7	XIIOS5413	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 5 MM(D) X 4.1 MM(P) X 13 MM(L)	3
XFOS311	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 11.5 MM(L)	7	XIIOS5415	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 5 MM(D) X 4.1 MM(P) X 15 MM(L)	3
XFOS313	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 13 MM(L)	7	XIIOS5485	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 5 MM(D) X 4.1 MM(P) X 8.5 MM(L)	3
XFOS315	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 15 MM(L)	7	XIIOS6510	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 6 MM(D) X 5 MM(P) X 10 MM(L)	3
XFOS365	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 6.5 MM(L)	7	XIIOS6511	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 6 MM(D) X 5 MM(P) X 11.5 MM(L)	3
XFOS385	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.75 MM(D) X 8.5 MM(L)	7	XIIOS6513	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 6 MM(D) X 5 MM(P) X 13 MM(L)	3
XFOS410	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 4 MM(D) X 10 MM(L)	7	XIIOS6515	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 6 MM(D) X 5 MM(P) X 15 MM(L)	3
XFOS411	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 4 MM(D) X 11.5 MM(L)	7	XIIOS6585	OSSEOTITE 2 CERTAIN PREVAIL IMPLANT, 6 MM(D) X 5 MM(P) X 8.5 MM(L)	3
XFOS413	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 4 MM(D) X 13 MM(L)	7	XIFOSM310	OSSEOTITE 2 PARALLEL WALLED CERTAIN® IMPLANT, 3.25MM(D) X 10MM(L)	4
XFOS415	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 4 MM(D) X 15 MM(L)	7	XIFOSM311	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 3.25MM(D) X 11.5MM(L)	4
XFOS465	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 4 MM(D) X 6.5 MM(L)	7	XIFOSM313	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 3.25MM(D) X 13MM(L)	4
XFOS485	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 4 MM(D) X 8.5 MM(L)	7	XIFOSM315	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 3.25MM(D) X 15MM(L)	4
XFOS510	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 5 MM(D) X 10 MM(L)	7	XIFOSM385	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 3.25MM(D) X 8.5MM(L)	5
XFOS511	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 5 MM(D) X 11.5 MM(L)	7	XIFOSS410	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 4MM(D) X 10MM(L)	5
XFOS513	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 5 MM(D) X 13 MM(L)	7	XIFOSS411	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 4MM(D) X 11.5MM(L)	5
XFOS515	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 5 MM(D) X 15 MM(L)	7	XIFOSS413	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 4MM(D) X 13MM(L)	5
XFOS565	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 5 MM(D) X 6.5 MM(L)	7	XIFOSS415	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 4MM(D) X 15MM(L)	5
XFOS585	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 5 MM(D) X 8.5 MM(L)	7	XIFOSS485	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 4MM(D) X 8.5MM(L)	5
XFOS610	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 6 MM(D) X 10 MM(L)	7			
XFOS611	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 6 MM(D) X 11.5 MM(L)	7			
XFOS613	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 6 MM(D) X 13 MM(L)	7			
XFOS615	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 6 MM(D) X 15 MM(L)	7			
XFOS665	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 6 MM(D) X 6.5 MM(L)	7			
XFOS685	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 6 MM(D) X 8.5 MM(L)	7			
XFOSM310	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 10 MM(L)	7			
XFOSM311	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 11.5 MM(L)	7			
XFOSM313	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 13 MM(L)	7			
XFOSM315	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 15 MM(L)	7			
XFOSM365	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 6.5 MM(L)	7			
XFOSM385	OSSEOTITE 2 PARALLEL WALLED IMPLANT, 3.25 MM(D) X 8.5 MM(L)	7			
XIFNT3210	FULL OSSEOTITE TAPERED CERTAIN, 3.25 MM(D) X 10 MM(L)	3			
XIFNT3211	FULL OSSEOTITE TAPERED CERTAIN, 3.25 MM(D) X 11.5 MM(L)	3			
XIFNT3213	FULL OSSEOTITE TAPERED CERTAIN, 3.25 MM(D) X 13 MM(L)	3			
XIFNT3215	FULL OSSEOTITE TAPERED CERTAIN, 3.25 MM(D) X 15 MM(L)	3			
XIFNT3285	FULL OSSEOTITE TAPERED CERTAIN, 3.25 MM(D) X 8.5 MM(L)	3			
XIFNT410	FULL OSSEOTITE TAPERED CERTAIN, 4 MM(D) X 10 MM(L)	3			
XIFNT411	FULL OSSEOTITE TAPERED CERTAIN, 4 MM(D) X 11.5 MM(L)	3			
XIFNT413	FULL OSSEOTITE TAPERED CERTAIN, 4 MM(D) X 13 MM(L)	3			
XIFNT415	FULL OSSEOTITE TAPERED CERTAIN, 4 MM(D) X 15 MM(L)	3			
XIFNT485	FULL OSSEOTITE TAPERED CERTAIN, 4 MM(D) X 8.5 MM(L)	3			
XIFNT510	FULL OSSEOTITE TAPERED CERTAIN, 5 MM(D) X 10 MM(L)	3			
XIFNT511	FULL OSSEOTITE TAPERED CERTAIN, 5 MM(D) X 11.5 MM(L)	3			

Index

Item#	Description	Page#	Item#	Description	Page#
XIFOSS510	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 5MM(D) X 10MM(L)	5	XIITP4311	OSSEOTITE TAPERED CERTAIN PREVAIL 4/3 X 11.5 MM(L)	3
XIFOSS511	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 5MM(D) X 11.5MM(L)	5	XIITP4313	OSSEOTITE TAPERED CERTAIN PREVAIL 4/3 X 13 MM(L)	3
XIFOSS513	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 5MM(D) X 13MM(L)	5	XIITP4315	OSSEOTITE TAPERED CERTAIN PREVAIL 4/3 X 15 MM(L)	3
XIFOSS515	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 5MM(D) X 15MM(L)	5	XIITP5485	OSSEOTITE TAPERED CERTAIN PREVAIL 5/4 X 8.5 MM(L)	3
XIFOSS518	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 5MM(D) X 8.5MM(L)	5	XIITP5410	OSSEOTITE TAPERED CERTAIN PREVAIL 5/4 X 10 MM(L)	3
XIFOSS610	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 6MM(D) X 10MM(L)	5	XIITP5411	OSSEOTITE TAPERED CERTAIN PREVAIL 5/4 X 11.5 MM(L)	3
XIFOSS611	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 6MM(D) X 11.5MM(L)	5	XIITP5413	OSSEOTITE TAPERED CERTAIN PREVAIL 5/4 X 13 MM(L)	3
XIFOSS613	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 6MM(D) X 13MM(L)	5	XIITP5415	OSSEOTITE TAPERED CERTAIN PREVAIL 5/4 X 15 MM(L)	3
XIFOSS615	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 6MM(D) X 15MM(L)	5	XIITP6585	OSSEOTITE TAPERED CERTAIN PREVAIL 6/5 X 8.5 MM(L)	3
XIFOSS685	OSSEOTITE 2 PARALLEL WALLED CERTAIN IMPLANT, 6MM(D) X 8.5MM(L)	5	XIITP6510	OSSEOTITE TAPERED CERTAIN PREVAIL 6/5 X 10 MM(L)	3
XIITP4385	OSSEOTITE TAPERED CERTAIN PREVAIL 4/3 X 8.5 MM(L)	3	XIITP6511	OSSEOTITE TAPERED CERTAIN PREVAIL 6/5 X 11.5 MM(L)	3
XIITP4310	OSSEOTITE TAPERED CERTAIN PREVAIL 4/3 X 10 MM(L)	3	XIITP6513	OSSEOTITE TAPERED CERTAIN PREVAIL 6/5 X 13 MM(L)	3
			XTAP518S	OSSEOTITE 2 DENSE BONE TAP 5 MM(D) X 7-18 MM(L)	34
			XTAP53S	OSSEOTITE 2 DENSE BONE TAP 5 MM(D) X 7-13 MM(L)	28,29,34
			XTAP58S	OSSEOTITE 2 DENSE BONE TAP 5 MM(D) X 7-8.5 MM(L)	34
			XTAP618S	OSSEOTITE 2 DENSE BONE TAP 6 MM(D) X 7-18 MM(L)	34
			XTAP63S	OSSEOTITE 2 DENSE BONE TAP 6 MM(D) X 7-13 MM(L)	28,29,34
			XTAP68S	OSSEOTITE 2 DENSE BONE TAP 6 MM(D) X 7-8.5 MM(L)	34

Ordering Information

Some products may not be available outside the U.S.A.
Algunos productos no se comercializan fuera de EE.UU.
Certains produits ne sont pas disponibles en dehors des États-Unis.
Einige Produkte sind außerhalb der USA nicht erhältlich.

To Place an Order:

Contact your local BIOMET 3i Representative or call:

BIOMET 3i Customer Service

Monday–Thursday 8am–8pm (EST)

Friday 8am–6:30pm (EST)

800-342-5454, Fax 561-776-1272

In Canada: 800-363-1980, Outside US: 561-776-6700

TERMS AND CONDITIONS OF SALE. The following are the terms and conditions by which BIOMET 3i sells its products.

GOVERNING TERMS. Any shipment of products shall be deemed to be on the terms and conditions stated herein. Any and all terms and conditions submitted by Purchaser are hereby rejected.

TAXES. The prices set forth herein do not include any sales, use, excise, ad valorem, property or other taxes applicable to the sale, use or delivery of the products, all of which shall be paid by Purchaser separately or added to the contract price and paid by Purchaser to BIOMET 3i.

PRICES. The prices set forth for the products are in United States Dollars.

DELIVERY. Products sold hereunder shall be delivered by BIOMET 3i, F.O.B. Palm Beach Gardens, Florida.

PAYMENT. Payment terms shall be as set forth under the Terms section on front of the invoice.

WARRANTY. BIOMET 3i nor any of its affiliates make any warranty, express or implied, except that its products shall be free from defects in material and/or workmanship. This warranty applies only to the original Purchaser. In the event of a product defect, immediately notify BIOMET 3i of the defect prior to returning the product. Devices shall be sterilized prior to return. As its sole obligation and as Purchaser's sole remedy under this warranty, BIOMET 3i will, at its option, either repair, replace or issue credit for such products. Purchaser assumes all risks and liability resulting from the use of these products, whether used separately or in combination with other products.

Except for the warranty expressly described in the warranty paragraph above, neither BIOMET 3i nor any of its affiliates makes any other warranty with respect to the BIOMET 3i Products, expressed or implied, written or oral, including, without limitation, any implied warranty of merchantability, or a warranty of fitness for a particular purpose.

EDUCATION; MODIFICATION OF PRODUCTS. BIOMET 3i reserves the right to modify products, discontinue products and change specifications of products.

RETURN POLICY. A Purchaser may return any BIOMET 3i Product within 90 days of the invoice date. BIOMET 3i Products returned within 60 days of the invoice date will be accepted without any re-stocking fee to the Purchaser. BIOMET 3i Products returned between 61 and 90 days of the invoice date will be subject to a 15% restocking fee. A BIOMET 3i Product will be accepted for return only if the BIOMET 3i Product is (1) returned in its original, unopened package (including autoclavable products); (2) received by BIOMET 3i within 90 days after the invoice date for that product; and (3) returned freight prepaid to 4555 Riverside Drive, Palm Beach Gardens, Florida 33410, (Attention: Returns Department) accompanied by the BIOMET 3i Return Authorization Number provided by the BIOMET 3i Customer Service Department. Purchaser should be advised that BIOMET 3i Products not meeting the above criteria will not be accepted for return.

EXCHANGE POLICY. BIOMET 3i Products may be exchanged within 180 days of the invoice date, without a re-stocking fee, for other BIOMET 3i Products of equal or lesser value within the same product family as determined by BIOMET 3i (ex. implant for implant, abutment for abutment, membrane for membrane). BIOMET 3i Products may be exchanged within 180 days of the invoice date for other BIOMET 3i Products of greater value within the same product family as determined by BIOMET 3i (ex. implant for implant, abutment for abutment, membrane for membrane), with the price differential paid by the Purchaser. In both cases, the exchanged BIOMET 3i Product must be (1) returned in its original, unopened package (including autoclavable products); (2) a currently offered BIOMET 3i Product (discontinued product not included); and (3) returned freight prepaid to 4555 Riverside Drive, Palm Beach Gardens, Florida 33410, (Attention: Returns Department) and accompanied by the BIOMET 3i Products Return Authorization Number provided by the BIOMET 3i Customer Service Department.

AVAILABILITY OF PRODUCTS. All products are not available in all areas. Any offer or product void where prohibited by law.

EXPORT CONTROL. All products are subject to all applicable export control and sanctions legislation.

FORCE MAJEURE. BIOMET 3i shall not be liable for any loss or damage due to failure or delay arising out of any cause beyond the reasonable control of BIOMET 3i. In the event of any failure or delay resulting from such causes, an equitable adjustment of delivery and any other appropriate terms and conditions shall be made. No such failure or delay shall be the basis for an increase of obligation by BIOMET 3i nor any termination by the Purchaser.

LIMITATION OF LIABILITY. Under no circumstances shall BIOMET 3i nor any of its affiliates be liable for business interruption, loss of profits, special, indirect, incidental or consequential damages of any nature and from any cause whether based in contract, warranty or tort (including negligence) or other legal theory, even if BIOMET 3i has been advised of the possibility of such damages.

VALIDITY. If any provision of these Terms and Conditions is found to be illegal or unenforceable in any respect, such illegality or unenforceability shall not affect any other provision of these Terms and Conditions, all of which shall remain enforceable in accordance with their terms.

GENERAL PROVISIONS. The purchase of the products and these Terms and Conditions are governed by the laws of Florida without regard to conflicts of law principles. This document incorporates all oral and written representations between the parties and constitutes the entire agreement and understanding of the parties with respect to the subject matter hereof and supersedes any and all other agreements either oral or written between the parties with respect to such subject matter. No amendment or modification may be made to this document unless made in writing and duly executed by an authorized representative of BIOMET 3i.

CAUTION. Federal (U.S.) Law restricts these devices to sale by or on the order of a licensed healthcare practitioner. Devices labeled STERILE are certified to be sterile unless sterile package is opened or damaged.

EXPORT ORDERS. Require advance payment or letter of credit. Shipments are made either by freight collect or paid by BIOMET 3i and added to the invoice. Unless special instructions are received with an order, the shipping method will be determined by BIOMET 3i, F.O.B. Palm Beach Gardens, Florida.

DUNS #: 186127825

BIOMET 3i is listed in the SAM (U.S. System for Award Management) Database.

Ordering Form

Customer Account#

Customer Name:

Specialty:

Date: _____ / _____ / _____

Representative taking order

Bill To: _____

Customer P.O. #: _____

Phone #: ()_____

Method of Shipment: FedEx UPS

Ship To: _____

Phone #: () _____

Would you like to receive information via email about BIOMET 3i Products, Services and Events?

Yes No

Email Address: _____

Special Instructions:

Contact Name:

- Next Day by 8:30am
- Next Day by 10:30am
- Next Day - Afternoon
- Two Day
- Ground
- Other _____

Method of Payment:

Credit Card: Visa MasterCard AMEX
 Card #: _____
 Expiration Date: _____

C.O.D.

Bill - Net 30

Date: _____ Order Number: _____ Order Total: _____ Customer Service Representative: _____

BIOMET 3*i*
4555 Riverside Drive
Palm Beach Gardens, FL 33410
Phone: 800-342-5454 • Fax: 561-776-1272
Website: www.biomet3i.com

Thank you for your patronage!

Want More? Solutions Start Here

Check Out The Online Store at
www.shopbiomet3i.com
(US & Spain Customers Only)

For More Information, Please Contact Your Local Sales Representative

Unless otherwise indicated, as referenced herein, all trademarks herein are the property of BIOMET 3i LLC and all products are manufactured by one or more of the dental subsidiaries of Zimmer Biomet Holdings, Inc., and distributed and marketed by Zimmer Biomet Dental (and, in the case of distribution and marketing, its authorized marketing partners). Safescraper and META are trademarks of CGM S.p.A. ImplantMed is a registered trademark of W&H Dentalwerk Bürmoos GmbH. Product clearance and availability may be limited to certain countries/regions. This material is intended for clinicians only and does not comprise medical advice or recommendations. This material may not be copied or reprinted without the express written consent of Zimmer Biomet Dental. For additional product information, including indications, contraindications, warnings, precautions and potential adverse effects, please visit the BIOMET 3i Website: www.ifu.biomet3i.com. ©2017 BIOMET 3i LLC. All rights reserved.



INSTSUR
REV D 12/17